

Contents lists available at ScienceDirect

Environmental Pollution

journal homepage: www.elsevier.com/locate/envpol





Sublethal effects induced by different plastic nano-sized particles in *Daphnia magna* at environmentally relevant concentrations^{*}

Andrea Masseroni^a, Marco Fossati^b, Jessica Ponti^c, Gabriella Schirinzi^c, Alessandro Becchi^a, Francesco Saliu^a, Valentina Soler^a, Maddalena Collini^d, Camilla Della Torre^b, Sara Villa^{a,*}

- a Department of Earth and Environmental Sciences, DISAT, University of Milano-Bicocca, Piazza Della Scienza 1, 20126, Milan, Italy
- ^b Department of Biosciences, University of Milan, Via Giovanni Celoria 26, 20133, Milan, Italy
- ^c European Commission, Joint Research Centre (JRC), Ispra, Italy
- ^d Department of Physics "Giuseppe Occhialini," University of Milano-Bicocca, Piazza Della Scienza 3, 20126, Milan, Italy

ARTICLE INFO

Keywords: Nanoplastics Polystyrene Polyvinyl chloride Polyethylene Daphnia magna Ecotoxicology

ABSTRACT

A growing number of studies have reported the toxic effects of nanoplastics (NPs) on organisms. However, the focus of these studies has almost exclusively been on the use of polystyrene (PS) nanospheres. Herein, we aim to evaluate the sublethal effects on *Daphnia magna* juveniles of three different NP polymers: PS-NPs with an average size of 200 nm, polyethylene [PE] NPs and polyvinyl chloride [PVC] NPs with a size distribution between 50 and 350 nm and a comparable mean size. For each polymer, five environmentally relevant concentrations were tested (from 2.5 to 250 μ g/L) for an exposure time of 48 h. NP effects were assessed at the biochemical level by investigating the amount of reactive oxygen species (ROS) and the activity of the antioxidant enzyme catalase (CAT) and at the behavioral level by evaluating the swimming behavior (distance moved). Our results highlight that exposure to PVC-NPs can have sublethal effects on *Daphnia magna* at the biochemical and behavioral levels. The potential role of particle size on the measured effects cannot be excluded as PVC and PE showed a wider size range distribution than PS, with particles displaying sizes from 50 to 350 nm. However, we infer that the chemical structure of PVC, which differs from that of PE of the same range size, concurs to explain the observed effects. Consequently, as PS seems not to be the most hazardous polymer, we suggest that the use of data on PS toxicity alone can lead to an underestimation of NP hazards.

1. Introduction

Nanoplastics (NPs) are particles sized between 1 and 1000 nm (Gigault et al., 2018; Hartmann et al., 2019) and are mainly formed by the environmental fragmentation of large plastic items (Gigault et al., 2021). Many ecotoxicological assessments utilize engineered nanometric plastics instead of naturally occurring ones in their bioassay. For enhanced terminological and experimental consistency, it is advised that the origin of plastics used in bioassay is explicitly stated. In comparison to primary particles present within commercial products, particles that enter ecosystems can deviate considerably in dimensions and physical-chemical characteristics (Lowry et al., 2012; Mitrano et al., 2015; Nowack and Mitrano, 2018). While several groups endeavor to create environmentally meaningful nanoparticles (Baudrimont et al., 2020; McColley et al., 2023), scrutinies of the ecotoxicological influence

of such entities have usually investigated engineered plastic nanospheres (also referred to as primary NPs) as a substitute for the secondary plastic elements detected in the surroundings (Pikuda et al., 2023).

Recently, NPs have generated increasing scientific interest (Cerasa et al., 2021) owing to the unique properties that make them potentially more hazardous than microplastics (MPs) (Gigault et al., 2021). Different studies have demonstrated that NPs can negatively affect organisms (Shen et al., 2019) at the subindividual (Della Torre et al., 2014; Corsi et al., 2020; Liu H. et al., 2020a,b) and individual levels (Mattsson et al., 2015; Rist et al., 2017; Qu et al., 2019; Liu Z. et al., 2019). However, the environmental risk assessment (ERA) of NPs (NP-ERA) is in its infancy. The classical risk assessment framework requires the assessment of exposure and effect to determine whether the expected level of risk can be considered acceptable. The occurrence of NPs in

E-mail address: sara.villa@unimib.it (S. Villa).

 $^{^{\}star}\,$ This paper has been recommended for acceptance by Maria Cristina Fossi.

^{*} Corresponding author.

ecosystems was confirmed in 2017 in ocean water (Ter Halle et al., 2017); however, recently, only a few studies have verified their presence in other abiotic matrices and biota, suggesting that NPs are present in the environment at low levels (Materić et al., 2021; Zhou et al., 2021a,b; Materić et al., 2022a,b; Xu et al., 2022; Li et al., 2022). Comparing environmentally measured concentrations with data from ecotoxicological studies that tested similar concentrations, it was recently suggested that exposure to these environmental levels of NPs can be considered hazardous to aquatic ecosystems (Masseroni et al., 2022). However, the lack of standardized test materials for NPs makes assessing the effect of environmentally relevant concentrations of NPs challenging (Koelmans et al., 2022; Mitrano et al., 2023), thus leading to knowledge gaps that hamper NP risk characterization. To date, almost all studies have tested the effects induced by polystyrene NPs (PS-NPs) (Masseroni et al., 2022); this is because PS is the plastic polymer that is most easily processed into nanoparticles (Lehner et al., 2019). In the environment, NPs are present as a complex mixture of different polymers with varying sizes, shapes, surface functionalities, additive compositions, and degrees of weathering (Raynaud et al., 2021); therefore, the toxicity data of PS-NPs cannot be considered a reliable proxy for all other polymers (Monikh et al., 2022). There are very few effect assessment reports of other NP polymers whose presence on the market is very diffuse (e.g., polypropylene [PP], polyethylene [PE], and polyvinyl chloride [PVC]) (Kokalj et al., 2021; Plastics Europe, 2022). This study aims to address this gap by evaluating the sublethal effects of different NP polymers (PS, PE, and PVC) on the freshwater cladoceran Daphnia magna, setting the NP concentrations to environmentally relevant levels (lower than 250 μ g/L), and the exposure time to 48 h. Even if this species is not the most sensitive one (Masseroni et al., 2022), it is the most frequently used model species in ecotoxicology (Qiao et al., 2022) and, as a filter-feeding zooplankton, it is representative of primary consumers of the freshwater food chain (Kukkola et al., 2021). As the selected concentrations are far below those inducing mortality, we have evaluated the effects of NPs at the subindividual and individual levels of biological organization, considering biochemical and behavioral endpoints.

In summary, this study aims to provide crucial data that will help establish whether different NP polymers exhibit comparable toxicity to PS-NPs and whether PS-NPs can be used as a proxy for all other NP polymers.

2. Materials and methods

2.1. Procurement of nanoplastics

Three polymers (PS, PE, and PVC) that best represent the most common plastic polymers present on the market and in the environment (Plastics Europe, 2022) were selected for this study. PS-NPs (200-nm nominal diameter, 25 mg/mL) were purchased from Polysciences Europe GmbH, Germany. PE-NPs and PVC-NPs were procured from the European Commission's Joint Research Center in Ispra, Italy, where they were synthesized following the protocol proposed by Cassano et al. (2021, 2023), with sizes ranging between 50 and 350 nm. As reported by the suppliers, the polymer density was 0.92 g/mL for PE (Sigma Aldrich, Milan, Italy), 1.4 g/mL for PVC (Sigma Aldrich, Milan, Italy), and 1.05 g/mL for PS (Polysciences Europe GmbH, Germany).

2.2. NP characterization and quality control

The three investigated solutions of PS-NPs, PE-NPs and PVC-NPs were well characterized before the exposure experiments.

NP shape: Transmission electron microscopy (TEM, JEM-2100, JEOL Ltd., Rome, Italy) and scanning electron microscopy (SEM, FEI Nova NanoLab 600 DualBeam, Thermo Fisher Scientific, Delft, The Netherlands) analyses were performed to check the morphology of the polymeric particles. In brief, stock suspensions were diluted in Milli-Q water and manually deposited on Formvar carbon-coated 200 mesh

copper grids (Agar Scientific, London, UK) for TEM analysis at $120~\rm kV$, and on silicon wafer for SEM analysis.

Chemical characterization of NPs: To accomplish the chemical characterization of the NP polymers, Raman spectral analyses were performed using an alpha300 R confocal Raman microscope (WITec, GmbH, Berlin, Germany). In brief, stock suspensions were manually deposited (10 $\mu L)$ on silicon wafer and analyzed by Raman microscope equipped with a 532 nm laser. Spectra were collected using the 50X objectives by averaging at least 10 spectra. The identification of the spectra was achieved by comparing the PS-NPs, PVC-NPs, and PE-NPs with the respective reference polymers.

NP concentration and size: Each polymer suspension was subjected to nanoparticle tracking analysis (NTA, NanoSight NS300, Malvern Panalytical, Worcestershire, UK) to verify the nominal size and concentrations of the NPs. In brief, the NP suspensions were diluted with Milli-Q water to achieve a concentration within 10⁸ particles/mL, and then each polymer suspension was analyzed in triplicate (three 60-s videos were recorded). The nominal concentration (particles/mL) of the stock solution of PS-NPs was provided by the supplier, whereas for PVC-NPs and PE-NPs this was calculated using the following formula:

$$Concentration = \frac{6W \times 10^{12}}{\rho \times \pi \times \varphi^3}$$

where W is the grams of polymer per mL in latex, ρ is the density of the polymer, and ϕ is the diameter in microns of latex particles.

As reported in recent studies (Pikuda et al., 2019; Vaz et al., 2021; Kelpsiene et al., 2022), to avoid the unexpected effects of surfactants on organisms during ecotoxicology assays, it is essential to purify the synthesized NPs by means of a washing procedure. The PS-NP solution, given the presence of residual surfactants in the suspension, was washed using gentle sonication and centrifugation (13,500 rpm for 13 min), and then, the pellet was resuspended in Milli-Q water. NTA was also carried out for the washed PS-NP solution to identify any changes in the solution characteristics occurring as a consequence of the washing process. For PVC- and PE-NP suspensions, this step was not required because the synthesis protocols involved the use of biocompatible sodium cholate surfactant (Cassano et al., 2021; Cassano et al., 2023), presents in the highest NP tested exposure at a concentration of 0.0625 mg/L. Data from leachate experiment support the lack of detrimental effect induced by sodium cholate (refer to paragraph 2.2: Additional quality control for PVC-NPs in the exposure water).

Furthermore, the size distribution of the investigated particles was assessed through TEM imaging acquired at 120 KV. Images of 200 individual particles from each sample (PS-NPs, PVC-NPs, and PE-NPs) underwent manual analysis, with data being collected via ImageJ software. MinFeret (nm) size distribution, corresponding cumulative percent curve and Gauss fit (Xc; sigma) were obtained by OriginPro (2015) software. Mean and corresponding standard deviation of MinFeret (nm) were calculated by excel.

NP surface charge: To investigate the stability of the particles in suspension, their hydrodynamic size and $\zeta\text{-potential}$ were measured through dynamic light scattering (DLS) analyses using a Zetasizer Nano ZS instrument (Malvern Panalytical, Worcestershire, UK) equipped with a 633-nm helium–neon (HeNe) laser. Each polymer suspension was diluted to a concentration of 10^9 particles/mL and analyzed both in Milli-Q water and in the testing sample water. Three consecutive measurements (both for hydrodynamic size and $\zeta\text{-potential}$) were carried out at T0 and T1 (48 h). Since it is plausible that the surface charge changes as soon as the plastic particles bind to molecules excreted by the daphnids, we have performed further DLS measurements to mimic the behavior of the investigated polymers in the exposure water. Briefly, we left the daphnids in the exposure water for 48 h, then removed the organisms from the NPs polymer suspension, which was analyzed by DLS as described above.

NP ingestion: A preliminary test was performed to confirm the

effective ingestion of NPs by *D. magna* juveniles. In brief, *D. magna* juveniles were exposed to 20-nm fluorescent PS-NPs (F8787 FluoSpheres, Invitrogen, Thermo Fisher Scientific, USA) at a concentration of 1000 μ g/L for 48 h. At the end of the exposure, the presence of NPs in the digestive tract and on the body surface was investigated using point scanning confocal microscopy (Leica TCS SP5, Leica Microsystems, Wetzlar, Germany).

Additional quality control for PVC-NPs in the exposure water: Since it is known that Cl⁻ and PVC monomers can induce toxicity in *D. magna* (Al-Malack et al., 2000; Lithner et al., 2012), we conducted further analyses on PVC-NPs leaching into the exposure water. In brief, PVC-NPs at the highest tested concentration (250 µg/L) were allowed to leach into the exposure water for 48 h. The release of Cl⁻ was investigated using ion chromatography (Thermo ScientificTM DionexTM, Waltham, MA, USA) and the Cl⁻ levels in the leachate were compared with those in pristine exposure water solution, as described by Nava et al. (2020). Finally, to exclude the role of leachate in influencing changes in the swimming behavior of *D. magna* individuals, the PVC-NP suspension was centrifuged (13,500 rpm for 15 min) and the supernatant (the water phase containing the leachate) was separated from the pellet (containing precipitated PVC-NPs); then individuals were exposed to the supernatant.

2.3. Daphnia magna population maintenance

The test organisms were derived from a single parthenogenetic female D. magna Straus, 1820, obtained from the Istituto Superiore di Sanità (Rome, Italy), and they were cultured by following Test Guideline 202 (OECD.). In brief, 20 D. magna individuals were bred in a glass beaker filled with 500 mL of a 1:1 mixture of two commercial mineral water samples (San Benedetto®—conductivity: 428 μ S/cm at 20 °C; pH: 7.55; constitution: $283\text{-mg/L} \text{ HCO}^{-3}$, $51.1\text{-mg/L} \text{ Ca}^{2+}$, and 29.9-mg/LMg $^{2+}$; San Bernardo®—conductivity: 52 $\mu S/cm$ at 20 $^{\circ} C;$ pH: 7.00; constitution: 32.3-mg/L HCO $^{-3}$, 48.6 mg/L Ca $^{2+}$, and 0.39-mg/L Mg $^{2+}$), also referred to as exposure water throughout this article. The beakers were placed in a thermostatic chamber under a 16:8 light-dark cycle at a controlled temperature of 20.0 $^{\circ}\text{C} \pm 0.5$ $^{\circ}\text{C}.$ The daphnids were fed three times a week with a suspension of the commercial green algae spirulina (Arthrospira platensis) (1.25 mg/mL) and yeast (Saccharomyces cerevisiae) (10 mg/mL). The culture medium was renewed three times a week.

2.4. Daphnia magna exposure assay

48-h exposure assays were conducted with the third-generation neonates of *D. magna* (less than 24-h old). Once solution conditions were confirmed, the different NP suspensions were diluted with the exposure water to obtain solutions with a concentration of 250 $\mu g/L$; other subsequent concentrations (125, 25, 12.5, and 2.5 $\mu g/L$) were obtained via serial dilution. For each NP polymer, each concentration was tested to separate sets of 60 daphnid neonates. For each treatment, the samples were divided into 6 replicates, each containing 10 daphnids, and added into glass vessels containing 20 mL of the exposure solution. Control treatments (CTRL = treatment with the pristine exposure water) were performed in parallel. After the exposure, the organisms were collected for sublethal toxicity analysis.

2.5. Analyses of biochemical and behavioral biomarkers

For each NP treatment, the swimming activity of 30 daphnids was analyzed. Each individual daphnid was gently placed in a well plate containing 2 mL of exposure water. The plates were placed in a thermostatic chamber (20.0 °C \pm 0.5 °C) equipped with a digital high-definition camera (Raspberry Pi 3 with Camera Module 2) set at a high resolution (1920 \times 1080 pixels). After 5 min of acclimation, the swimming activity of the *D. magna* neonates was tracked through video

tracking analysis using the software LoliTrack V4 (Loligo Systems, Denmark). The movement of each daphnid was recorded three consecutive times for 30 s (each video consisting of 750 frames at 25 frames/s). The distance traveled, expressed in mm, was chosen as the representative movement endpoint (Bownik, 2017). For the PVC-NP leachate experiment, a similar experimental set-up was used, with the different treatments (CTRL, leached PVC-NPs, and 250- μ g/L PVC-NPs) being performed in parallel, each involving a total of 12 daphnids separated into 3 replicates of 4 individuals each.

For all the investigated polymers, the 30 daphnids analyzed for behavioral analysis and the other 30 were frozen at -80 °C for subsequent biochemical analysis. For each treatment, three replicates (pools of 18–20 organisms) were utilized. The amount of reactive oxygen species (ROS) and the activity of catalase (CAT) were investigated using spectrofluorimetry and spectrophotometry, respectively, in accordance with the procedures reported by De Felice et al. (De Felice et al., 2022).

2.6. Statistical analyses

The effects of NP exposure on the investigated endpoints were analyzed using one-way Analysis of Variance (ANOVA). Each endpoint was considered a dependent variable, while the treatments were considered the predictor. The normality of data was verified using the Shapiro–Wilk test, with the significance being set at a p-value <0.05. When data were not normally distributed, they were log transformed before being considered for ANOVA. Data not normally distributed even after log transformation were analyzed using the Kruskal–Wallis test. When ANOVA results were statistically significant, Dunnett's posthoc test was used to prove significant differences between the control and treatment groups. Conversely, Dunn's posthoc test was used for data analyzed using the Kruskal–Wallis test. Statistical analyses were performed using the R software (R Core Team, 2022).

3. Results and discussion

3.1. NP characterization and quality control

SEM, TEM, and Raman analyses confirmed the spherical shape and the chemical structure of the investigated polymers (Fig. 1).

The NTA results revealed that the particle size and concentration were within 15% and 30%, respectively, of the nominal values (Table 1). PVC and PE show a higher standard deviation in size measurements as they were synthesized in a 50–350 nm size range (Cassano et al., 2023). NTA results for particle number concentration are highly dependent on particle scattering characteristics, image acquisition, and analysis settings (Filipe et al., 2010; DeRose et al., 2022). In our study, the measured values were considered acceptable as they were within 30% of the nominal values. NTA verified that the PS washing step neither altered the relative size and concentrations of PS-NPs nor caused aggregation or loss of material (Fig. S1).

DLS size intensity measurements of PS-NPs, PVC-NPS, and PE-NPs in both Milli-Q and exposure water are reported in Table 2 and in Fig. S2. DLS size measurements in Milli-Q water were consistent with NTA size measurements. Polydispersity Index (PDI) results confirmed that PVC and PE particles exhibit a higher size distribution range than PS (Table 2). The ζ -potential values confirm the high stability of all the investigated polymers (Table 2). The ζ-potential is in fact considered a suitable indicator of NP surface charge (Bhattacharjee et al., 2014): ζ-potential values higher than |30| mV indicate a stable behavior of particles within the solution, whereas values between |10| and |30| mV suggest incipient stability (Martin et al., 2022). Moreover, surface charge is considered an important factor that can influence NP toxicity (Schwegmann et al., 2010; Sukhanova et al., 2018; Yu et al., 2019). The surface charge and size of NPs were also measured in the exposure water (both in presence and absence of D. magna) since these parameters can be influenced by the pH, salt content.




Fig. 1. Transmission electron microscopy (TEM), scanning electron microscopy (SEM) and Raman spectra of PS-NPs, PVC-NPs, and PE-NPs. The numbers in the Raman spectra specify the precise peaks utilized to identify PS, PVC, and PE polymers.

Table 1 NTA results for the size and concentration of the tested NPs. Data are presented as mean values of three consecutive measurements \pm standard deviation.

Solution conditions	PS	Washed PS	PVC	PE
Nominal size (nm) Measured size (nm) Nominal concentration (particles/mL)	200 182 (\pm 32) 5.68 \times 10 ¹²	200 175 (\pm 30) 5.68 × 10 ¹²	200 229 (\pm 65) 3.46×10^{11}	200 174 (±74) 5.31 × 10 ¹¹
Measured concentration (particles/mL)	4.92 (± 0.02) \times 10^{12}	$\begin{array}{l} \textbf{4.23} \\ (\pm 0.10) \times \\ \textbf{10}^{12} \end{array}$	3.47 (±0.12) × 10^{11}	3.86 (±0.19) × 10^{11}

Table 2 DLS measurements of the hydrodynamic size (nm), PDI, and ζ -potential (mV) of the NPs in Milli-Q water and exposure water at T0 and T1 (48 h). Data are presented as mean values of three consecutive measurements \pm standard deviation.

		Exposure time	Size	PDI	ζ-potential
PS-NPs	Milli-Q water	ТО	214 ± 49	0.028	-33 ± 6
		T1	218 ± 48	0.011	-33 ± 6
	Exposure	T0	199 ± 44	0.028	-32 ± 6
	water	T1	200 ± 51	0.033	-32 ± 7
PE-NPs	Milli-Q water	T0	227 ± 84	0.112	-38 ± 5
		T1	231 ± 86	0.114	-34 ± 5
	Exposure	T0	207 ± 75	0.124	-31 ± 6
	water	T1	212 ± 86	0.125	-29 ± 6
PVC-	Milli-Q water	T0	245 ± 85	0.164	-37 ± 5
NPs		T1	246 ± 93	0.115	-36 ± 5
	Exposure	T0	224 \pm	0.167	-32 ± 6
	water		108		
		T1	277 \pm	0.244	-25 ± 4
			163		

of the medium the NPs are suspended in (Auguste et al., 2020), and molecules excreted by *D. magna*. The ζ -potential and size values obtained for PS-NPs and PE-NPs showed that these parameters remained

unaltered in the exposure water. In the case of PVC-NPs, slight changes in size and ζ -potential were detected in the exposure water as a function of time, with a decrease in the ζ -potential (from -31 to -25 mV) and an increase in the size (from 225 to 277 nm). The DLS measurements for NPs in the exposure medium with the presence of the molecules excreted by the daphnids (Table S1) suggest that the different polymers exhibit smaller surface charge values and slightly larger sizes, but with modest variations in size and charge between the three investigated polymers.

The size distribution obtained by TEM measurement shows that PS present an average size of 184.5 (±6.2) nm, while PVC and PE exhibit a distribution within the range of 50–350 nm, with an average size respectively of 116.7 (±65.0) nm and 145.5 (±39.5) nm (Fig. S3).

The results of the preliminary test with fluorescent PS-NPs (Fig. S4) confirmed in our test conditions the presence of NPs in the digestive tract and on the body surface of *D. magna* juveniles. These data are in line with the evidence provided in the literature, showing that *D. magna* can ingest different types of plastic polymers (Zimmermann et al., 2020) of both micrometric and nanometric size (Rist et al., 2017; Canniff and Hoang, 2018; Vighi et al., 2021; Jeyavani et al., 2023).

The ion chromatography results highlighted the absence of any difference in the chlorine content between the control exposure water and the PVC-NP leachates.

3.2. Effect assessment: biochemical biomarkers

Test results indicated that exposure to different NP polymers invoked different biochemical responses in *D. magna*. The tests were considered valid as they fulfilled the criteria elucidated in OECD Test Guideline 202 because during the exposure time the recorded mortality of daphnids under the control and test conditions was below 10% (Table S2). The detailed results of the statistical analyses are reported in the supplementary data (Table S3), and ROS and CAT histograms are presented in Fig. 2.

3.2.1. PS-NP exposure

In the PS-NP treatment group, no statistically significant differences were observed both for ROS levels (p = 0.33) and CAT activity (p = 0.33)




Fig. 2. ROS and CAT histograms measured after a 48-h exposure of *D. magna* to PS, PVC, and PE. * indicates statistically significant differences with respect to controls (p-value <0.05).

0.0934). The absence of PS-NP effects is consistent with results reported in the literature; in particular, in a recent study, *D. magna* individuals were exposed to PS-NPs (75 nm) for 21 d at concentrations comparable to those used in this study (50 and 500 μ g/L), but they did not show signals of oxidative stress (De Felice et al., 2022). That said, as the response of an organism to NP exposure is strongly influenced by several factors that vary from one study to another (e.g., particle size, concentration, exposure time, and the model species involved), a straightforward comparison of our results with those reported in other studies is not possible. For example, the exposure of *D. pulex* to PS-NPs of 75 nm (100 μ g/L) for 96 h resulted in the activation of antioxidant defense responses (Liu et al., 2018). This trend was further confirmed for an exposure time of 21 d using similar experimental conditions (Liu et al., 2020a,b), even at lower concentrations of PS-NPs (Liu et al., 2020c,b).

3.2.2. PVC-NP exposure

In the case of the PVC-NP treatment groups, significant differences were recorded in ROS levels at the highest tested concentration (250 $\mu g/$ L, p=0.003) in comparison to the controls, whereas no significant variations were detected in the CAT activity (p = 0.253).

A recent study reported alterations in the antioxidant system of *D. magna* after PVC-MP exposure (Liu et al., 2022). However, to the best of our knowledge, only one study has investigated the effects of PVC-NP exposure on *D. magna*, and this study established that PVC-NPs did not inflict any toxicity on the reproductive endpoints of the organism (Monikh et al., 2022). Evidence of ROS overproduction induced by PVC-NP exposure has been reported only for human cell lines (Mahadevan and Valiyaveettil, 2021).

The PVC-NP surface charge has been considered an important factor influencing PVC toxicity (Weber et al., 2022). In our study, we have observed that in the exposure scenario the measured surface charge of PVC presents modest differences when compared to those of PS and PE. This might indicate that the surface charge might not be the major vector of the observed effects.

Conversely, PVC-NP exposure was found to have no effects on the

CAT activity in the daphnids. This dichotomy in the results of the two investigated biochemical endpoints could be attributed to the fact that 48 h of exposure, despite being enough to cause a surge in ROS levels, was not enough to induce the activation of the CAT activity. This result does not exclude that other proteins involved in the antioxidant machinery (for instance superoxide dismutase and glutathione peroxidase) might be induced in response to PVC-NP. Further analyses are therefore recommended, to assess the potential of this NP to impact on the antioxidant system and eventually induce oxidative damage.

3.2.3. PE-NP exposure

Our results revealed a sharp decline in the ROS content and CAT activity in daphnids for all the tested concentrations of PE-NPs (Fig. 2). With respect to ROS values, the two highest tested concentrations were statistically different from the control (125 μ g/L, p = 0.0008; 250 μ g/L, p = 0.004), a trend observed in the CAT histogram as well. The CAT activity results were statistically significant for all concentrations, except 25 μ g/L (2.5 μ g/L, p = 0.046; 12.5 μ g/L, p = 0.034; 25 μ g/L, p = 0.754; 125 µg/L, p = 0.001; 250 µg/L, p = 0.008). To date, the few studies that have evaluated the effects of PE-NPs on organisms (Baudrimont et al., 2020; Ekvall et al., 2022) have not considered oxidative stress endpoints. Alternatively, there have been studies that confirmed a PE-MP-mediated CAT activity decrease in oysters (Teng et al., 2021) and fish (Espinosa et al., 2019), suggesting that the polymer might hamper the smooth functioning of the antioxidant machinery. However, the authors of these studies suggest that an overproduction in ROS can overwhelm the antioxidant system, disrupting the activity of antioxidant enzymes such as CAT. Therefore, we would have expected an increase in ROS content and not a decrease. Further investigation of other oxidative stress biomarkers can provide useful information leading to a better understanding of the mechanism through which PE-NPs can induce an imbalance of the antioxidant machinery in D. magna.

3.3. Effect assessment: behavioral biomarkers

As in the case of biochemical biomarkers, treatment with different NPs of varying concentration invoked different swimming behavior from the D. magna juveniles (Fig. 3). The baseline swimming distance for the control groups was 77.7 (± 26.5) mm, which is consistent with values reported in the literature (Pikuda et al., 2019; Bownik et al., 2020). The results of statistical analyses are reported in the supplementary data (Table S3), and the results pertaining to the swimming distance are reported in detail in Table S4. As seen from the results of the PVC-NP leachate experiment (Fig. S5), the leachate did not influence the swimming performance.

3.3.1. PS-NP exposure

It was observed that exposure to PS-NPs did not lead to changes in the swimming behavior of juvenile daphnids (p = 0.496). A few previous studies provide evidence of behavioral changes seen after a 48-h exposure to PS-NPs, but these studies used PS-NP concentrations several orders of magnitude higher than those tested in this study (Pikuda et al., 2019; Vaz et al., 2021; Nogueira et al., 2022). Behavioral changes (hopping frequency) were reported in a previous study (Pikuda et al., 2022) for longer exposure times and a higher concentration of 50,000 μ g/L. Considering both the shorter exposure time and the lower tested concentrations used in this study, the absence of effects observed strengthens the evidence that PS-NPs do not induce behavioral




Fig. 3. Swimming behavior histograms showing the distance traveled by *D. magna* after a 48-h exposure to PS (a), PVC (b), and PE (c). * indicates statistically significant differences with respect to controls (p-value <0.05).

alteration in *D. magna* at environmentally relevant concentrations, for both long (De Felice et al., 2022) and short exposure times.

3.3.2. PVC-NP exposure

The distances traveled by *D. magna* juveniles after treatment with 2.5-, 12.5-, and 25-µg/L PVC-NPs were very similar to the control values; however, at the two highest tested concentrations, the juveniles exhibited increased swimming activity (125 µg/L, $p=0.0335;\,250\,\mu g/L,\,p=0.0138).$ The PVC-NP leachate experiment further reinforced this stimulation in swimming activity caused by PVC-NPs (p=0.0198), but, alternatively, it recorded no differences in the swimming activity between the leachate-treated juveniles and control group juveniles (p=0.9417). Therefore, we conclude that the observed behavioral alterations are induced by PVC-NPs and not by the leachate released during the exposure.

The altered swimming behavior of daphnids draws attention to the potential hazards of this polymer to aquatic organisms. Behavioral alterations are considered ecologically relevant because they can potentially impact the ecosystem at a higher level (e.g., at the population and community levels) through a cascade of indirect effects (Saaristo et al., 2018). In particular, stimulation of swimming activity can alter competition ability and prey–predator interactions, leading to increased encounter rates with predators or making individuals less adept at escaping from them (Saaristo et al., 2018).

To the best of our knowledge, this is the first time that PVC-NP exposure-induced behavioral alterations in D. magna have been reported. This study has shown the adhesion of fluorescent-PS-NPs (20 nm) to the surface of the daphnid body and their presence in the digestive tract of D. magna juveniles (Fig. S4). Owing to the lack of fluorescent-PVC-NPs, the presence of PVC-NPs in the daphnids could not be verified, but daphnids exposed to PVC-NPs were found to retain reasonably similar behavior. In the literature, it is reported that the adhesion of nanoparticles (TiO2 and SiO2) to the external surface of D. magna can be considered a possible mode of inflicting physical nanoparticle toxicity (Dabrunz et al., 2011). The coating of the body surface of organisms with nanoparticles can result in increased specific weight and, in turn, swimming burden, leading to changes in the swimming behavior aimed at mitigating the negative effects of nanoparticle adhesion (Wang et al., 2021). In light of this, the changes in the swimming behavior observed after PVC-NP exposure could be ascribed to the physical properties and chemical structure of this polymer, which probably enhances its adhesion to the *D. magna* body surface as recently described by Yip et al. (2022). They report that PVC-NPs exhibit stronger surface interactions with the carapace of the acorn barnacle than PS-NPs. We are aware that this is a speculation and further investigations are required to better understand the observed effect, such as molecular changes in neurotoxicity biomarkers and SEM images of daphnids at the end of the exposure time.

Moreover, Weber et al. (2022) suggested that the density of PVC may be a contributory factor in its toxicity. The observations made in this study further corroborate this inference since PVC density (1.45 g/mL) is higher than those of PS (1.05 g/mL) and PE (0.92 g/mL), it may potentially have led to a higher burden on the body surface of *D. magna* juveniles, thus impacting their swimming behavior.

We underline that PVC-NPs (and PE-NPs) exhibit a higher size distribution than PS-NPs. The differences in size distribution, in particular the presence of particles smaller than 100 nm, could have played a role in the onset of the observed effects. In literature there is consensus on the importance of plastic size in causing hazard effects, with small plastic particles often tend to induce greater effect than large (Stock et al., 2020; Pochelon et al., 2021; Sendra et al., 2021). Unfortunately, due to the analytical issues in isolating PVC and PE particles larger than 100 nm, we have not tested PVC-NPs in the exact size range of PS-NPs. Therefore, we cannot exclude that the observed differences could derive from differences in the size distribution. However, comparing PVC data with those of PE (refer to paragraph 3.3.3.), we infer that other

factors, such as the surface chemistry of the different plastic polymers, might contribute rather than solely the size.

3.3.3. PE-NP exposure

PE-NP exposure did not induce behavioral alterations in the daphnids (p = 0.808). This result suggests that the modulation of ROS levels and CAT activity observed in D. magna exposed to this NP is not indicative of a condition of adverse sublethal effects that affects higher biological levels. It is plausible that, in contrast to PVC, an exposure time of 48 h was not enough for PE to induce behavioral alterations. Therefore, exposing D. magna to PE-NPs for longer periods of time (e.g., 21 d) could provide more effective information on the toxicity of this polymer on the organism.

By comparing the observed effects of different NP polymers with a similar particle size distribution, PE-NPs appear to be less toxic than PVC-NPs since at the individual level they don't induce changes in swimming behavior.

4. Conclusion

That different plastic particles induce different toxicity has been effectively demonstrated for MPs (Renzi et al., 2019; Zimmermann et al., 2020), whereas research is still in its infancy for NPs (Monikh et al., 2022; Weber et al., 2022; Li et al., 2023). This study established that environmentally relevant NP concentrations could inflict sublethal toxicity on D. magna and that these effects could differ with the various polymers tested. It further confirmed that sublethal endpoints, both at the biochemical level (oxidative stress endpoints) and the individual behavioral level (swimming distance), can be sensitive to even low concentrations of the NP contaminant. This study also suggests that the onset of sublethal effects after PVC exposure can be ascribed to the chemical structure and physical properties of this polymer, which are different from those of PE. However, the direct comparison between the toxicity of PS-NPs and the other two tested NP polymers is not straightforward due to the role of particle size on toxicity. Notwithstanding this, as PVC-NPs seem to induce a greater negative effect on D. magna than PE-NPs and given that they have particles of the same size, we have suggested that other factors might contribute to the toxicity rather than size only. The determination of the specific physical and chemical properties involved in the enhanced toxicity of PVC requires additional study. As the results in this study reveal that PS-NPs could not be the most hazardous NPs, it is crucial that the toxicity of other nanopolymers with different physicochemical properties be explored as well.

Credit author statement

Conceptualization, S.V., M.C., C.D.T.; methodology, A.M., M.F., J.P., G.S., F.S., A.B., V.S., C.D.T.; investigation, A.M., A.B., M.F.; resources, S. V.; data curation, A.M.; writing—original draft preparation, A.M., S.V., C.D.T..; writing—review and editing, A.M., S.V.; supervision, S.V., C.D. T., F.S. All authors have read and agreed to the published version of the manuscript.

Funding sources

This work was supported by the University of Milano-Bicocca [n. Rif. Int.: 2021-ATE-0292]. Schirinzi G. is supported by the Centre for Advanced Studies (CAS) NANOPLASTICS project (PRJ 32529).

Declaration of competing interest

The authors declare that they have no known competing financial interests or personal relationships that could have appeared to influence the work reported in this paper.

Data availability

Data will be made available on request.

Acknowledgment

The authors are thankful to Dr. Valsesia Andrea and Dr. Cassano Domenico (European Commission, Joint Research Centre, Ispra, Varese, Italy) for providing us the nanoplastics used in this manuscript. We moreover would like to thank Dr. Rizzi Cristiana for her assistance during the analyses and the students of the Master's course in Environmental Science of the University of Milan Bicocca for their precious collaboration during the experiments.

Appendix A. Supplementary data

Supplementary data to this article can be found online at. https://doi.org/10.1016/j.envpol.2023.123107.

References

- Al-Malack, M.H., Sheikheldin, S.Y., Fayad, N.M., Khaja, N., 2000. Effect of water quality parameters on the migration of vinyl chloride monomer from unplasticized PVC pipes. Water Air Soil Pollut. 120, 195–208. https://doi.org/10.1023/A: 1005249808374.
- Auguste, M., Balbi, T., Ciacci, C., Canonico, B., Papa, S., Borello, A., Vezzulli, L., Canesi, L., 2020. Shift in immune parameters after repeated exposure to nanoplastics in the marine bivalve. Front. Immunol. 11, 426. https://doi.org/10.3389/fimmu.2020.00426.
- Baudrimont, M., Arini, A., Guégan, C., Venell, Z., Gigault, J., Pedrono, B., Prunier, J., Maurice, L., Ter Halle, A., Feurtet-Mazel, A., 2020. Ecotoxicity of polyethylene nanoplastics from the North Atlantic oceanic gyre on freshwater and marine organisms (microalgae and filter-feeding bivalves). Environ. Sci. Pollut. Res. 27, 3746–3755. https://doi.org/10.1007/s11356-019-04668-3.
- Bhattacharjee, S., Eshov, D., Islam, M.A., Kampfer, A.M., Maslowska, K.A., van der Gucht, J., Alink, G.M., Marcelis, A.T.M., Zuilhof, H., Rietjens, I.M.C., 2014. Role of membrane disturbance and oxidative stress in the mode of action underlying the toxicity of differently charged polystyrene nanoparticles. RSC Adv. 4, 19321 https:// doi.org/10.1039/C3RA46869K.
- Bownik, A., 2017. Daphnia swimming behaviour as a biomarker in toxicity assessment: a review. Sci. Total Environ. 601–602, 194–195. https://doi.org/10.1016/j.
- Bownik, A., Ślaska, B., Dudka, J., 2020. Cisplatin affects locomotor activity and physiological endpoints of *Daphnia magna*. J. Hazard Mater. 384, 121259 https:// doi.org/10.1016/j.jhazmat.2019.121259.
- Canniff, P.M., Hoang, T.C., 2018. Microplastic ingestion by *Daphnia magna* and its enhancement on algal growth. Sci. Total Environ. 633, 500–507. https://doi.org/ 10.1016/j.scitotenv.2018.03.176.
- Cassano, D., La Spina, R., Ponti, J., Bianchi, I., Gilliland, D., 2021. Inorganic species-doped polypropylene nanoparticles for multifunctional detection. ACS Appl. Nano Mater. 4 (2), 1551–1557. https://doi.org/10.1021/acsanm.0c03039.
- Cassano, D., Bogni, A., La Spina, R., Gilliland, D., Ponti, J., 2023. Investigating the cellular uptake of model nanoplastics by single-cell ICP-ms. Nanomaterials 13 (3), 594. https://doi.org/10.3390/nano13030594.
- Cerasa, M., Teodori, S., Pietrelli, L., 2021. Searching nanoplastics: from sampling to sample processing. Polymers 13 (21), 3658. https://doi.org/10.3390/ polym13213658.
- Corsi, I., Bergami, E., Grassi, G., 2020. Behavior and bio-interactions of anthropogenic particles in marine environment for a more realistic ecological risk assessment. Front. Environ. Sci. 8, 60. https://doi.org/10.3389/fenvs.2020.00060.
- Dabrunz, A., Duester, L., Prasse, C., Seitz, F., Rosenfeldt, R., Schilde, C., Schaumann, G. E., Schulz, R., 2011. Biological surface coating and molting inhibition as mechanisms of TiO2 nanoparticle toxicity in Daphnia magna. PLoS One 6, 1–7. https://doi.org/10.1371/j.journal.pape.0020112
- De Felice, B., Sugni, M., Casati, L., Parolini, M., 2022. Molecular, biochemical and behavioral responses of *Daphnia magna* under long-term exposure to polystyrene nanoplastics. Environ. Int. 164, 107264 https://doi.org/10.1016/j. envirt 2022 107264
- Della Torre, C., Bergami, E., Salvati, A., Faleri, C., Cirino, P., Dawson, K.A., Corsi, I., 2014. Accumulation and embryotoxicity of polystyrene nanoparticles at early stage of development of sea urchin embryos *Paracentrotus lividus*. Environ. Sci. Technol. 48 (20), 12302–12311. https://doi.org/10.1021/es502569w.
- DeRose, P.C., Benkstein, K.D., Elsheikh, E.B., Gaigalas, A.K., Lehman, S.E., Ripple, D.C., Tian, L., Vreeland, W.L., Welch, E.J., York, A.W., Zhang, Y.Z., Wang, L., 2022. Number concentration measurements of polystyrene submicrometer particles. Nanomaterials 12 (18), 3118. https://doi.org/10.3390/nano12183118.
- Ekvall, M.T., Gimskog, I., Hua, J., Kelpsiene, E., Lundqvist, M., Cedervall, T., 2022. Size fractionation of high-density polyethylene breakdown nanoplastics reveald different toxic response in Daphnia magna. Sci. Rep 12, 3109. https://doi.org/10.1038/ s41598.022-06991-1

- Espinosa, C., Esteban, M.A., Cuesta, A., 2019. Dietary administration of PVC and PE microplastics produces histological damage, oxidative stress and immunoregulation in European sea bass (*Dicentrarchus labrax* L.). Fish Shellfish Immunol. 95, 574–583. https://doi.org/10.1016/j.fsi.2019.10.072.
- Filipe, V., Hawe, A., Jiskoot, W., 2010. Critical evaluation of nanoparticle tracking analysis (NTA) by NanoSight for the measurement of nanoparticles and protein aggregates. Pharm. Res. (N. Y.) 27, 797–810. https://doi.org/10.1007/s11095-010-0073-2.
- Gigault, J., Halle, A.T., Baudrimont, M., Pascal, P.Y., Gauffre, F., Phi, T.L., El Hadri, H., Grassl, B., Reynaud, S., 2018. Current opinion: what is a nanoplastic? Environ. Pollut. 235, 1030–1034. https://doi.org/10.1016/j.envpol.2018.01.024.
- Gigault, J., El Hadri, H., Nguyen, B., Grassl, B., Rowenczyk, L., Tufenkji, N., Feng, S., Wiesner, M., 2021. Nanoplastics are neither microplastics nor engineered nanoparticles. Nat. Nanotechnol. 16, 501–507. https://doi.org/10.1038/s41565-021-00886-4.
- Hartmann, N.B., Hüffer, T., Thompson, R.C., Hassellöv, M., Verschoor, A., Daugaard, A. E., Rist, S., Karlsson, T., Brennholt, N., Cole, M., et al., 2019. Are we speaking the same language? Recommendations for a definition and categorization framework for plastic debris. Environ. Sci. Technol. 53, 1039–1047. https://doi.org/10.1021/acs.est.8h05207
- Jeyavani, J., Sibiya, A., Gopi, N., Mahboob, S., Al-Ghanim, K.A., Al-Misned, F., Ahmed, Z., Riaz, M.N., Palaniappan, B., Govindarajan, M., Vaseeharan, B., 2023. Ingestion and impacts of water-borne polypropylene microplastics on Daphnia similis. Environ. Sci. Pollut. Res. Int. 30, 13483–13494. https://doi.org/10.1007/ s11356-022-23013-9
- Kelpsiene, E., Ekvall, M.T., Lundqvist, M., Torstensson, O., Hua, J., Cederval, T., 2022. Review of ecotoxicological studies of widely used polystyrene nanoparticles. Environ. Sci.: Process. Impacts 24, 8. https://doi.org/10.1039/d1em00375e.
- Koelmans, A.A., Redondo-Hasselerharm, P.E., Nor, N.H.M., de Ruijter, V.N., Svenja, M., Mintenig, S.M., Kooi, M., 2022. Risk assessment of microplastic particles. Nat. Rev. Mater. 7, 138–152. https://doi.org/10.1038/s41578-021-00411-y.
- Kokalj, A.J., Hartmann, N.B., Drobne, D., Potthoff, A., Kühnel, D., 2021. Quality of nanoplastics and microplastics ecotoxicity studies: refining quality criteria for nanomaterial studies. J. Hazard Mater. 415, 125751 https://doi.org/10.1016/j. jhazmat.2021.125751.
- Kukkola, A., Krause, S., Lynch, I., Sambrook Smith, J.H., Nel, H., 2021. Nano and microplastic interactions with freshwater biota – current knowledge, challenges and future solutions. Environ. Int. 152, 106504 https://doi.org/10.1016/j. envint.2021.106504.
- Lehner, R., Weder, C., Petri-Fink, A., Rothen-Rutishauser, B., 2019. Emergence of nanoplastic in the environment and possible impact on human health. Environ. Sci. Technol. 53 (4), 1748–1765. https://doi.org/10.1021/acs.est.8b05512.
- Li, Z., Gao, Y., Wu, Q., Yan, B., Zhou, X., 2022. Quantifying the occurrence of polystyrene nanoplastics in environmental solid matrices via pyrolysis-gas chromatography/ mass spectrometry. J. Hazard Mater. 440, 129855 https://doi.org/10.1016/j. ibazmat.2022.129855.
- Li, L., Li, S., Xu, Y., Ren, L., Yang, L., Liu, X., Dai, Y., Zhao, J., Yue, T., 2023. Distinguishing the nanoplastic-cell membrane interface by polymer type and aging properties: translocation, transformation and perturbation. Environ. Sci.: Nano 10, 440–453. https://doi.org/10.1039/D2EN00800A.
- Lithner, D., Nordensvan, I., Dave, G., 2012. Comparative acute toxicity of leachates from plastic products made of polypropylene, polyethylene, PVC, acrylonitrile-butadiene-styrene, and epoxy to *Daphnia magna*. Environ. Sci. Pollut. Res. Int. 19 (5), 1763–1772. https://doi.org/10.1007/s11356-011-0663-5.
- Liu, Z., Cai, M., Yu, P., Chen, M., Wu, D., Zhang, M., Zhao, Y., 2018. Age-dependent survival, stress defense, and AMPK in *Daphnia pulex* after short-term exposure to a polystyrene nanoplastic. Aquat. Toxicol. 204, 1–8. https://doi.org/10.1016/j.aquatox 2018.08.017.
- Liu, Z., Yu, P., Cai, M., Wu, D., Zhang, M., Huang, Y., Zhao, Y., 2019. Polystyrene nanoplastic exposure induces immobilization, reproduction, and stress defense in the freshwater cladoceran *Daphnia pulex*. Chemosphere 215, 74–81. https://doi.org/ 10.1016/j.chemosphere.2018.09.176.
- Liu, H., Shao, H., Guo, Z., Wang, D., 2020a. Nanopolystyrene exposure activates a fat metabolism related signaling-mediated protective response in *Caenorhabditis elegans*. Nanoimpact 17, 100204. https://doi.org/10.1016/j.impact.2019.100204.
- Liu, H., Zhang, R., Wang, D., 2020b. Response of DBL-1/TGF-ß signaling-mediated neuron-intestine communication to nanopolystyrene in nematode *Caenorhabditis elegans*. Sci. Total Environ. 745, 141047 https://doi.org/10.1016/j. scitotenv.2020.141047.
- Liu, Z., Huang, Y., Jiao, Y., Chen, Q., Wu, D., Yu, P., Li, Y., Cai, M., Zhao, Y., 2020c. Polystyrene nanoplastic induces ROS production and affects the MAPK-HIF1/NFkB-mediated antioxidant system in *Daphnia pulex*. Aquat. Toxicol. 220, 105420 https://doi.org/10.1016/j.aquatox.2020.105420.
- Liu, Z., Cai, M., Wu, D., Yu, P., Jiao, Y., Jiang, Q., Zhao, Y., 2020d. Effects of nanoplastics at predicted environmental concentration on *Daphnia pulex* after exposure through multiple generations. Environ. Pollut. 256, 113506 https://doi.org/10.1016/j. envpol.2019.113506
- Liu, Y., Zhang, J., Zhao, H., Cai, J., Sultan, Y., Fang, H., Zhang, B., Ma, J., 2022. Effects of polyvinyl chloride microplastics on reproduction, oxidative stress and reproduction and detoxification-related genes in *Daphnia magna*. Comp. Biochem. Physiol. 254, 109269 https://doi.org/10.1016/j.cbpc.2022.109269.
 Lowry, G.V., Gregory, K.B., Apte, S.C., Lead, J.R., 2012. Transformations of
- Lowry, G.V., Gregory, K.B., Apte, S.C., Lead, J.R., 2012. Transformations of nanomaterials in the environment. Environ. Sci. Technol. 46, 6893–6899. https:// doi.org/10.1021/es300839e.
- Mahadevan, G., Valiyaveettil, S., 2021. Comparison of genotoxicity and cytotoxicity of polyvinyl chloride and poly(methyl methacrylate) nanoparticles on normal human

- lung cell lines. Chem. Res. Toxicol. 34 (6), 1468–1480. https://doi.org/10.1021/acs.chemrestox.0c00391
- Martin, L.M.A., Gan, N., Wang, E., Merrill, M., Xu, W., 2022. Materials, surfaces, and interfacial phenomena in nanoplastics toxicology research. Environ. Pollut. 292, 118442. https://doi.org/10.1016/j.envpol.2021.118442.
- 118442 https://doi.org/10.1016/j.envpol.2021.118442.

 Masseroni, A., Rizzi, C., Urani, C., Villa, S., 2022. Nanoplastics: status and knowledge gaps in the finalization of environmental risk assessments. Toxics 10 (5), 270. https://doi.org/10.3390/toxics10050270.
- Materić, D., Ludewig, E., Brunner, D., Rockmann, T., Holzinger, R., 2021. Nanoplastics transport to the remote, high-altitude Alps (2021). Environ. Pollut. 288, 117697 https://doi.org/10.1016/j.envpol.2021.117697.
- Materić, D., Peacock, M., Dean, J., Futter, M., Maximov, T., Moldan, F., Röckmann, T., Holzinger, R., 2022a. Presence of nanoplastics in rural and remote surface waters. Environ. Res. Lett. 17, 054036 https://doi.org/10.1088/1748-9326/ac68f7.
- Materić, D., Kjær, H.A., Vallelonga, P., Tison, J.L., Rockmann, T., Holzinger, R., 2022b. Nanoplastics measurements in Northern and Southern polar ice. Environ. Res. 208, 112741 https://doi.org/10.1016/j.envres.2022.112741.
 Mattsson, K., Ekvall, M.T., Hansson, L.-A., Linse, S., Malmendal, A., Cedervall, T., 2015.
- Mattsson, K., Ekvall, M.T., Hansson, L.-A., Linse, S., Malmendal, A., Cedervall, T., 2015 Altered behavior, physiology, and metabolism in fish exposed to polystyrene nanoparticles. Environ. Sci. Technol. 49 (1), 553–561. https://doi.org/10.1021/ es5053655.
- McColley, C.J., Nason, J.A., Harper, B.J., Harper, S.L., 2023. An assessment of methods used for the generation and characterization of cryomilled polystyrene micro- and nanoplastic particles. Micropl.& Nanopl. 3, 20. https://doi.org/10.1186/s43591-023.00069-z
- Mitrano, D.M., Motellier, S., Clavaguera, S., Nowack, B., 2015. Review of nanomaterial aging and transformations through the life cycle of nano-enhanced products.
- Environ. Int. 77, 132–147. https://doi.org/10.1016/j.envint.2015.01.013.

 Mitrano, D.M., Diamond, M.L., Kim, J.H., Tam, K.C., Yang, M., Wang, Z., 2023. Balancing new approaches and harmonized techniques in nano- and microplastics research.

 Environ. Sci. Technol. Lett. 57 (24), 8841–8844. https://doi.org/10.1021/acs.
- Monikh, F.A., Durao, M., Vladimirovich Kipriianov, P., Huuskonen, H., Kekalainen, J., Uusi-Heikkila, S., Uurasjarvi, E., Akkanen, J., Kortet, R., 2022. Chemical composition and particle size influence the toxicity of nanoscale plastic debris and their co-occurring benzo(α)pyrene in the model aquatic organisms *Daphnia magna* and *Danio rerio*. NanoImpact 25, 100382. https://doi.org/10.1016/j.
- Nava, V., Patelli, M., Bonomi, T., Stefania, G.A., Zanotti, C., Fumagalli, L., Soler, V., Rotiroti, M., Leoni, B., 2020. Chloride balance in freshwater system of a HighlyAnthropized subalpine area: load and source quantification through a watershed approach. Water Resour. Res. 56. https://doi.org/10.1029/ 2019WR026024.
- Nogueira, D.J., de Oliveira da Silva, A.C., da Silva, M.L.N., Vicentini, D.S., Matias, W.G., 2022. Individual and combined multigenerational effects induced by polystyrene nanoplastic and glyphosate in *Daphnia magna* (Strauss, 1820). Sci. Total Environ. 811, 151360 https://doi.org/10.1016/j.scitotenv.2021.151360.
- Nowack, B., Mitrano, D.M., 2018. Procedures for the production and use of synthetically aged and product released nanomaterials for further environmental and ecotoxicity testing. Nanoimpact 10, 70–80. https://doi.org/10.1016/j.impact.2017.12.001.
- OECD. Test No. 202: Daphnia Sp. Acute Immobilisation Test, OECD Guidelines for the Testing of Chemicals, Section 2, OECD Publishing, Paris, https://doi.org/10.1787/9789264069947-en.
- Pikuda, O., Xu, E.G., Berk, D., Tufenkji, N., 2019. Toxicity assessments of micro- and nanoplastics can be confounded by preservatives in commercial formulations. Environ. Sci. Technol. Lett. 6 (1), 21–25. https://doi.org/10.1021/acs. estlett.8b00614.
- Pikuda, O., Dumont, E.R., Matthews, S., Xu, E.G., Berk, D., Tufenkji, N., 2022. Sub-lethal effects of nanoplastics upon chronic exposure to *Daphnia magna*. J. Hazard Mater. 7, 100136 https://doi.org/10.1016/j.hazadv.2022.100136.
- Pikuda, O., Roubeau Dumont, E.R., Chen, Q., Macairan, J.-R., Robinson, S.A., Berk, D., Tufenkji, N., 2023. Toxicity of microplastics and nanoplastics to *Daphnia magna*: current status, knowledge gaps and future directions. Trends Anal. Chem. 167, 117208 https://doi.org/10.1016/j.trac.2023.117208.
- Plastics Europe, 2022. Plastics—The Facts 2022. Website. https://plasticseurope.org/knowledge-hub/plastics-the-facts-2022/. (Accessed 14 July 2023).
- Pochelon, A., Stoll, S., Slaveykova, V.I., 2021. Polystyrene nanoplastic behavior and toxicity on Crustacean Daphnia magna: media composition, size, and surface charge effects. Environments 8, 101. https://doi.org/10.3390/environments8100101.
- Qiao, R., Mortimer, M., Richter, J., Rani-Borges, B., Yu, Z., Heinlaan, M., Lin, S., Ivask, A., 2022. Hazard of polystyrene micro-and nanospheres to selected aquatic and terrestrial organisms. Sci. Total Environ. 853, 158560 https://doi.org/10.1016/ j.scitotenv.2022.158560.
- Qu, M., Qiu, Y., Kong, Y., Wang, D., 2019. Amino modification enhances reproductive toxicity of nanopolystyrene on gonad development and reproductive capacity in nematode. Caenorhabditis elegans. Environ. Pollut. 254, 112978 https://doi.org/ 10.1016/i.envpol.2019.112978.
- R Core Team. R, 2022. A Language and Environment for Statistical Computing. R Foundation for Statistical Computing, Vienna, Austria. URL. https://www.R-project.org/.
- Renzi, M., Grazioli, E., Blašković, A., 2019. Efects of different microplastic types and surfactant-microplastic mixtures under fasting and feeding conditions: a case study on *Daphnia magna*. Bull. Environ. Contam. Toxicol. 103, 367–373. https://doi.org/ 10.1007/s00128-019-02678-y.
- Rist, S., Baun, A., Hartmann, N.B., 2017. Ingestion of micro- and nanoplastics in *Daphnia magna*. Quantification of body burdens and assessment of feeding rates and

- reproduction. Environ. Pollut. 228, 398–407. https://doi.org/10.1016/j.envnol.2017.05.048
- Saaristo, M., Brodin, T., Balshine, S., Bertram, M.G., Brooks, B.W., Ehlman, S.M., McCallum, E.S., Sih, A., Sundin, J., Wong, B.B.M., Arnold, K.E., 2018. Direct and indirect effects of chemical contaminants on the behaviour, ecology and evolution of wildlife. Proc. R. Soc. A B. 285, 20181297 https://doi.org/10.1098/rspb.2018.1297.
- Schwegmann, H., Feitz, A.J., Frimmel, F.H., 2010. Influence of the zeta potential on the sorption and toxicity of iron oxide nanoparticles on *S. cerevisiae* and *E. coli. J.* Colloid Interface Sci. 347 (1), 43–48. https://doi.org/10.1016/j.jcis.2010.02.028.
- Sendra, M., Pereiro, P., Yeste, M.P., Mercado, L., Figueras, A., Novoa, B., 2021. Size matters: zebrafish (*Danio rerio*) as a model to study toxicity of nanoplastics from cells to the whole organism. Environ. Pollut. 268, 115769 https://doi.org/10.1016/j. envpol.2020.115769.
- Shen, M., Zhang, Y., Zhu, Y., Song, B., Zeng, G., Hu, D., Wen, X., Ren, X., 2019. Recent advances in toxicological research of nanoplastics in the environment: a review. Environ. Pollut. 252, 511–521. https://doi.org/10.1016/j.envpol.2019.05.102.
- Stock, V., Bohmert, L., Coban, G., Tyra, G., Vollbrecht, M.L., Voss, L., Paul, M.B., Braeuning, A., Sieg, H., 2020. Microplastics and nanoplastics: size, surface and dispersant – what causes the effect?. In: Toxicol, vol. 80, 105314 https://doi.org/ 10.1016/j.tiv.2022.105314.
- Sukhanova, A., Bozrova, S., Sokolov, P., Berestovoy, M., Karaulov, A., Nabiev, I., 2018. Dependence of nanoparticle toxicity on their physical and chemical properties. Nanoscale Res. Lett. 13, 44. https://doi.org/10.1186/s11671-018-2457-x.
- Teng, J., Zhao, J., Zhu, X., Shan, E., Wang, Q., 2021. Oxidative stress biomarkers, physiological responses and proteomic profiling in oyster (*Crassostrea gigas*) exposed to microplastics with irregular-shaped PE and PET microplastic. Sci. Total Environ. 786, 147425 https://doi.org/10.1016/j.scitotenv.2021.147425.
- Ter Halle, A., Jeanneau, L., Martignac, M., Jardé, E., Pedrono, B., Brach, L., Gigault, J., 2017. Nanoplastic in the north atlantic subtropical gyre. Environ. Sci. Technol. 51 (23), 13689–13697. https://doi.org/10.1021/acs.est.7b03667.
- Vaz, V.P., Nogueira, D.J., Vicentini, D.S., Matias, V.G., 2021. Can the sonication of polystyrene nanoparticles alter the acute toxicity and swimming behavior results for *Daphnia magna*? Environ. Sci. Pollut. Res. 28 (11), 14192–14198. https://doi.org/ 10.1007/s11356-021-12455-2.
- Vighi, M., Bayo, J., Fernández-Piñas, F., Gago, J., Gómez, M., Hernández-Borges, J., Herrera, A., Landaburu, J., Muniategui-Lorenzo, S., Muñoz, A.R., et al., 2021. Micro

- and nano-plastics in the environment: research priorities for the near future. Rev. Environ. Contam. Toxicol. 257, 163–218. https://doi.org/10.1007/398_2021_69.
- Wang, W., Yang, Y., Yang, L., Luan, T., Lin, L., 2021. Effects of undissociated SiO2 and TiO2 nano-particles on molting of *Daphnia pulex*: comparing with dissociated ZnO nano particles. Ecotoxicol. Environ. Saf. 222, 112491 https://doi.org/10.1016/j. ecoenv.2021.112491.
- Weber, A., Schwiebs, A., Solhaug, H., Stenvik, J., Nilsen, A.M., Wagner, M., Relja, B., Radeke, H.H., 2022. Nanoplastics affect the inflammatory cytokine release by primary human monocytes and dendritic cells. Environ. Int. 163, 107173 https://doi.org/10.1016/j.envint.2022.10717.
- Xu, Y., Ou, Q., Jiao, M., Liu, G., van der Hoek, J.P., 2022. Identification and quantification of nanoplastics in surface water and groundwater by pyrolysis gas chromatography—mass spectrometry. Environ. Sci. Technol. 56 (8), 4988–4997. https://doi.org/10.1021/acs.est.1c07377.
- Yip, Y.J., Lee, S.S.C., Neo, M.L., Teo, S.L.M., Valiyaveettil, S., 2022. A comparative investigation of toxicity of three polymer nanoparticles on acorn barnacle (Amphibalanus amphitrite). Sci. Total Environ. 806, 150965 https://doi.org/10.1016/ i.scijoteny. 2021.150965.
- Yu, S., Shen, M., Li, S., Fu, Y., Zhang, D., Liu, H., Liu, J., 2019. Aggregation kinetics of different surface-modified polystyrene nanoparticles in monovalent and divalent electrolytes. Environ. Pollut. 255, 113302 https://doi.org/10.1016/j. envpol.2019.113302.
- Zimmermann, L., Gottlich, S., Oehlmann, J., Wagner, M., Volker, C., 2020. What are the drivers of microplastic toxicity? Comparing the toxicity of plastic chemicals and particles to *Daphnia magna*. Environ. Pollut. 267, 115392 https://doi.org/10.1016/j. envpol.2020.115392.
- Zhou, X., He, S., Gao, Y., Li, Z.C., Chi, H.Y., Li, C.J., Wang, D.J., Yan, B., 2021a. Protein corona-mediated extraction for quantitative analysis of nanoplastics in environmental waters by pyrolysis gas chromatography/mass spectrometry. Anal. Chem. 93 (17), 6698–6705. https://doi.org/10.1021/acs.analchem.1c00156.
- Zhou, X., He, S., Gao, Y., Chi, H.Y., Wang, D.J., Li, Z.C., Yan, B., 2021b. Quantitative analysis of polystyrene and poly(methyl methacrylate) nanoplastics in tissues of aquatic animals. Environ. Sci. Technol. 55 (5), 3032–3040. https://doi.org/10.1021/acs.est.0c08374.