


Role of Root Morphological and Architectural Traits: Insights into Root-inspired Anchorage and Foundation Systems

Wengang Zhang, Ruijie Huang, Jiaying Xiang, Ningning Zhang, Matteo Oryem Ciantia, Leilei Liu, Jian Yin, Changbing Qin



PII: S2949-9291(24)00039-1

DOI: <https://doi.org/10.1016/j.bgtech.2024.100107>

Reference: BGTECH100107

To appear in: *Biogeotechnics*

Revised date: 19 May 2024

Accepted date: 26

Please cite this article as: Wengang Zhang, Ruijie Huang, Jiaying Xiang, Ningning Zhang, Matteo Oryem Ciantia, Leilei Liu, Jian Yin and Changbing Qin, Role of Root Morphological and Architectural Traits: Insights into Root-inspired Anchorage and Foundation Systems, *Biogeotechnics*, (2024)  
doi:<https://doi.org/10.1016/j.bgtech.2024.100107>

This is a PDF file of an article that has undergone enhancements after acceptance, such as the addition of a cover page and metadata, and formatting for readability, but it is not yet the definitive version of record. This version will undergo additional copyediting, typesetting and review before it is published in its final form, but we are providing this version to give early visibility of the article. Please note that, during the production process, errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

© 2024 The Author(s). Publishing services by Elsevier B.V. on behalf of KeAi Communications Co. Ltd.

## Editorial

### Role of Root Morphological and Architectural Traits: Insights into

#### Root-inspired Anchorage and Foundation Systems

Wengang Zhang<sup>a,b,c\*</sup>, Ruijie Huang<sup>b</sup>, Jiaying Xiang<sup>b</sup>, Ningning Zhang<sup>d</sup>, Matteo Oryem Ciantia<sup>e</sup>, Leilei Liu<sup>f</sup>, Jian Yin<sup>g</sup>, Changbing Qin<sup>b</sup>

<sup>a</sup> Key Laboratory of New Technology for Construction of Cities in Mountain Area, Chongqing University, Chongqing 400045, China

<sup>b</sup> School of Civil Engineering, Chongqing University, Chongqing 400045, China

<sup>c</sup> National Joint Engineering Research Center of Geohazards Prevention in the Reservoir Areas, Chongqing University, Chongqing 400045, China

<sup>d</sup> Ramboll, Hamburg, Germany (formerly Aachen)

<sup>e</sup> School of Science and Engineering, University of Dundee, Dundee DD1 4HN, UK

<sup>f</sup> Key Laboratory of Metallogenic Prediction of Nonferrous Metals and Geological Environmental Monitoring, Central South University, Changsha 410083, China

<sup>g</sup> School of Civil Engineering & Mechanics, Central South University of Forestry and Technology, Changsha 410004, China

\*Corresponding author. *E-mail address:* [zhangwg@cqu.edu.cn](mailto:zhangwg@cqu.edu.cn) (W. Zhang).

Plant root systems, a crucial component of biogeotechnics, have been recognized as a promising and sustainable strategy to address novel challenges in geotechnical engineering, i.e., climate change (Ng et al. 2022). Root-soil composite and root-reinforced slopes have received widespread attention in recent decades, due to the ability of root to regulate soil properties through mechanical reinforcement and hydraulic transpiration (Li and Duan 2023; Ni et al. 2024). Fig.1 provides a co-occurrence network plot of plant root-based soil reinforcement strategies published over the last decade, where three clusters are identified with different colors. On the left of the network map, clusters in red and blue are primarily driven by geotechnical investigations of vegetated slopes (i.e., plant root reinforced slopes) and root-soil composite/root-permeated soils, as denoted by the terms like “model”, “test”, “slope”, “strength” and “vegetation”, while the green cluster on the right side demonstrates botany-related domains, for instance, “plant growth”. Indeed, the reinforcement of

vegetated soil strength is complex and varies significantly with an abundance of factors, both mechanically and hydraulically. Particularly, the impact of root morphology and architecture cannot be negligible, including keywords “root area ratio”, “root distribution”, “root morphology”, “root diameter”, “root density” in Fig.1. with the root size and root depth ranking foremost. Deep and coarse roots typically penetrate the entire failure plane and serving as anchorage elements, while shallow and fine roots interweave to form a dense mat (Li et al. 2023). Besides, parameters resembling root branching pattern and root tortuosity (i.e., an indicator to describe root path selection), which have rarely been discussed in the spotlight before, contribute to the understanding of underlying load-transfer mechanism of plant root system, providing insights into the selection of vegetation types as well as root-inspired anchorage and foundation systems (Martinez et al. 2022; Zhang et al. 2023; Zhang et al. 2024).

Root morphological and architectural parameters can be categorized as dimensional parameters (root length, root diameter, root tortuosity, cross-sectional shape, surface roughness, etc.) and topological parameters (branching pattern, lateral orientation, root area ratio, etc.), where the later emphasizes the spatial distribution and connectivity of root systems (Mickovski et al. 2007; Reubens et al. 2007; Fan and Chen 2010; Ghestem et al. 2014). Generally, the effects of architectural parameters are primarily appropriate for evaluating coarse roots systems, whereas the membrane-like finer roots tend to serve as nutrient and water absorbers (Stokes et al. 2009). In fact, the classification criteria regarding different root architecture still lacks, and existing classifications are mainly based on the spatial distribution of root systems, for instances, taproot, fibrous, plate root systems in Mallett (2019); H-type, R-type, CH-type, V-type, M-type and W-type in Li et al. (2016) and Wang et al. (2020); uniform, triangular, exponential, parabolic root systems in Ng et al. (2015). Despite the variations in nomenclature, there are certain resemblances, e.g., the V-type and taproot root systems are both characterized by coarse, near-vertical roots, and H-type, plate and exponential types by horizontally-extended roots, and fibrous and R-type by oblique roots that are uniformly dispersed around the perimeter.

The architectural effect varies under different loading scenarios. Taproot and

fibrous root systems are considered most resistant to vertical pullout, with taproot length and number of lateral roots being the primary contributors (Zhai et al. 2024). Longer root lengths result in larger root-soil contact area, which mobilizes greater shearing stresses (Zhu et al. 2023), and lateral branching along the root length significantly increases pullout capacity due to greater bearing area and volume of soil to be uplifted (Burrall et al. 2020). In addition, branching inclination and number of laterals do have a considerable effect on pullout performance, as the pullout mechanism of inclined branches and nearly horizontal roots vary, with intermediate branching angle having the highest pullout capacity (Mallett et al. 2018; Zhu et al. 2023). The effect of the number of laterals is related to soil arching phenomenon (Mallett 2019).

Asymmetry in radial distribution of roots have adversely impacted performance in vertical pullout (Burrall et al. 2020), but are potentially more beneficial under overturning loads (Galli et al. 2023), on the premise that the plate type is more suitable for overturning resistance compared to fibrous and taproot root systems. Root morphological traits are even more essential than mechanical parameters in overturning capacity (Yang et al. 2017), particularly the presence of horizontal roots along the loading direction (Zhang et al. 2020; Zhang et al. 2022).

The additional shear strength in the mechanical reinforcement of vegetated slopes derives from the taproot that crosses the slip surface (Liang et al. 2017), and the angle between the two contributes to the shear strength (Li et al. 2021). R-type root systems are identified as the most effective against shearing in soil (Fan and Chen 2010; Li et al. 2016; Wang et al. 2020), fibrous roots are suitable for stabilizing sandy slopes (Nomleni et al. 2023) and increasing stability of upper slopes (Song and Tan 2024). For the mechanical strengthening by fine roots, root distribution and root orientation relative to shearing direction contribute most to the root-soil composite (Zhang et al. 2010; Jiang et al. 2022; Karimzadeh et al. 2022). In terms of hydraulics, exponential and triangular root systems are capable of generating higher negative pore water pressure and transpiration-induced suction due to the additional soil-root contact area (Ng et al. 2015; Ng et al. 2016; Liang et al. 2017; Zhu et al. 2018). Certainly, root density and root diameter can likewise contribute to the hydraulic properties (which can

be found in review of (Lu et al. 2020)), however there is relatively less investigations on the hydraulic effects of root tortuosity and branching point, which will be of interest in future endeavors.

Understanding the effect of root tortuosity on root-soil interaction is crucial not only because of its notable impact on predicting mechanical responses and load transfer mechanism within individual root systems (Schwarz et al. 2011), but also due to the fact that models incorporated with root tortuosity are an important means by which geotechnical components approximate the real root systems. However, current investigations on roots with tortuosity are very limited. Ding et al. (2024) conducted pullout test on 3D-printing roots with tortuosity, the tooth ribs along the tortuous roots strongly engaged with the surrounding soil and therefore dramatically increased the pullout capacity, denoting a totally distinct root-soil interaction from that of the straight root, while somewhat analogous to that of the snakeskin-inspired surfaces (O'Hara and Martinez 2020; Zhong et al. 2021). Equally, modellings of tortuous roots are also rare, including frameworks based on L-system enabling gravitropism root growth with tortuosity by Schnepf et al. (2018) and Xu et al. (2021), and molecular simulations using elongated tubes by Fakhri et al. (2019).

Root morphological and architectural traits can shed light on root-inspired anchorage and foundation systems, since this is the priority when designing root bionic elements. Undoubtedly, lateral branching significantly increases bearing capacity of traditional geotechnical components, but there is an upper limit to the effect of the number of branches (Ads et al. 2023). Increasing the structural complexity, e.g., by increasing the number of branches and altering the flexural properties, can optimize the pullout resistance until a certain limit is reached, but weaken the anchorage performance beyond that limit (Kim et al. 2023). There is a tradeoff between approximating the real root systems and the anchorage performance of root-inspired systems, and thus an urgent need to determine the crucial parameters affecting the load transfer mechanism (Shrestha and Ravichandran 2020; Houette et al. 2023). At present, there is not an individual parameter that comprehensively characterizes the root-inspired systems, integrating both morphological and architectural traits, which will be



- Houette T., Dibia M., Mahabadi N., King H., 2023. Pullout resistance of biomimetic root-inspired foundation systems. *Acta Geotechnica*. 1-20.
- Jiang Y., Alam M., Su L., Umar M., Sadiq S., Jia L. J., Rahman M., 2022. Effect of root orientation on the strength characteristics of loess in drained and undrained triaxial tests. *Engineering Geology*. 296, 106459.
- Karimzadeh A. A., Leung A. K., Gao Z., 2022. Shear strength anisotropy of rooted soils. *Géotechnique*. 1-14.
- Kim Y.-A., Burrall M., Jeon M.-K., DeJong J. T., Martinez A., Kwon T.-H., 2023. Pullout behavior of tree root-inspired anchors: development of root architecture models and centrifuge tests. *Acta Geotechnica*. 1-19.
- Li S., Wang Z., Stutz H. H., 2023. State-of-the-art review on plant-based solutions for soil improvement. *Biogeotechnics*. 1 (3), 100035.
- Li Y., Duan W., 2023. Decoding vegetation's role in landslide susceptibility mapping: An integrated review of techniques and future directions. *Biogeotechnics*. 2 (1), 100056.
- Li Y., Wang Y., Ma C., Zhang H., Wang Y., Song S., Zhu J., 2016. Influence of the spatial layout of plant roots on slope stability. *Ecological Engineering*. 91, 477-486.
- Li Z., Ouyang M., Xiao H., Wang J., Li T., Liu S., 2021. Improvement of slope soil consolidation capacity of plant root system based on regulation of root architecture. *Rock and Soil Mechanics*. 42 (12), 3271-3280.
- Liang T., Knappett J., Bengough A., Ke Y., 2017. Small-scale modelling of plant root systems using 3D printing, with applications to investigate the role of vegetation on earthquake-induced landslides. *Landslides*. 14, 1747-1765.
- Lu J., Zhang Q., Werner A. D., Li Y., Jiang S., Tan Z., 2020. Root-induced changes of soil hydraulic properties - A review. *Journal of Hydrology*. 589, 125203.
- Mallett S., 2019. Mechanical behavior of fibrous root-inspired anchorage systems. Georgia Institute of Technology.
- Mallett S., Matsumura S., David Frost J., 2018. Additive manufacturing and computed tomography of bio-inspired anchorage systems. *Géotechnique Letters*. 8 (3), 219-225.
- Martinez A., DeJong J., Akin I., Aleali A., Arson C., Atkinson J., Bandini P., Baser T., Borela R., Boulanger R., 2022. Bio-inspired geotechnical engineering: principles, current work, opportunities and challenges. *Géotechnique*. 72 (8), 687-705.
- Mickovski S., Bengough A., Bransby M., Davies M., Hallett P., Sonnenberg R., 2007. Material stiffness, branching pattern and soil matric potential affect the pullout resistance of model root systems. *European journal of soil science*. 58 (6), 1471-1481.
- Ng C. W. W., Kamchoom V., Leung A. K., 2016. Centrifuge modelling of the effects of root geometry on transpiration-induced suction and stability of vegetated slopes. *Landslides*. 13, 925-938.
- Ng C. W. W., Liu H. W., Feng S., 2015. Analytical solutions for calculating pore-water pressure in an infinite unsaturated slope with different root

- architectures. *Canadian Geotechnical Journal*. 52 (12), 1981–1992.
- Ng C. W. W., Zhang Q., Zhou C., Ni J., 2022. Eco-geotechnics for human sustainability. *Science China Technological Sciences*. 65 (12), 2809–2845.
- Ni J., Xiao Y., Shi J., He J., 2024. Soil bioengineering using vegetation under climate change. *Biogeotechnics*. 2 (1), 100067.
- Nomleni I. A., Hung W.-Y., Soegianto D. P., 2023. Dynamic performance of root-reinforced slopes by centrifuge modeling tests. *Landslides*. 20 (6), 1187–1210.
- O' Hara K. B., Martinez A., 2020. Monotonic and cyclic frictional resistance directionality in snakeskin-inspired surfaces and piles. *Journal of Geotechnical and Geoenvironmental Engineering*. 146 (11), 04020116.
- Reubens B., Poesen J., Danjon F., Geudens G., Muys B., 2007. The role of fine and coarse roots in shallow slope stability and soil erosion control with a focus on root system architecture: a review. *Trees*. 21 (4), 385–402.
- Schnepf A., Leitner D., Landl M., Lobet G., Mai T. H., Morandage S., Sheng C., Zörner M., Vanderborght J., Vereecken H., 2018. CRootBox: a structural-functional modelling framework for root systems. *Annals of botany*. 121 (5), 1033–1053.
- Schwarz M., Cohen D., Or D., 2011. Pullout tests of root analogs and natural root bundles in soil: Experiments and modeling. *Journal of Geophysical Research: Earth Surface*. 116 (F2).
- Shrestha S., Ravichandran N. 2020. An effort to develop a novel foundation through biomimicry using 3D finite element modeling. In *Geo-Congress 2020*, pp. 209–218. American Society of Civil Engineers Reston, VA.
- Song X., Tan Y., 2024. Experimental study on the stability of vegetated earthen slopes under intense rainfall. *Soil and Tillage Research*. 238, 106028.
- Stokes A., Atger C., Bengough A. G., Fourcaud T., Sidle R. C., 2009. Desirable plant root traits for protecting natural and engineered slopes against landslides. *Plant and Soil*. 324, 1–30.
- Wang X., Ma C., Wang Y., Wang Y., Li T., Dai Z., Li M., 2020. Effect of root architecture on rainfall threshold for slope stability: variabilities in saturated hydraulic conductivity and strength of root-soil composite. *Landslides*. 17, 1965–1977.
- Xu H., Wang X.-Y., Liu C.-N., Chen J.-N., Zhang C., 2021. A 3D root system morphological and mechanical model based on L-Systems and its application to estimate the shear strength of root-soil composites. *Soil and Tillage Research*. 212, 105074.
- Yang M., Défossez P., Danjon F., Dupont S., Fourcaud T., 2017. Which root architectural elements contribute the best to anchorage of *Pinus* species? Insights from in silico experiments. *Plant and Soil*. 411, 275–291.
- Zhai K., Zhang J., Zhang L., Luo X., Wang K., 2024. Integrating Root Morphology Based on Whole-Pullout Test of Model Roots: A Case Study. *Applied Sciences*. 14 (2), 764.
- Zhang C.-B., Chen L.-H., Liu Y.-P., Ji X.-D., Liu X.-P., 2010. Triaxial compression



- test of soil-root composites to evaluate influence of roots on soil shear strength. *Ecological Engineering*. 36 (1), 19–26.
- Zhang W., He X., Liu H., Sun W., Han F., Fuentes R., Paneiro G., 2023. Research Progress and Prospect of Bionic Civil Engineering. *Journal of Civil and Environmental Engineering*. 1–16.
- Zhang W., Huang R., Xiang J., Zhang N., 2024. Recent advances in bio-inspired geotechnics: From burrowing strategy to underground structures. *Gondwana Research*. 130, 1–17.
- Zhang X., Knappett J., Leung A., Ciantia M., Liang T., Danjon F., 2020. Small-scale modelling of root-soil interaction of trees under lateral loads. *Plant and Soil*. 456, 289–305.
- Zhang X., Knappett J. A., Leung A. K., Ciantia M. O., Liang T., Nicoll B. C., 2022. Centrifuge modelling of root-soil interaction of laterally loaded trees under different loading conditions. *Géotechnique*. 73 (9), 766–780.
- Zhong W., Liu H., Wang Q., Zhang W., Li Y., Ding X., Chen L., 2021. Investigation of the penetration characteristics of snake skin-inspired pile using DEM. *Acta Geotechnica*. 16, 1849–1865.
- Zhu H., Zhang L. M., Garg A., 2018. Investigating plant transpiration-induced soil suction affected by root morphology and root depth. *Computers and Geotechnics*. 103, 26–31.
- Zhu J., Leung A. K., Wang Y., 2023. Simulating the anchorage behaviour of plant roots of different morphological traits. *Urban Forestry & Urban Greening*. 88, 128068.

#### **Declaration of Competing Interest**

The authors declare that they have no known competing financial interests or personal relationships that could have appeared to influence the work reported in this paper.