



DEPARTMENT OF ECONOMICS
UNIVERSITY OF MILAN - BICOCCA

WORKING PAPER SERIES

Electing a Parliament

Francesco De Sinopoli, Leo Ferraris and Giovanna
Iannantuoni

No. 150 –December 2008

Dipartimento di Economia Politica
Università degli Studi di Milano - Bicocca
<http://dipeco.economia.unimib.it>

Electing a Parliament

Francesco De Sinopoli*, Leo Ferraris[†] and Giovanna Iannantuoni[‡]

December 18, 2008

Abstract

We present a model where a society elects a parliament by voting for candidates belonging to two parties. The electoral rule determines the seats distribution between the two parties. We analyze two electoral rules, multidistrict majority and single-district proportional. In this framework, the policy outcome is simply a function of the number of seats parties take in the election. We prove that in both systems there is a unique pure strategy perfect equilibrium outcome. Finally, we compare the outcomes in the two systems.

JEL Classification Numbers: C72, D72.

Keywords: Majority election, Proportional election, Perfect equilibria.

1 Introduction

In parliamentary democracies, policies are the outcome of a legislative debate between political parties in power and at the opposition. The number of seats each party has in parliament determines its ability to influence such debate and shape policies. Hence, the strength of the parties in the next parliament is of concern to policy motivated voters when electing their representatives.

We model a situation where citizens with single-peaked preferences are distributed in a number of districts and vote strategically in each district by majority rule for two political parties, left and right. The electoral result determines the number of seats for the two parties in parliament. The policy outcome is more leftist the higher the number of districts carried by the left. This feature captures the idea of a parliamentary compromise between the two parties with different strengths. Being the Nash solution concept rather weak¹ in this voting

*Department of Economics, University of Verona. E-mail: francesco.desinopoli@univr.it

[†]Department of Economics, Universidad Carlos III de Madrid. E-mail: lferrari@eco.uc3m.es

[‡]Department of Economics, University of Milano-Bicocca. E-mail: giovanna.iannantuoni@unimib.it

[§]The authors acknowledge the grant SEJ2006-11665-C02-0. Giovanna acknowledges the grant Prin "Political Economics and Institutions: Theory and Evidence". Leo acknowledges the Juan de la Cierva fellowship.

¹Both the Nash and the - widely used in voting- undominated equilibrium concepts leave a host of equilibrium outcomes in our game.

game, we introduce a stronger solution concept, which we call district-sincerity. Intuitively, a strategy combination is district-sincere if each voter who strictly prefers one of the two parties to win in her district - given the strategies of voters in the other districts- votes for such a party. We prove that our voting game has a unique district-sincere outcome in pure strategy, which is also the unique district-sincere “pure” outcome -i.e. assigning probability one to a given policy-. Such an outcome is characterized by a number of seats for the left equal to the number of districts, where their median voters prefer a policy equal to - or to the left of- the average policy implemented should the left win exactly that number of seats or one less. Far from being arbitrary, district-sincerity is related to standard equilibrium concepts such as trembling-hand perfection. We prove the existence of a unique pure strategies perfect equilibrium outcome, which is the unique district-sincere outcome in pure strategies, the unique “pure” outcome induced by perfect equilibria and the unique sophisticated equilibrium - in the sense of Farquharson (1969)- outcome.

We then show that the logic of our result goes through with a proportional election as well. Here, citizens with single-peaked preferences are distributed in a single national district electing representatives from two parties to a national parliament in a proportional election. We choose a general mechanism to transform votes into seats, requiring a minimum number of votes to get a certain number of seats in parliament for the left and allowing for any majority premium. Again, the policy outcome is a decreasing function of the number of seats won by the left. With only one district, district-sincerity does not have bite. Fortunately, trembling-hand perfection does. As in the multidistrict majority case, we can prove that there exists a unique pure strategy perfect equilibrium outcome, which is also the unique “pure” outcome induced by perfect equilibria and the unique sophisticated equilibrium outcome.

Finally, with the aim of suggesting the potential interest of our framework for applications, we exploit the uniqueness of equilibrium outcomes to compare equilibrium policies in the two electoral systems. We consider two leading cases, with full voters’ homogeneity across districts and with maximal voters’ dishomogeneity across districts. In the former case, we find that the outcome may differ depending on which electoral system is adopted. A single district proportional system favors a more moderate outcome, since it protects minorities dispersed in different districts more than a multidistrict majority system. In the latter, the outcomes are instead the same independently of the electoral system. Indeed, in a multidistrict majority system - with a higher concentration of like-minded voters- votes are wasted on a candidate who would win anyway.

We share our interest in the composition of the legislature with Alesina and Rosenthal (1995, 1996) who analyze the strategic voting behavior of voters with two branches of government, the executive, elected by plurality rule, and the legislature, elected by proportional rule, with the policy outcome being the result of a compromise between them. Interestingly, despite the differences in modeling strategy, our results on the comparison of electoral systems are similar in spirit to Persson and Tabellini (1999, 2000).

The rest of the paper unfolds as follows. Section 2 describes the model.

Section 3 solves the multidistrict majoritarian election. Section 4 solves the proportional election. Section 5 compares the policy outcomes under the two systems. Section 6 concludes the paper.

2 The model

Consider a society electing a parliament of k members.

The policy space. The unidimensional policy space \mathbb{X} is a closed interval of the real line, and without loss of generality we assume $\mathbb{X} = [0, 1]$.

Parties. There are two parties, indexed by $p \in P = \{L, R\}$. Each party p is characterized by a policy position $\theta_p \in \mathbb{X}$, such that $\theta_L < \theta_R$.

Voters. There is a finite set of voters $N = \{1, 2, \dots, n\}$. Each voter $i \in N$ has a most preferred policy (her bliss point, sometimes referred to as her location) $\theta_i \in \mathbb{X}$. Voters' preferences are single peaked and symmetric. Let us denote as $u_i(X)$ player i 's utility function over the policy space. Given the set of parties P , each voter i casts her vote for one of them. Hence, the pure strategy set of voter i is given by $S_i = \{L, R\}$, and let denote $S = S_1 \times S_2 \times \dots \times S_n$. A mixed strategy of player i is a vector $\sigma_i = (\sigma_i^L, \sigma_i^R)$ where each σ_i^p represents the probability that player i votes for party $p \in P$. As usual, the mixed strategy which assigns probability one to a pure strategy will be denoted by such a pure strategy.

The electoral rule. Voters vote to elect a parliament composed by k representatives. Given a pure strategy combination $s \in S$, the electoral rule determines the composition of the parliament, that is to say the seats allocated to each party. We consider two different electoral rules: majority rule and proportional rule (see Persson and Tabellini, 2000). Let $\varphi : S \rightarrow \{0, 1, \dots, k\}$ be the function that maps votes into the number of seats allocated to party L . The number of seats allocated to party R is then $k - \varphi(s)$.

The policy outcome. The final policy outcome is the result of a bargaining process among parties. We do not explicitly model this bargaining process but we assume that it depends only on the number of seats each party has in the parliament. In other words we assume the existence of a function $X(\cdot)$ that maps the number of seats obtained by party L into the policy space, i.e., $X : \{0, 1, \dots, k\} \rightarrow \mathbb{X}$. We assume that $X(\cdot)$ is a decreasing function, that is to say the more seats L obtains, the more leftist the policy is.

Given the electoral rule φ and the policy outcome function X , the utility that voter $i \in N$ gets under the pure strategy combination s is:

$$U_i(s) = u_i(X(\varphi(s))).$$

Given a mixed strategy combination $\sigma = (\sigma_1, \dots, \sigma_n)$, because players make their choice independently of each other, the probability that $s = (s_1, s_2, \dots, s_n)$ occurs is:

$$\sigma(s) = \prod_{i \in N} \sigma_i^{s_i}.$$

The expected utility that player i gets under the mixed strategy combination σ is:

$$U_i(\sigma) = \sum \sigma(s)U_i(s).$$

In the following, as usual, we shall write $\sigma = (\sigma_{-i}, \sigma_i)$, where $\sigma_{-i} = (\sigma_1, \dots, \sigma_{i-1}, \sigma_{i+1}, \dots, \sigma_n)$ denotes the $(n-1)$ -tuple of strategies of the players other than i . Furthermore s_i will denote the mixed strategy σ_i that gives probability one to the pure strategy s_i .

For $j \in \{1, 2, \dots, k\}$, define $\alpha_j = \frac{X(j)+X(j-1)}{2}$. If a voter $i \in N$ has her bliss point equal to α_j such a voter is indifferent between a parliament with j members of L and one with just $(j-1)$ members of L . In order to simplify the reading, and the writing, of the paper we assume that no such a voter exists.²

An outcome is a probability distribution over policies, we'll call "pure" an outcome that assigns probability one to a given policy, and we'll denote it by that policy.³

3 The multidistrict majoritarian election

We first consider a situation in which there are k districts, indexed by $d \in D = \{1, 2, \dots, k\}$. Voters are hence distributed in the k districts and let N_d be the set of voters in district d , i.e. N_1, N_2, \dots, N_k is the partition of N in the k districts.⁴ We assume that in each district d there is an odd number of voters n_d . Let $m_d \in M = \{m_1, \dots, m_k\}$ be the median voter in district d , and, without loss of generality, assume that $m_1 \leq m_2 \leq \dots \leq m_k$. Let us define the distribution $F^m(\theta) = \{\#m_d \in M \text{ s.t. } m_d \leq \theta\}$.⁵

In each district voters elect a representative belonging either to party L or to party R by majority rule. Given a pure strategy combination $s = (s_1, s_2, \dots, s_n)$, let $s_d = (s_i)_{i \in N_d}$ be the pure strategy combination of the voters in district d . District d is won by the party which gets more votes and let $D^L(s)$ be the districts where L wins, hence the electoral rule φ^M is simply:

$$\varphi^M(s) = \#D^L(s).$$

²Case by case we will discuss what happens if such an assumption is not satisfied, but the general discussion and the main propositions will be developed under such an assumption.

³We could have used the term *degenerate* outcome, but we prefer the above terminology.

⁴Notice that with uppercase we denote sets, and with lowercase their cardinality. Hence N_1 is the set of voters in district 1, and by n_1 we denote the number of them.

⁵The assumption about the oddness of the number of voters in each district assures that the electoral result does not end in a tie. This implies two things. First, a pure strategy combination leads to what we have defined as a "pure" outcome. Second, the median is uniquely defined. We could have skipped this assumption by dealing with a deterministic tie-breaking rule and by defining accordingly the median. A preliminary cost-benefit analysis suggested us to make use of this assumption.

3.1 The solution

The above game is a typical example of a situation in which the use of the Nash solution concept is completely inadequate. As a matter of fact, in every district, the election of any candidate is a Nash equilibrium outcome, if there are at least three voters. Unlike standard models with two parties, in this case not even the concept of undominated equilibria seems appropriate. As a matter of fact, if a voter's bliss point is located (strictly) in between α_k and α_1 , it follows that such a voter does not have any dominated strategy. As a consequence, if all the bliss points are in between α_k and α_1 , not even sophisticated voting can help us shape the set of solutions, that is to say for every possible composition of the parliament there exists a sophisticated equilibrium leading to that composition of the parliament. We then need to use a solution concept stronger than undominated equilibrium. Limiting the analysis to pure strategies we will show the existence of a unique perfect equilibrium outcome. Allowing for mixed strategies uniqueness cannot be hoped for, nevertheless the above outcome is the only "pure" one, i.e. the only one assigning probability 1 to a given policy.

Instead of working directly with perfect equilibria we prefer to introduce the weaker (as we will show later) concept of district sincerity. In words, a strategy combination is district sincere if, given the strategies of the players in the other districts, every voter who strictly prefers party L/R winning in her district votes for party L/R . Formally, given σ , we shall write $\sigma = (\sigma^{-d}, \sigma^d)$, where $\sigma^{-d} = (\sigma_i)_{i \in N/N_d}$ denotes the $(n - n_d)$ -tuple of strategies of the players outside the district d while $\sigma^d = (\sigma_i)_{i \in N_d}$ denotes the n_d -tuple of strategies of the players in the district d . Moreover, let $L^d (R^d)$ denote the n_d -tuple of pure strategies of the players in the district d where everybody votes for $L^d (R^d)$.⁷

Definition 1 *District-sincerity.* A strategy combination σ is district-sincere if for every district d and for every player i in district d the following holds:

$$\begin{aligned} U_i(\sigma^{-d}, L^d) - U_i(\sigma^{-d}, R^d) &> 0 \text{ then } \sigma_i = L \\ U_i(\sigma^{-d}, L^d) - U_i(\sigma^{-d}, R^d) &< 0 \text{ then } \sigma_i = R \end{aligned}$$

Notice that every district-sincere strategy combination is an equilibrium, because a player affects the outcome only if he is pivotal in her district and district sincerity implies that the outcome is affected in the "right" direction.

⁶Hence, L wins district d .

⁷For simplicity, we write the definition of district sincerity with the n_d -tuple of strategies of the players in district d given by everybody voting for L/R . Obviously, we could, at a cost of an heavier notation, have written any n_d -tuple of strategies leading to the winning of L/R in district d .

Now, we will prove that there is only a pure strategy district sincere outcome. To this end let us define:⁸

$$\bar{d}^M = \begin{cases} 0 & \text{if } m_1 > \alpha_1 \\ \max d \text{ s.t. } m_d \leq \alpha_d & \text{if } m_1 \leq \alpha_1. \end{cases} \quad (1)$$

In words, given all districts d such that the median voter location m_d is on the left of α_d (i.e. the average of the outcomes when L wins d and $(d-1)$ districts), we take the rightmost of them. In the following we prove that the unique pure strategy district sincere outcome is the outcome where party L wins exactly \bar{d}^M districts.

Proposition 1 $X(\bar{d}^M)$ is the unique pure strategy district-sincere equilibrium outcome.⁹

Proof. We first prove that it exists a pure strategy district sincere equilibrium (PDSE) with outcome $X(\bar{d}^M)$.

Consider the following strategy combination $\bar{s} = (\bar{s}_1, \dots, \bar{s}_n)$ with:

$$\begin{aligned} \bar{s}_i &= L \text{ if } i \in d \leq \bar{d}^M \text{ and } \theta_i < \alpha_{\bar{d}^M} \text{ or } i \in d > \bar{d}^M \text{ and } \theta_i < \alpha_{\bar{d}^M+1} \\ \bar{s}_i &= R \text{ if } i \in d \leq \bar{d}^M \text{ and } \theta_i > \alpha_{\bar{d}^M} \text{ or } i \in d > \bar{d}^M \text{ and } \theta_i > \alpha_{\bar{d}^M+1} \end{aligned}$$

(i.e., in every district $d \leq \bar{d}^M$, every voter i with $\theta_i < \alpha_{\bar{d}^M}$ votes for party L , and every voter i with $\theta_i > \alpha_{\bar{d}^M}$ votes for party R ; in every district $d > \bar{d}^M$: every voter i with $\theta_i < \alpha_{\bar{d}^M+1}$ votes for L , and every voter i with $\theta_i > \alpha_{\bar{d}^M+1}$ votes for party R).

Notice that under \bar{s} party L wins every district $d \leq \bar{d}^M$, because in such a case $m_d < \alpha_{\bar{d}^M}$, while R wins all the district $d > \bar{d}^M$, because in such a case $m_d > \alpha_d \geq \alpha_{\bar{d}^M+1}$, hence the outcome of \bar{s} is $X(\bar{d}^M)$. Furthermore \bar{s} is district sincere, because in every district where L wins voters who prefer $X(\bar{d}^M)$ to $X(\bar{d}^M - 1)$ vote for L and the others for R , while in the district where R wins voters vote accordingly to their preferences over $X(\bar{d}^M)$ and $X(\bar{d}^M + 1)$.

We now prove that no other PDSE outcome exists. Suppose we have an equilibrium with $\hat{d} \neq \bar{d}^M$ districts won by L . District-sincerity implies that in districts won by L , every voter i with $\theta_i < \alpha_{\hat{d}}$ votes for L , and every voter i with $\theta_i > \alpha_{\hat{d}}$ votes in favor of party R . Moreover, in districts in which R is getting the majority, voter i with $\theta_i < \alpha_{\hat{d}+1}$ votes for L , and voter i with $\theta_i > \alpha_{\hat{d}+1}$ votes for R . Suppose first that $\hat{d} < \bar{d}^M$, then it must be $\alpha_{\bar{d}^M} \leq \alpha_{\hat{d}+1} < \alpha_{\hat{d}}$ and hence

⁸We remind that we have assumed that no bliss point equal to α_1 exists and so $m_1 \neq \alpha_1$, and analogously $m_d \neq \alpha_d$. However since we are going to discuss in some cases also what happens if these conditions do not hold, we prefer to define \bar{d} independently from the above conditions.

⁹In case $m_{\bar{d}} = \alpha_{\bar{d}}$, we would have two different possible outcome $X(\bar{d})$ and $X(\bar{d} - 1)$.

district-sincerity implies that party L gets at least \bar{d}^M districts, which contradicts $X(\hat{d})$ being a district sincere equilibrium outcome. *Mutatis mutandis*, $\hat{d} > \bar{d}^M$ implies $\alpha_{\hat{d}+1} < \alpha_{\hat{d}} \leq \alpha_{\bar{d}^M+1}$ and this with district sincerity and the fact that $\alpha_{\bar{d}^M+1} < m_{\bar{d}^M+1}$ implies party R wins at least $(k - \bar{d}^M)$ districts, and, hence, party L wins at most \bar{d}^M districts contradicting $X(\hat{d})$ being a district sincere equilibrium outcome. ■

Given the assumption that no voter is located in α_j ($j = 1, \dots, k$), if σ is district sincere and assigns probability one to a given policy, then σ is a pure strategy combination. Hence, we have:

Corollary 2 $X(\bar{d}^M)$ is the unique “pure” outcome induced by district-sincere equilibria.

3.1.1 Perfect equilibrium

The concept of perfect equilibrium was introduced by Selten (1975):

Definition 2 A completely mixed strategy σ^ε is an ε -perfect equilibrium if

$$\begin{aligned} \forall i \in N, \forall s_i, s'_i \in S_i \\ \text{if } U_i(s_i, \sigma_{-i}^\varepsilon) > U_i(s'_i, \sigma_{-i}^\varepsilon) \text{ then} \\ \sigma_i^\varepsilon(s'_i) \leq \varepsilon. \end{aligned}$$

A strategy combination σ is a perfect equilibrium if there exists a sequence $\{\sigma^\varepsilon\}$ of ε -perfect equilibria converging (for $\varepsilon \rightarrow 0$) to σ .

Because a dominated strategy is never a best reply to a completely mixed strategy of the opponent and, hence, in every ε -perfect equilibrium it is played with probability less than ε , the perfect equilibrium concept is a refinement of the undominated equilibrium concept. The next proposition shows that, in this model, it is a refinement also of district sincerity.

Proposition 3 Every perfect equilibrium σ is district sincere.

Proof. Let $f_i(\sigma)$ denote the probability player i is pivotal under the strategy combination σ in her district d , i.e. the probability that the realization of the strategy combination of the other voters in her district induces a tie. Clearly, we can write:

$$U_i(L, \sigma_{-i}) - U_i(R, \sigma_{-i}) = f_i(\sigma) [U_i(\sigma^{-d}, L^d) - U_i(\sigma^{-d}, R^d)] \quad (2)$$

and, if σ is a completely mixed strategy, i.e. $\sigma \gg 0$, then $f_i(\sigma)$ is strictly positive. Suppose now σ is not district sincere. This implies there exists a

district d and a player $i \in N_d$ such that either $U_i(\sigma_{-d}, L^d) - U_i(\sigma_{-d}, R^d) > 0$ and $\sigma_i(R) > 0$ or $U_i(\sigma_{-d}, L^d) - U_i(\sigma_{-d}, R^d) < 0$ and $\sigma_i(L) > 0$. Let us consider the first case. Take a sequence of completely mixed strategy combinations σ^ε converging to σ . Sufficiently close to σ , $f_i(\sigma^\varepsilon)$ is strictly positive as well as $\left[U_i(\sigma^{\varepsilon-d}, L^d) - U_i(\sigma^{\varepsilon-d}, R^d) \right]$ and hence R is not a best reply for player i . It follows that if σ^ε is a sequence of ε -perfect equilibria, $\sigma_i^\varepsilon(R) \leq \varepsilon$, and hence $\sigma_i(R) = 0$. *Mutatis mutandis* the second case. ■

Propositions 1 and 3 directly imply that the only possible pure strategy perfect equilibrium outcome of the model can be $X(\bar{d}^M)$. Because not every district-sincere equilibrium is perfect, we still have to prove that there exists a pure strategies perfect equilibrium whose outcome is $X(\bar{d}^M)$. This is accomplished considering \bar{s} as defined in the proof of Proposition 1. From (2), it is immediate that \bar{s} is a best reply to every strategy combination sufficiently close to it, hence perfect.¹⁰ Then, we have:

Proposition 4 $X(\bar{d}^M)$ is the unique pure strategy perfect equilibrium outcome.

Moreover, from Corollary 2, Propositions 3 and 4 immediately follows that:

Corollary 5 $X(\bar{d}^M)$ is the unique “pure” outcome induced by perfect equilibria.

We now introduce an example that will be useful in discussing all the main features of this type of voting games. Despite the fact that for every possible outcome there is an undominated equilibrium of the example with that outcome, the game has a unique pure strategy district-sincere equilibrium outcome, which is also the only pure strategy perfect equilibrium outcome. Nevertheless, such a unique outcome may result from two different equilibria. Hence, a uniqueness result (in terms of equilibrium strategies) cannot be hoped for. Furthermore, also a mixed strategy equilibrium exists, supporting the district-sincere equilibrium outcome with some probability (positive, but different from one). Hence, the uniqueness of the outcome must rely either on the use of pure strategies, or, when mixed strategies are allowed, on limiting the analysis to outcomes assigning probability one to a given policy.

3.2 Example 1

The parties’ positions are $\theta_L = 0.1$ and $\theta_R = 0.9$. There are two districts 1 and 2 with three voters each. Both districts have one voter with bliss point at 0.31 and one at 0.69. The medians are located in $m_1 = 0.4$ and $m_2 = 0.6$. Policies are:

¹⁰This shows also that \bar{s} is a strictly perfect equilibrium (Okada, 1981) and a stable set as defined in Kholberg and Mertens (1986). Notice that \bar{s} is an absorbing retract (Kalai and Samet, 1984) and, hence, also a stable set according to the definition of Mertens (1989).

$X(0) = 0.9 > X(1) = 0.5 > X(2) = 0.1$. Every voter i 's utility is simply minus the distance between her bliss point and the policy X . Because $\alpha_2 = 0.3$ and $\alpha_1 = 0.7$ the game has no dominated strategies and, hence, everybody voting for L is an undominated equilibrium with outcome $X(2) = 0.1$. Analogously, we have an undominated equilibrium where everybody votes for R with outcome $X(0) = 0.9$.

According to Proposition 1, $X(1) = 0.5$ is the unique pure strategy district-sincere equilibrium outcome and according to Proposition 3 is the only pure strategy perfect equilibrium outcome.

Nevertheless, there are two different pure strategy district sincere and perfect equilibria.¹¹ In one every voter in district 1 votes for L and every voter in district 2 votes for R , in the other every voter in district 1 votes for R and every voter in district 2 votes for L .

The game has also a mixed equilibrium ($\bar{\sigma}$) in which voters in 0.31 vote for L , voters in 0.69 vote for R , while the median voter in district 1 plays the mixed strategy $\frac{1}{3}L + \frac{2}{3}R$ and the median voter in district 2 plays $\frac{2}{3}L + \frac{1}{3}R$. Under $\bar{\sigma}$, $X(0)$ occurs with probability $\frac{2}{9}$, $X(2)$ with probability $\frac{2}{9}$ and $X(1)$ with probability $\frac{5}{9}$.

It is easy to verify that this equilibrium (i.e. $\bar{\sigma}$) is district sincere. Consider voters in district 1: the strategy combination of the voters in district 2 implies party L wins with probability equal to $\frac{2}{3}$ in district 2. In such a case the median voter of district 1 is indifferent between a leftist or a rightist winning in her district, while the voter located in 0.31 strictly prefers that district 1 is won by L ,¹² while the voter located in 0.69 will prefer that district 1 is won by R .¹³ Similarly for voters in district 2.

Now we want to prove that $\bar{\sigma}$ is perfect and that even applying stronger solution concept than perfection as strategic stability (Mertens, 1989) we cannot eliminate it. Notice that $\bar{\sigma}$ is also quasi-strict (this easily follows from $\bar{\sigma}$ being district-sincere and from the fact that, given that in each district the median voter randomizes and the other two voters vote one for L and one for R , voters are pivotal with positive probability). From that it easily follows that it is isolated because the equilibria near $\bar{\sigma}$ can be studied simply analyzing the following 2×2 game (Γ) among the two median voters (the row player being the one in district 1).

	L	R
L	-0.3, -0.5	-0.1, -0.1
R	-0.1, -0.1	-0.5, -0.3

¹¹ Both of them are also strictly perfect and stable.

¹² Because $\frac{1}{3}(-0.19) + \frac{2}{3}(-0.21) > \frac{1}{3}(-0.59) + \frac{2}{3}(-0.19)$.

¹³ Because $\frac{1}{3}(-0.21) + \frac{2}{3}(-0.19) > \frac{1}{3}(-0.19) + \frac{2}{3}(-0.59)$.

This game has two pure strategy equilibria (L, R) , (R, L) and a mixed one $(\frac{1}{3}L + \frac{2}{3}R, \frac{2}{3}L + \frac{1}{3}R)$ which correspond to $\bar{\sigma}$. Since $(\frac{1}{3}L + \frac{2}{3}R, \frac{2}{3}L + \frac{1}{3}R)$ is isolated and quasi-strict then it is a strongly stable equilibrium of Γ (see van Damme, 1991:55, th. 3.4.4). Moreover, because the other players are using their strict best reply in $\bar{\sigma}$, it follows that $\bar{\sigma}$ is a strongly stable equilibrium (Kojima *et. al.*, 1985) of the voting game, and, hence, a Mertens' stable set.

4 Proportional representation

We study now the electoral rule corresponding to proportional representation. We analyze the case (see Persson and Tabellini, 2000) where there is only one voting district electing k representatives. We assume, without loss of generality, that voters' bliss policies are ordered such that $\theta_1 \leq \theta_2 \leq \dots \leq \theta_n$, and are distributed in such a national district accordingly to the distribution $F(\theta) = \#\{i \in N \text{ s.t. } \theta_i \leq \theta\}$.

Voters elect representatives belonging to party L and R by proportional rule. There are various rules used in proportional system to transform votes into seats, we use a very general one, which allows, for example, any majority premium. To get d representatives, $d = 0, 1, \dots, k$, party L needs at least n_d number of votes (i.e. to elect exactly d representatives party L needs a number of votes in between $[n_d, n_{d+1})$).¹⁴

Given a pure strategy combination $s = (s_1, s_2, \dots, s_n)$ let $N_d^L(s)$ be the set of citizens voting for party L under s , and let us define by $n_d^L(s)$ its cardinality. Hence, there exists a unique d^* such that $n_{d^*}^L(s) \in [n_{d^*}, n_{d^*+1})$, and the electoral rule φ^P is simply:

$$\varphi^P(s) = d^*.$$

4.1 The solution

Similarly to the majoritarian case previously studied, because voters located in between α_1 and α_k do not have any dominant strategy, also in this case we need a stronger solution concept than undominated equilibrium. Limiting the analysis to pure strategy equilibria we prove that there exists a unique perfect equilibrium outcome. Moreover, this is the unique "pure" outcome.

To this end let us give the following definition:

$$\bar{d}^P = \begin{cases} 0 & \text{if } F(\alpha_1) < n_1 \\ \max d \text{ s.t. } F(\alpha_d) \geq n_d & \text{if } F(\alpha_1) \geq n_1 \end{cases} \quad (3)$$

¹⁴Analogously to the multidistrict majoritarian case (see footnote 9) we rely on the use of a deterministic rule to determine the seats' allocation.

In words, \bar{d}^P is the maximum number of seats for the left party such that the number of voters whose bliss points are on the left of α_d (that is the outcome averaging a parliament with d and $d - 1$ seats for L) is greater or equal to the minimum number of votes needed to elect d representatives for party L .

Proposition 6 $X(\bar{d}^P)$ is a pure strategy perfect equilibrium outcome. Moreover, $X(\bar{d}^P)$ is also the unique “pure” outcome induced by perfect equilibria.

Proof. We first prove that there exists a perfect equilibrium in pure strategies with the unique “pure” outcome $X(\bar{d}^P)$.

We have to analyze three cases:¹⁵

i) $\bar{d}^P \neq k$ and $\theta_{n_{\bar{d}^P}} > \alpha_{\bar{d}^P+1}$

Consider the following strategy combination $\bar{s} = (\bar{s}_1, \dots, \bar{s}_n)$ with:

$$\bar{s}_i = L \text{ if } i \in [1, 2, \dots, n_{\bar{d}^P}]$$

$$\bar{s}_i = R \text{ if } i \in [n_{\bar{d}^P} + 1, \dots, n]$$

Notice that under \bar{s} exactly \bar{d}^P seats are won by L . Now we show that \bar{s} is perfect

Notice that L is a strict best reply for every $i \in [1, 2, \dots, n_{\bar{d}^P}]$, because if one of them vote for R instead L the outcome moves from $X(\bar{d}^P)$ to $X(\bar{d}^P - 1)$ which is worst for them because they are located to the left of $\alpha_{\bar{d}^P}$. Consider the completely mixed strategy combination σ^ε :

$$\sigma_i^\varepsilon = (1 - \varepsilon^n) L + \varepsilon^n R \text{ if } i \in [1, 2, \dots, n_{\bar{d}^P}]$$

$$\sigma_i^\varepsilon = (1 - \varepsilon) R + \varepsilon L \text{ if } i \in [n_{\bar{d}^P} + 1, \dots, n]$$

We claim that, for ε sufficiently close to zero, σ^ε is an ε -perfect equilibrium. Because L is a strict best reply to \bar{s} for $i \in [1, 2, \dots, n_{\bar{d}^P}]$ it is also for close-by strategies. Notice that the probability a player $i \in [n_{\bar{d}^P} + 1, \dots, n]$ is “pivotal” between the election of \bar{d}^P and $\bar{d}^P + 1$ of L candidates is infinitely greater than every other probability in which her vote matters. Because all these players are located to the right of $\alpha_{\bar{d}^P+1}$ R is preferred for them to L and, hence, σ^ε is an ε -perfect equilibrium. Therefore \bar{s} is perfect.

ii) $\bar{d}^P \neq k$ and $\theta_{n_{\bar{d}^P}} < \alpha_{\bar{d}^P+1}$

¹⁵In order to avoid duplication of proof, if $\bar{d}^P = 0$, let $\theta_0 = 0$ and hence refer to (ii).

Let \tilde{n} the largest i such that $\theta_i < \alpha_{\bar{d}^P+1}$. By the definition of \bar{d}^P and because $\theta_{n_{\bar{d}^P}} < \alpha_{\bar{d}^P+1}$, we have $\tilde{n} \in [n_{\bar{d}^P}, n_{\bar{d}^P+1})$. Consider the following strategy combination \tilde{s} :

$$\begin{aligned}\tilde{s}_i &= L \text{ if } i \in [1, 2, \dots, \tilde{n}] \\ \tilde{s}_i &= R \text{ if } i \in [\tilde{n} + 1, \dots, n]\end{aligned}$$

Notice that under \tilde{s} exactly \bar{d}^P seats are won by L . Now we show that \tilde{s} is perfect. To this end consider the completely mixed strategy combination σ^ε :

$$\sigma_i^\varepsilon = (1 - \varepsilon^n) L + \varepsilon^n R \text{ if } i \in [1, 2, \dots, \tilde{n}]$$

$$\sigma_i^\varepsilon = (1 - \varepsilon) R + \varepsilon L \text{ if } i \in [\tilde{n} + 1, \dots, n]$$

We claim that, for ε sufficiently close to zero, σ^ε is an ε -*perfect* equilibrium. Notice that the probability a player is “pivotal” between the election of \bar{d}^P and $\bar{d}^P + 1$ of L candidates is infinitely greater than every other probability in which her vote matters. Because for all the players located to the left (right) of $\alpha_{\bar{d}^P+1}$, $L(R)$ is preferred to $R(L)$, σ^ε is an ε -*perfect* equilibrium. Therefore \tilde{s} is perfect

iii) $\bar{d}^P = k$

Let \check{n} the largest i such that $\theta_i < \alpha_k$. By the definition of \bar{d}^P we have that $\check{n} \geq n_k$. Consider the following strategy combination \check{s} :

$$\begin{aligned}\check{s}_i &= L \text{ if } i \in [1, 2, \dots, \check{n}] \\ \check{s}_i &= R \text{ if } i \in [\check{n} + 1, \dots, n]\end{aligned}$$

Notice that under \check{s} all the k seats are won by L . Moreover for every completely mixed strategy combination close to \check{s} , the probability a player is “pivotal” between the election of k and $k - 1$ of L candidates is infinitely greater than every other probability in which her vote matters. Hence, \check{s} is perfect.

Now we prove that no other “pure” outcome is induced by a perfect equilibrium. Suppose we have a perfect equilibrium σ^δ which induces $X(\delta)$ as policy outcome. Because for every sequence of completely mixed strategy combination converging to σ^δ , for every player, the probability of the event “being pivotal between $X(\delta + 1)$ and $X(\delta)$ ” is infinitely greater than the probability of the event “being pivotal between $X(\delta + j)$ and $X(\delta + 1 + j)$ ” ($j = 1, \dots, k - \delta - 1$) and the probability of the event “being pivotal between $X(\delta)$ and $X(\delta - 1)$ ” is

infinitely greater than the the probability of the event “being pivotal between $X(\delta - j)$ and $X(\delta - 1 - j)$ ” ($j = 1, \dots, k - \delta - 1$) we must have:

- (a) $\forall i$ s.t. $\theta_i < \alpha_{\delta+1}$ $\sigma_i^\delta = L$
(b) $\forall i$ s.t. $\theta_i > \alpha_\delta$ $\sigma_i^\delta = R$

Suppose $\delta < \bar{d}^P$. This would imply that $\alpha_{\delta+1} \geq \alpha_{\bar{d}^P}$, and, by (a), it follows that in σ^δ party L would receive at least $n_{\bar{d}^P}$ contradicting the fact that just δ of its candidates are elected.

Suppose $\delta > \bar{d}^P$. Notice that $\delta > \bar{d}^P$ implies that $\alpha_{\bar{d}^P+1} \geq \alpha_\delta$ and the above condition (b) implies that in σ^δ party R takes at least all the votes of the voters located to the right of $\alpha_{\bar{d}^P+1}$. By the definition of \bar{d}^P , it follows that, even if all the others voters vote for L , the leftist party cannot win $\bar{d}^P + 1$ seats, which contradicts $\delta > \bar{d}^P$. ■

5 Comparing electoral systems

It is interesting to compare the equilibrium outcome in the single district proportional and the multidistrict majority system. Such a comparison is made straightforward by our uniqueness results. For the sake of the comparison, in this section we specify a particular electoral rule dictating the minimum number of votes required to elect a member of parliament when the single district proportional system is adopted. The minimum number of votes needed to elect d members of parliament with the single district proportional system is $\frac{n}{k}(d-1) + \frac{1}{2}\frac{n}{k}$.¹⁶ In case the multidistrict majority system is used, the electoral rule requires the leftist party to obtain at least half of a district votes in order to carry the district. We remind the reader that we defined with $X(\bar{d}^P)$ the unique perfect equilibrium outcome in the single district proportional and with $X(\bar{d}^M)$ as the unique district sincere equilibrium outcome in the multidistrict majority systems.

When a multidistrict majority system is adopted, the electoral outcome may depend on how voters are distributed across districts. Since the electoral outcome is instead independent of voters’ distribution across districts when a single district proportional system is adopted, the comparison of electoral outcomes between the two systems is bound to be affected by the distribution of voters across districts. In order to get to grips with such an issue, we consider two extreme distributions of voters across districts. We first look at a situation of homogeneity across districts. This case represents a society where districts of the multidistrict majority system are similar to each other and similar to the single district of the proportional system, in terms of the political preferences of their voters. More specifically districts are homogeneous in the sense that their median voters have the same preferences which, hence, coincide with the preferences of the median voter of the single district in the proportional system.

¹⁶Given our assumptions, we never incur a tie in the remainder.

We then examine a case of heterogeneity across districts. In this alternative society, districts of the multidistrict majority system are characterized by diverse political orientations, with some districts being a stronghold of the leftist party some others a stronghold of the rightist party and some other districts inhabited by voters with more mixed political orientations. Specifically we consider a situation of extreme heterogeneity across districts where - equally sized- districts have been ordered according to the political preferences of their voters, with the first district being inhabited by the first $\frac{n}{k}$ most leftist voters, the second by the next $\frac{n}{k}$ most leftist voters and the following districts being inhabited each by $\frac{n}{k}$ increasingly more rightist voters.

We find that in the case of homogeneity across districts, the outcome may differ depending on which electoral system is adopted. A single district proportional system favours a more moderate outcome, since it protects minorities dispersed in different districts more than a multidistrict majority system. In the case of extreme heterogeneity across districts, the outcomes are instead the same independently of the electoral system. Differences in electoral outcomes are a joint product of the electoral system and the distribution of voters. In societies where leftist voters are concentrated in some districts and rightist voters in others the choice of the electoral system - proportional vs. multidistrict majority- will tend not to affect the political outcome, while in societies where electoral districts are similar to each other in terms of the political preferences of their voters, the outcome will tend to be more moderate when elections are held with a proportional system than when elections are held with a multidistrict majority system. This is fairly intuitive since with a lower concentration of like-minded voters, in a multidistrict majority system fewer votes are wasted on a candidate who would win anyway.

5.1 Homogeneity across districts

We first consider a situation in which each district of the multidistrict majority system has the same median voter as the single district of the proportional system, i.e. $m_d = m$ for all d . The example that follows, points out that the two systems may give rise to different outcomes in this case.

Example 2. Consider a society with six voters electing a parliament of two members, i.e. $n = 6$, $k = 2$, two parties with preferred policies $\theta_L = 0$ and $\theta_R = 1$ respectively and the following symmetric outcome function $X(2) = 0 < X(1) = \frac{1}{2} < X(0) = 1$. The averages of consecutive outcomes are thus $\alpha_2 = \frac{X(2)+X(1)}{2} = \frac{1}{4}$ and $\alpha_1 = \frac{X(1)+X(0)}{2} = \frac{3}{4}$. Four of the six voters are leftist, having zero as their preferred policy, i.e. their bliss points are $\theta_1 = \theta_2 = \theta_3 = \theta_4 = 0$, and the remaining two are rightist, having one as their preferred policy, i.e. $\theta_5 = \theta_6 = 1$. If the multidistrict majority system is adopted, two districts - inhabited by three voters each- elect a member of parliament each. A party carries a district if it obtains at least two votes in the district. District 1 is inhabited by two voters with bliss point at 0 and one voter with bliss point at 1, i.e. the three voters in district one are $\theta_1 = \theta_2 = 0$ and $\theta_5 = 1$, and district 2

is inhabited by two voters with bliss point at 0 and one voter with bliss point at 1, i.e. the three voters in district two are $\theta_3 = \theta_4 = 0$ and $\theta_6 = 1$. Observe that the median voter in each of the two district is a voter with 0 as her preferred policy, i.e. $m_1 = m_2 = 0$. If the single district proportional system is adopted, the six voters all belong to the single district and the electoral rule prescribes that at least $\frac{6}{2} (d - \frac{1}{2})$ votes are needed to elect d representatives. Observe that the median voter in the single district is a voter with 0 as her preferred policy, i.e. $m = 0$. The unique district sincere equilibrium outcome of the multidistrict majority system is $X(\bar{d}^M) = X(2) = 0$, i.e. the leftist party obtains two members of parliament and implements its preferred policy. Indeed, observe that $\alpha_2 = \frac{1}{4} > m_2 = 0$. On the other hand the unique perfect equilibrium outcome of the proportional system is $X(\bar{d}^P) = X(1) = \frac{1}{2}$, i.e. the leftist party obtains one member of parliament and implements a moderate policy. Indeed, observe that $F(\alpha_1) = 4 > 3(\frac{1}{2}) = 1.5$ and $F(\alpha_2) = 4 < 3(\frac{3}{2}) = 4.5$.

In the multidistrict majority system two votes are enough to carry a district and thus four votes are enough to elect two members of parliament. The electoral rule of the proportional system, however, requires more than four votes to elect two members of parliament. The election result is markedly different in the two cases, with a two-nil victory for the left in the multidistrict majority system and a one-one draw in the proportional system. The policies implemented, which depend on the parliamentary strength of a party, differ as well in the two cases, with a more moderate policy in the second case. The example suggests that in a multidistrict majority system - with fairly homogeneous districts- a party may obtain a landslide victory in terms of seats in parliament without a corresponding landslide victory in terms of the number of votes, while in a proportional system there would be a closer relationship between number of seats in parliament and number of votes. The proportional system tends to moderate the electoral outcome. This happens because a minority of voters dispersed in different districts will be able to elect fewer members of parliament in a multidistrict majority system than in a single district proportional system. Since the final policy decision that is implemented is closer to a party preferred policy the stronger its parliamentary force is, the single district proportional system is conducive to a more moderate policy outcome. The following proposition proves that this intuition carries over to less special situations. In order to be able to compare leftist and rightist policies to moderate ones in a sensible way, we assume that the outcome function is symmetric around the mid point of the policy interval. We prove that the equilibrium policy outcome - if the single district proportional system is adopted as an electoral system- is not farther away from the mid point of the policy interval than the equilibrium policy outcome in case the electoral system adopted is the multidistrict majority one.

Proposition 7 *Assume that $m_d = m \forall d$, and that $X(d)$ is symmetric around $\frac{1}{2}$,¹⁷ then:*

¹⁷That is to say $X(k-j) = 1 - X(j)$, $j = 0, 1, 2, \dots, k$.

- a. if $X(\bar{d}^M) \leq \frac{1}{2}$, $X(\bar{d}^M) \leq X(\bar{d}^P) \leq \frac{1}{2}$;
b. if $X(\bar{d}^M) > \frac{1}{2}$, $\frac{1}{2} \leq X(\bar{d}^P) \leq X(\bar{d}^M)$.

Proof. *Part a.* We first prove that $X(\bar{d}^M) \leq X(\bar{d}^P)$. Given that $X(\bar{d}^M) \leq \frac{1}{2}$, suppose, contrary to the thesis, that $X(\bar{d}^P) < X(\bar{d}^M)$, i.e. $\bar{d}^P > \bar{d}^M$ and $\alpha_{\bar{d}^P} < \alpha_{\bar{d}^M}$. Since $X(\bar{d}^M)$ is the unique district sincere equilibrium outcome, it has to be that $\alpha_{\bar{d}^P} < m_{\bar{d}^P}$, otherwise $X(\bar{d}^P)$ would be the district sincere equilibrium outcome instead. Since by assumption $m_d = m, \forall d$, then $\alpha_{\bar{d}^P} < m$. Since m is the median of every district, $F(\alpha_{\bar{d}^P}) < \frac{n}{2}$. Moreover, $X(\bar{d}^P)$ is the equilibrium outcome in the proportional election hence: $F(\alpha_{\bar{d}^P}) \geq \frac{n}{k}(\bar{d}^P - \frac{1}{2})$. These observations together imply:

$$\frac{n}{2} > F(\alpha_{\bar{d}^P}) \geq \frac{n}{k}(\bar{d}^P - \frac{1}{2}).$$

For $\frac{n}{2} > \frac{n}{k}(\bar{d}^P - \frac{1}{2})$ to hold, it has to be that $\bar{d}^P < \frac{k+1}{2}$, which directly implies $\bar{d}^P \leq \frac{k}{2}$. Observe that symmetry of $X(d)$ implies that the number of members of parliament the leftist party obtains is at least half of the total when the outcome is to the left of $\frac{1}{2}$, i.e. $\bar{d}^M \geq \frac{k}{2}$. Since we argued above that \bar{d}^P can be at most equal to $\frac{k}{2}$ and we assumed it is higher than \bar{d}^M which is at least as high as $\frac{k}{2}$, we obtain $\frac{k}{2} \geq \bar{d}^P > \bar{d}^M \geq \frac{k}{2}$. This is impossible because \bar{d}^P and \bar{d}^M are integer numbers. We conclude that $\bar{d}^P \leq \bar{d}^M$ and thus $X(\bar{d}^P) \geq X(\bar{d}^M)$.

We are left to show that $X(\bar{d}^P) \leq \frac{1}{2}$. Assume, contrary to the thesis, that $X(\bar{d}^P) > \frac{1}{2}$, hence $\bar{d}^M > \bar{d}^P$ and by symmetry of $X(d)$ around $\frac{1}{2}$ we have $\alpha_{\bar{d}^P+1} \geq \frac{1}{2}$. Notice that if k even $(\bar{d}^P + 1) \leq \frac{k}{2}$ as well as if k is odd $(\bar{d}^P + 1) \leq \frac{k+1}{2}$. In both cases $(\bar{d}^P + 1) \leq \frac{k+1}{2}$. Furthermore, notice that $F(\alpha_{\bar{d}^P+1}) > \frac{n}{2}$, since we know that $\alpha_{\bar{d}^P+1} \geq \alpha_{\bar{d}^M} \geq m$. Then we have that:

$$F(\alpha_{\bar{d}^P+1}) > \frac{n}{2} = \frac{n}{k} \left(\frac{k+1}{2} - \frac{1}{2} \right) \geq \frac{n}{k} \left((\bar{d}^P + 1) - \frac{1}{2} \right)$$

which contradicts (3). We conclude that $X(\bar{d}^M) \leq X(\bar{d}^P) \leq \frac{1}{2}$.

Part b. We first prove that $X(\bar{d}^P) \leq X(\bar{d}^M)$. Given that $X(\bar{d}^M) > \frac{1}{2}$, suppose, contrary to the thesis, that $X(\bar{d}^P) > X(\bar{d}^M)$, i.e. $\bar{d}^P < \bar{d}^M$ and $\alpha_{\bar{d}^P} > \alpha_{\bar{d}^M}$. Since $X(\bar{d}^M)$ is the district sincere equilibrium outcome it has to

be that $m_{\bar{d}^M} \leq \alpha_{\bar{d}^M}$. Since $m_d = m, \forall d, m \leq \alpha_{\bar{d}^M}$. Since m is the median, $\frac{n}{2} \leq F(m)$. These observations together imply:

$$\frac{n}{2} \leq F(m) \leq F(\alpha_{\bar{d}^M}).$$

Observe that $\frac{n}{k} \left(\bar{d}^M - \frac{1}{2} \right) < \frac{n}{2}$, since by symmetry of $X(d)$, $\bar{d}^M < \frac{k}{2}$. Then \bar{d}^M is greater than \bar{d}^P and such that $\frac{n}{k} \left(\bar{d}^M - \frac{1}{2} \right) \leq F(\alpha_{\bar{d}^M})$, contradicting that $X(\bar{d}^P)$ is the equilibrium outcome in the proportional election. We conclude that $\bar{d}^P \geq \bar{d}^M$ and thus $X(\bar{d}^P) \leq X(\bar{d}^M)$.

We are left to show that $\frac{1}{2} \leq X(\bar{d}^P)$. Suppose $\frac{1}{2} > X(\bar{d}^P)$, i.e. $\bar{d}^P \geq \frac{k+1}{2}$. District sincerity implies $\alpha_{\bar{d}^P} < m$ (because $\alpha_{\bar{d}^M} \geq \alpha_{\bar{d}^P}$ and $\alpha_{\bar{d}^M} < m$). This, in turn, implies that $F(\alpha_{\bar{d}^P}) < \frac{n}{2}$, since m is the median voter. Observe that $\frac{n}{2} \leq \frac{n}{k} \left(\bar{d}^P - \frac{1}{2} \right)$ when $\bar{d}^P \geq \frac{k+1}{2}$. Thus:

$$F(\alpha_{\bar{d}^P}) < \frac{n}{k} \left(\bar{d}^P - \frac{1}{2} \right)$$

which contradicts (3). We conclude that $X(\bar{d}^M) \geq X(\bar{d}^P) \geq \frac{1}{2}$.

5.2 Heterogeneity across districts

We now consider a situation of extreme heterogeneity across districts. We have in mind a society where some districts are the stronghold of the leftist party and some others of the rightist party. Specifically, the k districts of the multidistrict majority system are inhabited by the same odd number of voters, $n_d = \frac{n}{k}$, for all d . Moreover, districts have been ordered according to the political preferences of their voters, with the first district being inhabited by the first $\frac{n}{k}$ most leftist voters, the second by the next $\frac{n}{k}$ most leftist voters and the following districts being inhabited each by $\frac{n}{k}$ increasingly more rightist voters. Thus median voters in each district are ordered, with $m_1 \leq m_2 \leq \dots \leq m_d \leq \dots \leq m_k$.

Example 2 (Continued). Consider a society identical to the one presented in Example 2 except for the distribution of voters in the two districts of the multidistrict majority system. In this alternative society, district 1 is inhabited by three leftist voters, with bliss points $\theta_1 = \theta_2 = \theta_3 = 0$ and median voter $m_1 = 0$, while district 2 is inhabited by one leftist voter and two rightist voters, i.e. by voters with bliss points $\theta_4 = 0, \theta_5 = \theta_6 = 1$ and median voter $m_2 = 1$. The unique district sincere equilibrium outcome of the multidistrict majority system is $X(\bar{d}^M) = X(1) = \frac{1}{2}$. i.e. the leftist party obtains one member of parliament and implements a moderate policy. Indeed, observe that $\alpha_1 = \frac{3}{4} > m_1 = 0$ and $\alpha_2 = \frac{1}{4} < m_2 = 1$. The unique perfect equilibrium outcome of the proportional

system is $X(\bar{d}^P) = X(1) = \frac{1}{2}$. Indeed, observe that $F(\alpha_1) = 4 > 3(\frac{1}{2}) = 1.5$ and $F(\alpha_2) = 4 < 3(\frac{3}{2}) = 4.5$.

The example presents a society where leftist voters are more concentrated in one district of the multidistrict majority system. One of their votes is - so to speak- wasted, in the sense that the leftist candidate in district 1 would be elected even with only two votes in her favour, while an extra vote would be useful to elect the leftist candidate in district 2. The following proposition proves that such an intuition carries over to more general situations and the two electoral systems - i.e. the single district proportional and multidistrict majority system- give rise to the same equilibrium outcome when districts are equally sized and ordered from left to right.

Proposition 8 *If districts are equally sized and ordered from left to right, then $X(\bar{d}^P) = X(\bar{d}^M)$.*

Proof. Contrary to the thesis, suppose first $X(\bar{d}^P) > X(\bar{d}^M)$, i.e. $\bar{d}^P < \bar{d}^M$ and $\alpha_{\bar{d}^P} > \alpha_{\bar{d}^M}$. Recall that \bar{d}^M is the maximum d satisfying $\alpha_d \geq m_d$. Furthermore, $F(\alpha_{\bar{d}^M}) \geq F(m_{\bar{d}^M})$. Since districts are ordered and of equal size, the total number of voters up to and including the median voter of a generic district d is at least equal to the number of voters in all previous districts - $\frac{n}{k}(d-1)$ - plus half of the voters in that district - $\frac{n}{k}\frac{1}{2}$ -, i.e. $F(m_d) > \frac{n}{k}(d-1) + \frac{n}{k}\frac{1}{2} = \frac{n}{k}(d - \frac{1}{2})$ ¹⁸ for all d . Hence, it follows:

$$F(\alpha_{\bar{d}^M}) > \frac{n}{k} \left(\bar{d}^M - \frac{1}{2} \right).$$

This contradicts $X(\bar{d}^P)$ being the equilibrium outcome in the proportional election, since we found a higher d satisfying $F(\alpha_d) \geq \frac{n}{k}(d - \frac{1}{2})$. We conclude that $X(\bar{d}^P) \leq X(\bar{d}^M)$.

Contrary to the thesis, suppose now that $X(\bar{d}^P) < X(\bar{d}^M)$, i.e. $\bar{d}^P > \bar{d}^M$ and $\alpha_{\bar{d}^P} < \alpha_{\bar{d}^M}$. Since \bar{d}^M is by definition the maximum d satisfying $\alpha_d \geq m_d$ and we are assuming $\bar{d}^P > \bar{d}^M$, it follows that $\alpha_{\bar{d}^P} < m_{\bar{d}^P}$. Given that districts are equally sized and ordered, the total number of voters strictly to the left of the median voter of a generic district d is strictly smaller than the number of voters in all previous districts - $\frac{n}{k}(d-1)$ - plus half of the voters in that district - $\frac{n}{k}\frac{1}{2}$ -, i.e. for $\alpha_d < m_d$, $F(\alpha_d) < \frac{n}{k}(d-1) + \frac{n}{k}\frac{1}{2} = \frac{n}{k}(d - \frac{1}{2})$ for all d . Since $\alpha_{\bar{d}^P} < m_{\bar{d}^P}$, it follows that:

$$F(\alpha_{\bar{d}^P}) < \frac{n}{k} \left(\bar{d}^P - \frac{1}{2} \right)$$

¹⁸The strict inequality sign follows from the fact that $\frac{n}{k}$ is odd.

which contradicts (3).

We conclude that $X(\bar{d}^P) = X(\bar{d}^M)$.

6 Conclusions

We have studied a model of rational voters electing a parliament by voting for candidates belonging to two parties. Such a model contributes to the “non-majoritarian” literature of legislative election, in that it focuses not on which party has the majority in parliament, but rather on the composition of it, where by composition we mean indeed the number of seats parties win in the legislature. Hence, we do not rely on the usual simplifying assumption that translates votes share into equal seats share.

Legislative elections may differ in many dimensions, we focus on what we believe is the most important one: the electoral rules. Specifically, we analyze the two most popular electoral rules in modern democracies: multidistrict majority and purely proportional representation. In both systems we prove the existence of a unique pure strategies perfect equilibrium outcome, which is the unique “pure” outcome induced by perfect equilibria.

The uniqueness of the outcome allows us to carry out a comparison of the policies under the two systems. We analyze it upon various distributions of players bliss policies showing that the outcomes do not coincide - except in a peculiar case- and that the proportional system tends to lead to more moderate outcomes.

References

- [1] Alesina A., Rosenthal H. (1995), *Partisan politics, divided government, and the economy*, Cambridge University Press, Cambridge.
- [2] Alesina A., Rosenthal H. (1996), A theory of divided government, *Econometrica*, 64: 1311-1341.
- [3] Cox G. (1997), *Making Votes Count*, Cambridge University Press, Cambridge.
- [4] Farquharson R. (1969), *Theory of Voting*, New Haven: Yale University Press.
- [5] Kalai E., and D. Samet (1984), Persistent equilibria in strategic games, *International Journal of Game Theory*, 13: 129-144.
- [6] Kohlberg E., and J.F. Mertens (1986), On the strategic stability of equilibria, *Econometrica*, 54: 1003-1039.
- [7] Kojima M. A., A. Okada, and S. Shindoh (1985), Strongly Stable Equilibrium Points of n-person Noncooperative Games, *Mathematics of Operations Research*, 10: 650-663.
- [8] Mertens, J.F. (1989), Stable equilibria-a reformulation. Part I: definition and basic properties, *Mathematics of Operations Research*, 14: 575-625.
- [9] Okada A. (1981), On stability of perfect equilibrium points, *International Journal of Game Theory*, 10: 67-73.
- [10] Persson T., and G. Tabellini (1999), The size and scope of government: comparative politics with rational politicians, *European Economic Review*, 43: 699-735.
- [11] Persson T., and G. Tabellini (2000), *Political economics, explaining economic policy*, MIT Press.
- [12] Selten R. (1975), Reexamination of the perfectness concept for equilibrium points in extensive games, *International Journal of Game Theory*, 4: 25-55.
- [13] van Damme E. (1991), *Stability and perfection of nash equilibria*, Springer-Verlag, Berlin.