Proceedings of the 4th Workshop on Deep Learning for Knowledge Graphs co-located with International Semantic Web Conference 2021

Mehwish Alam¹, Davide Buscaldi², Michael Cochez³, Francesco Osborne⁴, Diego Reforgiato Recupero⁵, Harald Sack¹

FIZ Karlsruhe - Leibniz Institute for Information Infrastructure, Germany
Laboratoire d'Informatique de Paris Nord, France
Vrije Universiteit Amsterdam, the Netherlands
Knowledge Media Institute (KMi), The Open University, UK
University of Cagliari, Italy

Organizing Committee

- Mehwish Alam, FIZ Karlsruhe Leibniz Institute for Information Infrastructure, Germany
- Davide Buscaldi, Universitè Paris 13, USPC, Paris, France
- Michael Cochez, Vrije University of Amsterdam, the Netherlands
- Francesco Osborne, Knowledge Media Institute (KMi), The Open University, UK
- Diego Reforgiato Recupero, University of Cagliari, Cagliari, Italy
- Harald Sack, FIZ Karlsruhe Leibniz Institute for Information Infrastructure, Germany

Program Committee

- Achim Rettinger, Trier University, Germany
- Angelo Salatino, Knowledge Media Institute, Open University, United Kingdom
- Blerina Gkotse, CERN, Switzerland.
- Danilo Dessì, FIZ-Karlsruhe, Karlsruhe Institute of Technology, Germany.
- Femke Ongenae, Ghent University, Belgium.
- Finn Årup Nielsen, Technical University of Denmark, Denmark.
- Genet Asefa Gesese, FIZ-Karlsruhe, Karlsruhe Institute of Technology, Germany.
- **Heiko Paulheim**, University of Mannheim, Germany.
- Max Berrendorf, LMU Munich, Germany.
- Mayank Kejriwal, University of Southern California, USA.
- **Peter Bloem**, Vrije Universiteit Amsterdam, the Netherlands.
- ${\bf Rima}$ ${\bf T\"{u}rker},$ FIZ-Karlsruhe, Karlsruhe Institute of Technology, Germany.
- Russa Biswas, FIZ-Karlsruhe, Karlsruhe Institute of Technology, Germany.
- Thiviyan Thanapalasingam, University of Amsterdam, the Netherlands.

Preface

Knowledge Graphs have been used in various machine learning tasks by deriving latent feature representations of entities and relations. Knowledge Graphs represent formal semantics by describing entities and relationships between them, and can use ontologies as a schema layer of reference. This way, it is possible to retrieve implicit knowledge through logical inference rather than only allowing queries that request explicit knowledge. Deep Learning methods have emerged from machine learning approaches and became essential for the resolution of several tasks within the artificial intelligence spectrum. Recently, Deep Learning methods have been used in conjunction with Knowledge Graphs (i.e., to represent relationship of the graph in a vector space, to allow companies find patterns in real-time between interconnected entities, to keep track of inventories of parts further allowing finding materials used in different products, etc.). Therefore, it has become critical that the Deep Learning and Knowledge Graphs communities join their forces in order to develop more effective algorithms and applications. This workshop aimed at reinforcing the relationships between these communities and intended to be at the center of shared works around topics such as Deep Learning, Knowledge Graphs, Natural Language Processing, Computational Linguistics, Big Data, and so on.

Therefore, the goal of this workshop was to provide a meeting forum where discussions between the relevant stakeholders (researchers from academia, industry and businessmen) could be stimulated within the Deep Learning and Knowledge Graphs domains. As the previous edition, this year we noticed a general attention to our workshop given the more than 10 submissions we received and the high number of participants we noticed during the workshop day. Eight papers have been accepted and discussed within the workshop by authors from different international institutions. They covered topics such as Knowledge Graph embeddings, entity summarization, entity type prediction, semantic entity enrichment. We had as invited speaker Prof. Aldo Gangemi who discussed how knowledge graph embeddings are both an opportunity and a matter of concern for the cognitive scientist, what patterns can be found and what else can be discovered in the direction of human-centred semantics. We really thank him for his great talk. We also thank the program committee for their time and work for reviewing the submitted papers. Although the workshop was held remotely due to the COVID-19 pandemic, it has been successful by more than 60 participants from all around the world. On the workshop website⁶ it is possible to see screenshots reflecting some moments of the workshop.

December 2021

Mehwish Alam Davide Buscaldi Michael Cochez Francesco Osborne Diego Reforgiato Recupero Harald Sack

⁶ https://alammehwish.github.io/d14kg2021/

Contents

Quality Assessment of Knowledge Graph Hierarchies using KG-BERT, Kinga Szarkowska, Veronique Moore, Pierre-Yves Vandenbussche, Paul Groth

Language Models As or For Knowledge Bases, Simon Razniewski, Andrew Yates, Nora Kassner, Gerhard Weikum

GraphPOPE: Retaining Structural Graph Information Using Positionaware Node Embeddings, Jeroen Den Boef, Joran Cornelisse, Paul Groth

Challenges of Applying Knowledge Graph and their Embeddings to a Real-world Use-case, Rick Petzold, Genet Asefa Gesese, Viktoria Bogdanova, Thorsten Zylowski, Harald Sack, Mehwish Alam

Knowledge Graph Embeddings or Bias Graph Embeddings? A Study of Bias in Link Prediction Models, Andrea Rossi, Paolo Merialdo, Donatella Firmani

Integrating Contextual Knowledge to Visual Features for Fine Art Classification, Giovanna Castellano, Giovanni Sansaro, Gennaro Vessio

Generating Table Vector Representations, Aneta Koleva, Martin Ringsquandl, Mitchell Joblin, Volker Tresp

Understanding Class Representations: An Intrinsic Evaluation of Zero-Shot Text Classification, Fabian Hoppe, Danilo Dessì, Harald Sack