





















- contaminants on the behaviour, ecology and evolution of wildlife. P. Roy. Soc. B-Biol. Sci. 285:20181297.
- Scholze M, Boedeker W, Faust M, Backhaus T, Altenburger R, Grimme LH, 2001. A general best-fit method for concentration-response curves and the estimation of low-effect concentrations. Environ. Toxicol. Chem. 20: 448-457.
- Sloman KA, McNeil PL, 2012. Using physiology and behaviour to understand the responses of fish early life stages to toxicants. J. Fish. Biol. 81:2175e2198.
- Stamatis N, Hela D, Triantafyllidis V, Konstantinou I, 2013. Spatiotemporal variation and risk assessment of pesticides in water of the lower catchment basin of Acheloos River, western Greece. ScientificWorldJournal 2013:231610.
- Tremolada P, Finizio A, Villa S, Gaggi C, Vighi M, 2004. Quantitative inter-specific chemical activity relationships of pesticides in the aquatic environment. Aquat. Toxicol. 67:87-103.
- Verhaar HJM, van Leeuwen CJ, Hermens JLM, 1992. Classifying environmental pollutants. 1: Structure-activity relationships for prediction of aquatic toxicity. Chemosphere 25:471-491.
- Villa S, Negrelli C, Finizio A, Flora O, Vighi M, 2006. Organochlorine compounds in ice melt water from Italian Alpine rivers. Ecotox. Environ. Saf. 63:84-90.
- Villa S, Di Nica V, Pescatore T, Bellamoli F, Miari F, Finizio A, Lencioni V, 2018. Comparison of the behavioural effects of pharmaceuticals and pesticides on *Diamesa zernyi* larvae (Chironomidae). Environ. Pollut. 238:130-139.
- Villa S, Maggioni D, Hamza H, Di Nica V, Magni S, Morosetti B, Parenti CC, Finizio A, Binelli A, Della Torre C, 2020. Natural molecule coatings modify the fate of cerium dioxide nanoparticles in water and their ecotoxicity to *Daphnia magna*. Environ. Pollut. 257:113597.
- Vörösmarty CJ, McIntyre PB, Gessner MO, Dudgeon D, Prusevich A, Green P, Glidden S, Bunn SE, Sullivan CA, Reidy Liermann C, Davies PM, 2010. Global threats to human water security and river biodiversity. Nature 467: 555-561.
- Wolf G, Scheunders P, Selens M, 1998. Evaluation of the swimming activity of *D. magna* by image analysis after administration of sublethal cadmium concentrations. Comp. Biochem. Phys. A 120:99-105.
- Xuereb B, Lefèvre E, Garric J, Geffard O, 2009. Acetylcholinesterase activity in *Gammarus fossarum* (Crustacea Amphipoda), linking AChE inhibition and behavioural alteration. Aquat. Toxicol. 94:114-122.
- Zein MA, McElmurry SP, Kashian DR, Savolainen PT, Pitts DK, 2014. Optical bioassay for measuring sublethal toxicity of insecticides in *Daphnia pulex*. Environ. Toxicol. Chem. 33:147-151.
- Zein MA, McElmurry SP, Kashian DR, Savolainen PT, Pitts DK, 2015. Toxic effects of combined stressors on *Daphnia pulex*: Interactions between diazinon, 4-nonylphenol, and wastewater effluent. Environ. Toxicol. Chem. 34:1145-1153.

Non-commercial use only