

Nilmanifolds with a calibrated G_2 -structure

Diego Conti and Marisa Fernández

1 October 2010

Abstract

We introduce obstructions to the existence of a calibrated G_2 -structure on a Lie algebra \mathfrak{g} of dimension seven, not necessarily nilpotent. In particular, we prove that if there is a Lie algebra epimorphism from \mathfrak{g} to a six-dimensional Lie algebra \mathfrak{h} with kernel contained in the center of \mathfrak{g} , then \mathfrak{h} has a symplectic form. As a consequence, we obtain a classification of the nilpotent Lie algebras that admit a calibrated G_2 -structure.

MSC classification: Primary 53C38; Secondary 53C15, 17B30

Key words: calibrated G_2 forms, nilpotent Lie algebras, Lefschetz property

1 Introduction

A Riemannian 7-manifold with holonomy contained in G_2 can be characterized by the existence of an associated parallel 3-form. The first examples of complete metrics with holonomy G_2 were given by Bryant and Salamon in [4], and the first examples of compact manifolds with such a metric were constructed by Joyce in [16]. Explicit examples on solvable Lie groups were constructed in [5]; examples on nilpotent Lie groups can be obtained by taking a nilpotent six-dimensional group with a half-flat structure and solving Hitchin's evolution equations (see [9, 15]). More generally, one can consider G_2 -structures where the associated 3-form φ is closed: then φ defines a calibration ([14]), and the G_2 -structure is said to be *calibrated*. An equivalent condition is that the intrinsic torsion lies in the component $\mathcal{X}_2 \cong \mathfrak{g}_2$ ([10]).

Compact calibrated G_2 manifolds have interesting curvature properties. It is well known that a G_2 holonomy manifold is Ricci-flat, or equivalently, both Einstein and scalar-flat. On a compact calibrated G_2 manifold, both the Einstein condition ([6]) and scalar-flatness ([3]) are equivalent to the holonomy being contained in G_2 . In fact, [3] shows that the scalar curvature is always non-positive.

Constructing examples is not a straightforward task. For instance, [7] classifies calibrated G_2 -manifolds on which a simple groups acts with cohomogeneity one, and no compact manifold occurs in this list. On the other hand, the second author exhibited the first example of a compact calibrated G_2 -manifold that

does not have holonomy G_2 [11]. This example is given in terms of a nilpotent Lie algebra \mathfrak{g} and an element of $\Lambda^3 \mathfrak{g}^*$ that corresponds to a closed left-invariant 3-form on the associated simply-connected Lie group. Since the structure constants are rational, there exists a uniform discrete subgroup [18]; the quotient, called a nilmanifold, has an induced calibrated G_2 -structure.

In this paper we pursue this approach, and classify the nilpotent 7-dimensional Lie algebras that admit a calibrated G_2 -structure. Since the structure constants turn out to be rational, each Lie algebra determines a nilmanifold. So, we obtain 12 compact calibrated G_2 nilmanifolds (see Theorem 4, Lemma 5 and Lemma 6). Three of them are reducible: they are the product of a circle with a symplectic half-flat nilmanifold, the latter being classified in [8]. The remaining nine are new.

The proof is based on two necessary conditions that a Lie algebra must satisfy for a calibrated G_2 -structure to exist (see Proposition 1 and Lemma 3).

Our first obstruction is related to a construction of [1]. Suppose that M is a 7-manifold with a calibrated G_2 form φ , and X is a unit Killing field, i.e. $\mathcal{L}_X \varphi = 0$. Then if $\eta = X^\flat$, we can write

$$\varphi = \omega \wedge \eta + \psi^+,$$

where ω , ψ^+ and $d\eta$ are basic forms with respect to the 1-dimensional foliation defined by X . Suppose in addition that X is the fundamental vector field of a free S^1 action; then basic forms can be identified with forms on M/S^1 . By

$$0 = \mathcal{L}_X \varphi = d(X \lrcorner \varphi) = d\omega,$$

ω is a symplectic form on M/S^1 . Moreover

$$0 = \omega \wedge d\eta + d\psi^+$$

implies that $[d\eta]$ is in the kernel of the map

$$H^2(M/S^1) \rightarrow H^4(M/S^1), \quad [\beta] \mapsto [\beta \wedge \omega].$$

If this map is an isomorphism, then the S^1 -bundle is trivial: this puts topological restrictions on M , which translate to algebraic conditions in our setup. A similar method was used in [8].

In principle, these restrictions reduce our problem to the classification of symplectic nilpotent Lie algebras of dimension six for which the map $H^2 \rightarrow H^4$ is non-injective (see the remark before Lemma 3). The complexity of the required calculations, however, motivate a different approach. In analogy with [9], we introduce a second obstruction, that requires computing the space of closed 3-forms. It consists in the observation that $(X \lrcorner \varphi)^3$ must be nonzero, whenever X is a nonzero vector and φ a 3-form defining a G_2 -structure.

The final ingredient is Gong's classification of 7-dimensional indecomposable nilpotent Lie algebras ([12]). This list contains 140 Lie algebras and 9 one-parameter families; in addition, there are 35 decomposable nilpotent Lie algebras ([17], [19]). Calculations on a case-by-case basis show that our list of 12 examples is complete.

2 Calibrated G_2 -structures and obstructions

In this section we show obstructions to the existence of a calibrated G_2 form on a Lie algebra (not necessarily nilpotent). First, we recall some definitions and results about G_2 -structures.

Let us consider the space \mathbb{O} of the Cayley numbers, which is a non-associative algebra over \mathbb{R} of dimension 8. Thus, we can identify \mathbb{R}^7 with the subspace of \mathbb{O} consisting of pure imaginary Cayley numbers. Then, the product on \mathbb{O} defines on \mathbb{R}^7 the 3-form given by

$$e^{127} + e^{347} + e^{567} + e^{135} - e^{236} - e^{146} - e^{245} \quad (1)$$

(see [10] and [13] for details), where $\{e^1, \dots, e^7\}$ is the standard basis of $(\mathbb{R}^7)^*$. Here, e^{127} stands for $e^1 \wedge e^2 \wedge e^7$, and so on. The group G_2 is the stabilizer of (1) under the standard action of $GL(7, \mathbb{R})$ on $\Lambda^3(\mathbb{R}^7)^*$. G_2 is one of the exceptional Lie groups, and it is a compact, connected, simply connected simple Lie subgroup of $SO(7)$ of dimension 14.

A G_2 -structure on a 7-dimensional Riemannian manifold (M, g) is a reduction of the structure group $O(7)$ of the frame bundle to G_2 . Manifolds admitting a G_2 -structure are called G_2 manifolds. The existence of a G_2 -structure on (M, g) is determined by a global 3-form φ (the G_2 form) which can be locally written as (1) with respect to some (local) basis $\{e^1, \dots, e^7\}$ of the (local) 1-forms on M . We say that the G_2 manifold M has a *calibrated G_2 -structure* if there is a G_2 -structure on M such that the 3-form φ is closed, and so φ defines a calibration [14].

If G is a 7-dimensional Lie group with Lie algebra \mathfrak{g} , then a G_2 -structure on G is left-invariant if and only if the corresponding 3-form is left-invariant. Thus, a left invariant G_2 -structure on G corresponds to an element φ of $\Lambda^3 \mathfrak{g}^*$ that can be written as (1) with respect to some coframe $\{e^1, \dots, e^7\}$ on \mathfrak{g}^* ; and we shall say that φ defines a G_2 -structure on \mathfrak{g} . We say that a G_2 -structure on \mathfrak{g} is *calibrated* if φ is closed, i.e.

$$d\varphi = 0,$$

where d denotes the Chevalley-Eilenberg differential on \mathfrak{g}^* . If Γ is a discrete subgroup of G , a G_2 -structure on \mathfrak{g} induces a G_2 -structure on the quotient $\Gamma \backslash G$. Moreover, in [18] it is proved that if \mathfrak{g} is nilpotent with rational structure constants, then the associated simply connected Lie group G admits a uniform discrete subgroup Γ . Therefore, a G_2 -structure on \mathfrak{g} determines a G_2 -structure on the compact manifold $\Gamma \backslash G$, which is called a compact nilmanifold; and if \mathfrak{g} has a calibrated G_2 -structure, the G_2 -structure on $\Gamma \backslash G$ is also calibrated.

In order to show obstructions to the existence of a calibrated G_2 form on a Lie algebra \mathfrak{g} , let us consider first a direct sum $\mathfrak{g} = \mathfrak{h} \oplus \mathbb{R}$. If φ is a G_2 form on \mathfrak{g} , and the decomposition is orthogonal with respect to the underlying metric, then

$$\varphi = \omega \wedge \eta + \psi^+,$$

where ω, ψ^+ are forms on \mathfrak{h} and η generates the dual of the ideal \mathbb{R} . The pair (ω, ψ^+) defines an SU(3)-structure on \mathfrak{h} . The condition that φ is closed is equivalent to both ω and ψ^+ being closed; this means that the SU(3)-structure is *symplectic half-flat*. There are exactly three nilpotent Lie algebras of dimension six that admit a symplectic half-flat structure, classified in [8]. So, if we focus our attention on decomposable nilpotent Lie algebras, there are at least three 7-dimensional Lie algebras with a calibrated G₂-structure; we will see that these are all.

More generally, every 7-dimensional nilpotent Lie algebra fibres over a nilpotent Lie algebra of dimension six. In fact if ξ is in the center of \mathfrak{g} , then the quotient $\mathfrak{g}/\text{Span}\{\xi\}$ has a unique Lie algebra structure that makes the projection map

$$\mathfrak{g} \rightarrow \frac{\mathfrak{g}}{\text{Span}\{\xi\}}$$

a Lie algebra morphism. Moreover, due to the nilpotency assumption every epimorphism $\mathfrak{g} \rightarrow \mathfrak{h}$, with \mathfrak{h} of dimension six, is of this form. Using the pullback, we can identify forms on the quotient with *basic forms* on \mathfrak{g} ; in this setting, α is *basic* if $\xi \lrcorner \alpha = 0$.

Given a G₂-structure on \mathfrak{g} with associated 3-form φ and a nonzero vector ξ in the center, let $\eta = \xi^\flat$; then we can write

$$\varphi = \omega \wedge \eta + \psi^+, \quad \xi \lrcorner \omega = 0 = \xi \lrcorner \psi^+,$$

and up to a normalization coefficient the forms (ω, ψ^+) define an SU(3)-structure on the six-dimensional quotient (see also [1]). In analogy with the case of a circle bundle, we shall think of η as a connection form, and $d\eta$ as the curvature.

Proposition 1. *Let \mathfrak{g} be a 7-dimensional Lie algebra with a calibrated G₂-structure and a non-trivial center. If $\pi: \mathfrak{g} \rightarrow \mathfrak{h}$ is a Lie algebra epimorphism with kernel contained in the center, and \mathfrak{h} of dimension six, then \mathfrak{h} admits a symplectic form ω , and the curvature form is in the kernel of*

$$H^2(\mathfrak{h}^*) \xrightarrow{\cdot \wedge \omega} H^4(\mathfrak{h}^*). \tag{2}$$

If the curvature form is exact on \mathfrak{h} , then $\mathfrak{g} \cong \mathfrak{h} \oplus \mathbb{R}$ as Lie algebras.

Proof. Write

$$\varphi = \pi^* \omega \wedge \eta + \pi^* \psi^+$$

where (ω, ψ^+) are forms on \mathfrak{h} . Since d commutes with the pullback,

$$0 = d\varphi = d\pi^* \omega \wedge \eta + \pi^* \omega \wedge d\eta + \pi^* d\psi^+,$$

where $\pi^* d\omega$, $d\eta$ and $\pi^* d\psi^+$ are basic. Thus ω is a symplectic form and $d\eta$ is in the kernel of (2).

Now suppose that $d\eta$ is exact on \mathfrak{h} . Then, the epimorphism $\pi: \mathfrak{g} \rightarrow \mathfrak{h}$ is trivial, that is $\mathfrak{g} = \mathfrak{h} \oplus \mathbb{R}$. More precisely, we can choose a different, closed connection form $\tilde{\eta}$, and $\mathfrak{g} = \ker \tilde{\eta} \oplus \ker \pi$ is a direct sum of Lie algebras; by construction, $\ker \tilde{\eta}$ is isomorphic to \mathfrak{h} . \square

Remark. In the previous Proposition, we must notice that when the curvature form is zero, (ω, ψ^+) is a symplectic half-flat structure on \mathfrak{h} . Therefore, if \mathfrak{h} is nilpotent, by [8] \mathfrak{h} is one of

$$(0, 0, 0, 0, 0, 0), \quad (0, 0, 0, 0, 12, 13), \quad (0, 0, 0, 12, 13, 23).$$

With notation from [19], $(0, 0, 0, 0, 12, 13)$ represents a Lie algebra with a fixed basis e^1, \dots, e^6 of \mathfrak{g}^* , satisfying

$$de^1 = 0 = de^3 + de^3 = de^4, \quad de^5 = e^{12}, de^6 = e^{13}.$$

Remark. Another obstruction to the existence of a calibrated G_2 -structure on a nilpotent Lie algebra is given by the condition $b_3 > 0$. Indeed, if φ is a closed G_2 form on a nilpotent Lie algebra \mathfrak{g} , and X is a nonzero vector in the center of \mathfrak{g} , then $\mathcal{L}_X \varphi = 0$, so $X \lrcorner \varphi$ is closed. If φ were exact, say $\varphi = d\beta$, then the 7-form

$$(X \lrcorner \varphi) \wedge (X \lrcorner \varphi) \wedge \varphi = d((X \lrcorner \varphi) \wedge (X \lrcorner \varphi) \wedge \beta)$$

would also be exact, hence zero, which is absurd. On the other hand, b_3 is always positive on a nilpotent Lie algebra of dimension seven.

Proposition 1 motivates the following definition. We say that a 6-dimensional Lie algebra \mathfrak{h} satisfies the *2-Lefschetz property* if, for every symplectic structure on \mathfrak{h} , the map (2) is an isomorphism. This condition holds trivially when \mathfrak{h} has no symplectic structure, namely when \mathfrak{h} is one of

$$\begin{aligned} (0, 0, 0, 12, 23, 14 + 35), \quad & (0, 0, 0, 12, 23, 14 - 35), \\ (0, 0, 0, 12, 13, 14 + 35), \quad & (0, 0, 0, 0, 12, 15 + 34), \\ (0, 0, 0, 0, 0, 12 + 34), \quad & (0, 0, 12, 13, 14 + 23, 34 + 52), \\ (0, 0, 12, 13, 14, 34 + 52), \quad & (0, 0, 0, 12, 14, 24). \end{aligned}$$

It is well known [2] that if (\mathfrak{h}, ω) is a 6-dimensional, symplectic nilpotent Lie algebra, the map

$$H^1(\mathfrak{h}^*) \xrightarrow{\cdot \wedge \omega^2} H^5(\mathfrak{h}^*).$$

is not surjective. However, in the next proposition, we prove that some of those Lie algebras satisfy the 2-Lefschetz property.

Proposition 2. *Among 6-dimensional nilpotent Lie algebras with a symplectic structure, those that satisfy the 2-Lefschetz property are*

$$(0, 0, 0, 0, 0, 0); \quad (0, 0, 12, 13, 23, 14); \quad (0, 0, 12, 13, 23, 14 + 25).$$

Proof. In the abelian case, the bilinear map

$$H^2 \otimes H^2 \rightarrow H^4$$

induced by the wedge product is non-degenerate, in the sense that for every nonzero $\beta \in H^2$, the induced linear map $\cdot \wedge \beta: H^2 \rightarrow H^4$ is an isomorphism.

For the second Lie algebra, the cohomology class of a generic symplectic form is represented by

$$\omega = \lambda_1 e^{16} + \lambda_2(e^{15} + e^{24}) + \lambda_3 e^{25} + \lambda_4(e^{34} - e^{26});$$

non-degeneracy implies $\lambda_4 \neq 0$. The map $H^2 \rightarrow H^4$ of (2) is represented by the matrix

$$\begin{pmatrix} \lambda_3 & 2\lambda_4 & \lambda_1 & 2\lambda_2 \\ \lambda_4 & 0 & 0 & \lambda_1 \\ 0 & 0 & 0 & -2\lambda_4 \\ 0 & 0 & \lambda_4 & \lambda_3 \end{pmatrix}$$

which is invertible by the assumption $\lambda_4 \neq 0$.

Similarly, for the last Lie algebra

$$\omega = \lambda_1 e^{14} + \lambda_2(e^{15} + e^{24}) - \lambda_3(e^{26} - e^{34}) + \lambda_4(e^{16} + e^{35}).$$

The map (2) is represented by

$$\begin{pmatrix} \lambda_3 & 2\lambda_4 & \lambda_1 & 2\lambda_2 \\ -\lambda_4 & 2\lambda_3 & 2\lambda_2 & -\lambda_1 \\ 0 & 0 & -2\lambda_3 & 2\lambda_4 \\ 0 & 0 & -\lambda_4 & -\lambda_3 \end{pmatrix},$$

which is invertible unless $\lambda_4^2 + \lambda_3^2 = 0$, which makes ω degenerate.

For all but three of the remaining Lie algebras, we observe that the bilinear map

$$H^2 \otimes H^2 \rightarrow H^4$$

is degenerate in the sense that, for every nonzero $\beta \in H^2$, the map

$$\alpha \rightarrow \alpha \wedge \beta, \quad H^2 \rightarrow H^4$$

is non-injective. The three exceptions are

$$(0, 0, 12, 13, 23, 14 - 25), \quad (0, 0, 0, 12, 13, 23), \quad (0, 0, 0, 0, 0, 12).$$

However, either Lie algebra has a symplectic form that makes the map (2) non-injective. In fact, on the Lie algebra \mathfrak{h} defined by the equations $(0, 0, 12, 13, 23, 14 - 25)$, consider the symplectic form

$$\omega = -e^{16} + e^{15} + e^{35} + e^{34} + e^{24} - e^{26}.$$

Then one can check that $e^{14} + e^{25} + e^{15} + e^{24}$ defines a non-trivial class in $H^2(\mathfrak{h}^*)$, but

$$(e^{14} + e^{25} + e^{15} + e^{24}) \wedge \omega = 2e^{1245} = 2d(e^{146}).$$

Now, on the Lie algebra $(0, 0, 0, 12, 13, 23)$ we consider the symplectic form $\omega = e^{14} + e^{26} + e^{35}$. Then,

$$(-e^{15} - e^{24} + e^{36}) \wedge \omega = d(e^{456});$$

finally, on the Lie algebra $(0, 0, 0, 0, 0, 12)$,

$$(e^{16} + e^{25} + e^{34}) \wedge e^{13} = -de^{356}. \quad \square$$

In principle, one could try to classify all pairs (\mathfrak{h}, ω) , with \mathfrak{h} nilpotent of dimension six and ω a symplectic form on \mathfrak{h} , for which (2) is non-injective. This means that $\omega \wedge \gamma = d\psi^+$, for some $\psi^+ \in \Lambda^3 \mathfrak{h}^*$ and some closed non-exact 2-form $\gamma \in \Lambda^2 \mathfrak{h}^*$. If in addition, (ω, ψ^+) are compatible in the sense that they define an $SU(3)$ -structure, then declaring $de^7 = \gamma$ one obtains a 7-dimensional Lie algebra \mathfrak{g} with a calibrated G_2 -structure. By Proposition 1, all calibrated G_2 -structures on indecomposable nilpotent Lie algebras are obtained in this way.

However, these calculations turn out to be difficult (although in one dimension less a similar approach was pursued successfully in [8]), and for this reason we shall use a different method (see Section 4), starting with Gong's classification of 7-dimensional Lie algebras. In fact, given a Lie algebra, it is straightforward to compute the space of its closed 3-forms. In the spirit of [9], the existence of a calibrated G_2 -structure puts restrictions on this space. Whilst straightforward, the following result turns out to give an effective obstruction.

Lemma 3. *Let \mathfrak{g} be a 7-dimensional nilpotent Lie algebra. If there is a nonzero X in \mathfrak{g} such that $(X \lrcorner \phi)^3 = 0$ for every closed 3-form on \mathfrak{g} , then \mathfrak{g} has no calibrated G_2 -structure.*

Proof. Obvious. □

Remark. When \mathfrak{g} fibers over a non-symplectic Lie algebra \mathfrak{h} , this obstruction is satisfied automatically. Indeed, suppose $\pi: \mathfrak{g} \rightarrow \mathfrak{h}$ is a Lie algebra epimorphism; then any closed 3-form on \mathfrak{g} can be written as

$$\pi^* \omega \wedge \eta + \pi^* \psi^+,$$

as in the proof of Proposition 1. So ω is a closed form on \mathfrak{h} ; if we assume \mathfrak{h} has no symplectic form, then $\omega^3 = 0$. Then the condition of Lemma 3 is satisfied with X a generator of $\ker \pi$.

3 Decomposable case

In this section we classify the decomposable nilpotent Lie algebras with a calibrated G_2 -structure. Indeed, we prove:

Theorem 4. *Among the 35 decomposable nilpotent Lie algebras of dimension 7, those that have a calibrated G_2 -structure are*

$$(0, 0, 0, 0, 0, 0, 0), \quad (0, 0, 0, 0, 12, 13, 0), \quad (0, 0, 0, 12, 13, 23, 0).$$

Proof. By the remark at the beginning of Section 2, we know that these three Lie algebras have a calibrated G_2 -structure (see [11] where the second of these Lie algebras was considered). In fact, on the non-abelian Lie algebras $(0, 0, 0, 0, 12, 13)$ and $(0, 0, 0, 12, 13, 23)$ we can consider the symplectic half flat structure (ω_1, ψ_1^+) and (ω_2, ψ_2^+) , respectively, defined by

$$\omega_1 = e^{14} + e^{26} + e^{35}, \quad \psi_1^+ = e^{123} + e^{156} + e^{245} - e^{346},$$

and

$$\omega_2 = e^{16} + 2e^{25} + e^{34}, \quad \psi_2^+ = e^{123} + e^{145} + e^{246} - e^{356}.$$

Using Lemma 3, we can see that the decomposable Lie algebra

$$0, 0, 0, 0, 12, 34, 36$$

has no calibrated G_2 -structure. Indeed a basis of the space Z^3 of the closed 3-forms is given by

$$\begin{aligned} & e^{123}, e^{124}, e^{125}, e^{134}, e^{135}, e^{136}, e^{137}, e^{145}, e^{146}, e^{234}, e^{235}, e^{236}, \\ & e^{237}, e^{245}, e^{246}, -e^{126} + e^{345}, e^{346}, e^{347}, e^{127} + e^{356}, e^{367}, e^{467}. \end{aligned}$$

Thus $e_7 \lrcorner Z^3$ is the span of $e^{13}, e^{23}, e^{34}, e^{12}, e^{36}, e^{46}$, which contains only degenerate forms.

Since this is the only decomposable nilpotent Lie algebra of dimension seven which does not have the form $\mathfrak{h} \oplus \mathbb{R}$, it remains to prove that if $\mathfrak{g} = \mathfrak{h} \oplus \mathbb{R}$ has a calibrated G_2 form, then \mathfrak{g} must be as in the statement.

Clearly, if \mathfrak{h} is one of the eight Lie algebras defined by (2), Proposition 1 implies that the Lie algebra $\mathfrak{g} = \mathfrak{h} \oplus \mathbb{R}$ has no calibrated G_2 form.

Also, one can check that none of the five Lie algebras defined by

$$\begin{aligned} & (0, 0, 12, 13, 23, 14, 0), \quad (0, 0, 12, 13, 23, 14 + 25, 0), \quad (0, 0, 12, 13, 23, 14 - 25, 0), \\ & (0, 0, 0, 0, 13 + 42, 14 + 23, 0), \quad (0, 0, 0, 0, 12, 14 + 23, 0), \end{aligned}$$

has a calibrated G_2 form because each of these is a bundle over a non-symplectic Lie algebra of dimension six. Explicitly, the base of the bundle and curvature form are given by

$$\begin{aligned} \pi: (0, 0, 12, 13, 23, 14, 0) &\rightarrow (0, 0, 12, 13, 23, 0), \quad d\eta = e^{14}, \\ \pi: (0, 0, 12, 13, 23, 14 + 25, 0) &\rightarrow (0, 0, 12, 13, 23, 0), \quad d\eta = e^{14} + e^{25}, \\ \pi: (0, 0, 12, 13, 23, 14 - 25, 0) &\rightarrow (0, 0, 12, 13, 23, 0), \quad d\eta = e^{14} - e^{25}, \\ \pi: (0, 0, 0, 0, 13 + 42, 14 + 23, 0) &\rightarrow (0, 0, 0, 0, 13 + 42, 0), \quad d\eta = e^{14} + e^{23}, \\ \pi: (0, 0, 0, 0, 12, 14 + 23, 0) &\rightarrow (0, 0, 0, 0, 14 + 23, 0), \quad d\eta = e^{12}. \end{aligned}$$

For each of the remaining 18 Lie algebras of the form $\mathfrak{g} = \mathfrak{h} \oplus \mathbb{R}$, listed in Table 1 alongside with a basis of the space of closed 3-forms, one can check that the hypothesis of Lemma 3 is satisfied with $X = e_6$. \square

4 Indecomposable case

In this section we complete the classification of 7-dimensional nilpotent Lie algebras with a calibrated G_2 -structure. We have seen that there are exactly three decomposable Lie algebras of this type. In order to discuss the indecomposable

Table 1: Closed 3-forms on decomposable Lie algebras

$(0, 0, 12, 13, 14 + 23, 24 + 15, 0)$	$e^{123}, e^{124}, e^{125}, e^{126}, e^{127}, e^{134}, e^{135}, e^{137}, e^{136} + e^{145}, e^{146}, e^{147}, e^{234}, e^{235} + e^{136}, e^{237}, -e^{236} + e^{245}, e^{157} + e^{247}, e^{167} + e^{257}, -\frac{1}{2}e^{156} + e^{345} - \frac{1}{2}e^{246}, e^{167} + e^{347}$
$(0, 0, 0, 12, 14, 15 + 23, 0)$	$e^{123}, e^{124}, e^{125}, e^{126}, e^{127}, e^{134}, e^{135}, e^{136}, e^{137}, e^{145}, e^{147}, e^{157}, e^{234}, e^{235} - e^{146}, -e^{156} + e^{236}, e^{237}, e^{245}, e^{247}, e^{156} + e^{345}, -e^{167} + e^{347}, -e^{267} + e^{457}$
$(0, 0, 0, 12, 14 - 23, 15 + 34, 0)$	$e^{123}, e^{124}, e^{125}, e^{127}, e^{134}, e^{135}, e^{136}, e^{137}, e^{126} + e^{145}, e^{146}, e^{147}, e^{234}, e^{235} - e^{126}, e^{237}, e^{245}, e^{247}, e^{236} + e^{345}, e^{347} + e^{157}, e^{357} + e^{167}$
$(0, 0, 0, 12, 14, 15, 0)$	$e^{123}, e^{124}, e^{125}, e^{126}, e^{127}, e^{134}, e^{135}, e^{136}, e^{137}, e^{145}, e^{146}, e^{147}, e^{156}, e^{157}, e^{167}, e^{234}, e^{237}, e^{245}, e^{247}, e^{345} + e^{236}, -e^{267} + e^{457}$
$(0, 0, 0, 12, 13, 14 + 23, 0)$	$e^{123}, e^{124}, e^{125}, e^{126}, e^{127}, e^{134}, e^{135}, e^{136}, e^{137}, e^{145}, e^{147}, e^{157}, e^{234}, e^{235}, e^{236} - e^{146}, e^{237}, e^{245} + e^{146}, e^{246}, e^{247}, e^{257} + e^{167}, e^{345} + e^{156}, e^{347} - e^{167}, e^{357}$
$(0, 0, 0, 12, 13, 24, 0)$	$e^{123}, e^{124}, e^{125}, e^{126}, e^{127}, e^{134}, e^{135}, e^{137}, e^{145}, e^{146}, e^{147}, e^{157}, e^{234}, e^{235}, e^{236}, e^{237}, e^{245} - e^{136}, e^{246}, e^{247}, e^{267}, e^{256} + e^{346}, e^{257} + e^{347}, e^{357}$
$(0, 0, 0, 12, 14, 15 + 24, 0)$	$e^{123}, e^{124}, e^{125}, e^{126}, e^{127}, e^{134}, e^{135}, e^{137}, e^{145}, e^{146}, e^{147}, e^{157}, e^{234}, e^{136} + e^{235}, e^{237}, e^{245} - e^{156}, e^{246}, e^{247}, e^{257} + e^{167}, e^{236} + e^{345}, e^{457} - e^{267}$
$(0, 0, 0, 12, 14, 15 + 23 + 24, 0)$	$e^{123}, e^{124}, e^{125}, e^{126}, e^{127}, e^{134}, e^{135}, e^{137}, e^{145}, e^{136} + e^{146}, e^{147}, e^{157}, e^{234}, e^{235} + e^{236}, e^{237}, e^{245}, e^{236} + e^{246} - e^{156}, e^{247}, e^{236} + e^{345}, e^{347} - e^{257} - e^{167}, e^{457} - e^{267}$
$(0, 0, 12, 13, 14, 15, 0)$	$e^{123}, e^{124}, e^{125}, e^{126}, e^{127}, e^{134}, e^{135}, e^{136}, e^{137}, e^{145}, e^{146}, e^{147}, e^{157}, e^{156}, e^{157}, e^{167}, e^{234}, e^{237}, e^{245} - e^{236}, e^{347} - e^{257}$
$(0, 0, 12, 13, 14, 23 + 15, 0)$	$e^{123}, e^{124}, e^{125}, e^{126}, e^{127}, e^{134}, e^{135}, e^{136}, e^{137}, e^{145}, e^{147}, e^{157}, e^{234}, e^{235} - e^{146}, e^{236} - e^{156}, e^{237}, e^{245} - e^{156}, e^{247} + e^{167}, e^{347} - e^{257}$
$(0, 0, 0, 12, 13 + 42, 14 + 23, 0)$	$e^{123}, e^{124}, e^{125}, e^{126}, e^{127}, e^{134}, e^{136}, e^{137}, e^{145}, e^{146}, e^{147}, e^{157}, e^{234}, e^{235}, e^{236} - e^{135}, e^{237}, e^{245} + e^{135}, e^{246}, e^{247}, e^{167} + e^{257}, -e^{157} + e^{267}, -e^{167} + e^{347}$
$(0, 0, 0, 12, 14, 13 + 42, 0)$	$e^{123}, e^{124}, e^{125}, e^{126}, e^{127}, e^{134}, e^{135}, e^{137}, e^{145}, e^{146}, e^{147}, e^{157}, e^{234}, e^{235} - e^{136}, e^{236}, e^{237}, e^{245}, e^{246} + e^{136}, e^{247}, e^{257} - e^{167}, e^{267} + e^{347}$
$(0, 0, 0, 12, 13 + 14, 24, 0)$	$e^{123}, e^{124}, e^{125}, e^{126}, e^{127}, e^{134}, e^{135}, e^{137}, e^{145}, e^{146}, e^{147}, e^{157}, e^{234}, e^{235} + e^{136}, e^{236}, e^{237}, e^{245} - e^{136}, e^{246}, e^{247}, e^{267}, e^{257} + e^{167} + e^{347}$
$(0, 0, 0, 12, 13, 14, 0)$	$e^{123}, e^{124}, e^{125}, e^{126}, e^{127}, e^{134}, e^{135}, e^{136}, e^{137}, e^{145}, e^{146}, e^{147}, e^{156}, e^{157}, e^{167}, e^{234}, e^{235}, e^{236}, e^{237}, e^{245} + e^{236}, e^{246}, e^{247}, e^{347} + e^{257}, e^{357}$
$(0, 0, 0, 0, 0, 12, 0)$	$e^{123}, e^{124}, e^{125}, e^{126}, e^{127}, e^{134}, e^{135}, e^{136}, e^{137}, e^{145}, e^{146}, e^{147}, e^{156}, e^{157}, e^{167}, e^{234}, e^{235}, e^{236}, e^{237}, e^{245}, e^{246}, e^{247}, e^{256}, e^{257}, e^{267}, e^{345}, e^{347}, e^{357}, e^{457}$
$(0, 0, 0, 0, 12, 14 + 25, 0)$	$e^{123}, e^{124}, e^{125}, e^{126}, e^{127}, e^{134}, e^{135}, e^{137}, e^{145}, e^{147}, e^{156}, e^{157}, e^{234}, e^{235}, e^{237}, e^{245}, e^{246}, e^{247}, -e^{146} + e^{256}, e^{257}, -e^{236} + e^{345}, e^{347}, e^{457} + e^{267}$
$(0, 0, 0, 0, 12, 34, 0)$	$e^{123}, e^{124}, e^{125}, e^{127}, e^{134}, e^{135}, e^{136}, e^{137}, e^{145}, e^{146}, e^{147}, e^{157}, e^{234}, e^{235}, e^{236}, e^{237}, e^{245}, e^{246}, e^{247}, e^{257}, e^{345} - e^{126}, e^{346}, e^{347}, e^{367}, e^{467}$
$(0, 0, 0, 0, 12, 15, 0)$	$e^{123}, e^{124}, e^{125}, e^{126}, e^{127}, e^{134}, e^{135}, e^{136}, e^{137}, e^{145}, e^{146}, e^{147}, e^{157}, e^{156}, e^{157}, e^{167}, e^{234}, e^{235}, e^{237}, e^{245}, e^{246}, e^{247}, e^{256}, e^{257}, e^{347}$

Lie algebras, we refer to Gong's classification in [12]. This list consists of 140 Lie algebras and 9 one-parameter families.

The one-parameter families are the following:

$$\begin{aligned}
147E &= (0, 0, 0, e^{12}, e^{23}, -e^{13}, \lambda e^{26} - e^{15} - (-1 + \lambda)e^{34}), & \lambda \neq 0, 1; \\
1357M &= (0, 0, e^{12}, 0, e^{24} + e^{13}, e^{14}, -(-1 + \lambda)e^{34} + e^{15} + e^{26}\lambda), & \lambda \neq 0; \\
1357N &= (0, 0, e^{12}, 0, e^{13} + e^{24}, e^{14}, e^{46} + e^{34} + e^{15} + e^{23}\lambda); \\
1357S &= (0, 0, e^{12}, 0, e^{13}, e^{24} + e^{23}, e^{25} + e^{34} + e^{16} + e^{15} + \lambda e^{26}), & \lambda \neq 1; \\
12457N &= (0, 0, e^{12}, e^{13}, e^{23}, e^{24} + e^{15}, \lambda e^{25} + e^{26} + e^{34} - e^{35} + e^{16} + e^{14}); \\
123457I &= (0, 0, e^{12}, e^{13}, e^{14} + e^{23}, e^{15} + e^{24}, \lambda e^{25} - (-1 + \lambda)e^{34} + e^{16}); \\
147E1 &= (0, 0, 0, e^{12}, e^{23}, -e^{13}, 2e^{26} - 2e^{34} - e^{16}\lambda + \lambda e^{25}), & \lambda > 1; \\
1357QRS1 &= (0, 0, e^{12}, 0, e^{13} + e^{24}, e^{14} - e^{23}, e^{26}\lambda + e^{15} - e^{34}(-1 + \lambda)), & \lambda \neq 0; \\
12457N2 &= (0, 0, e^{12}, e^{13}, e^{23}, -e^{14} - e^{25}, e^{15} - e^{35} + e^{16} + e^{24} + e^{25}\lambda), & \lambda \geq 0.
\end{aligned}$$

Recall that a 3-form of type G_2 has the form (1) with respect to some coframe e^1, \dots, e^7 ; such a coframe identifies the G_2 -structure.

Lemma 5. *Exactly three of the above Lie algebras admit a calibrated G_2 -structure. Explicit examples are given in terms of a coframe by*

$$\begin{aligned}
1357N(\lambda = 1) : & \quad \sqrt{3}(2e^1 - e^7 - e^6 - e^5), \sqrt{3}(e^4 + e^3 - 2e^2 - e^6 + e^5), 2e^3 - e^6, 2e^5, \\
& \quad -e^3 + 3e^4 + e^5 - e^6, 2e^3 - e^5 - e^6 + 3e^7, -\sqrt{3}e^6; \\
1357S(\lambda = -3) : & \quad \sqrt{7}(2e^1 + e^2 - e^5 + e^6), 7e^2 + 3e^5 + 5e^6, \sqrt{7}(e^3 + 2e^4 - \frac{3}{2}e^7), \\
& \quad 3e^3 + \frac{7}{2}e^7, -\sqrt{70}e^6, \sqrt{10}(2e^5 + e^6), -2\sqrt{10}e^3. \\
147E1(\lambda = 2) : & \quad \sqrt{3}(2e^1 + e^5 - e^2 + e^6), 3e^2 - e^5 + e^6, e^3 + 2e^4, \sqrt{3}(e^3 + e^7), \\
& \quad \sqrt{2}(e^6 - e^5), \sqrt{6}(e^5 + e^6), 2\sqrt{2}(e^4 - e^3).
\end{aligned}$$

Proof. It is straightforward to verify that each coframe in the statement determines a calibrated G_2 -structure on the corresponding Lie algebra. Conversely, for each Lie algebra \mathfrak{g} the vector e_7 is in the center, and determines an epimorphism on a 6-dimensional Lie algebra \mathfrak{h} ; we view de^7 as the curvature form on \mathfrak{h} , and apply Proposition 1.

In the case of $1357M$, the generic element of $H^2(\mathfrak{h}^*)$ is represented by

$$\omega = \lambda_6 e^{46} + \lambda_3 e^{23} + \lambda_1 e^{13} + \lambda_5 (e^{15} + e^{34}) + \lambda_2 e^{16} + \lambda_4 (e^{15} + e^{26}).$$

Assume $de^7 \wedge \omega$ is exact. Then λ_3, λ_6 are zero, $\lambda_4 = -\lambda_5\lambda$ and

$$(\lambda - \lambda^2 - 1)\lambda_5 = 0.$$

Since $\lambda^2 - \lambda + 1$ has no real zeroes, λ_4 and λ_5 are zero as well, and therefore ω^3 is zero. So there is no symplectic form in the cohomology class of ω . By

Proposition 1, if a calibrated G_2 -structure existed, then \mathfrak{g} would have to be decomposable, which is absurd.

The other cases are similar. \square

We now turn to the rest of the list, where no parameters appear.

Lemma 6. *In Gong's list, only six Lie algebras with no parameters in their definition admit a calibrated G_2 -structure, which can be expressed in terms of a coframe as follows:*

$0, 0, 12, 0, 0, 13 + 24, 15$	$e^1, e^2, e^5, e^6, e^3, e^7, e^4$
$0, 0, 12, 0, 0, 13, 14 + 25$	$e^1, e^3, e^5, e^7, e^2, e^6, e^4$
$0, 0, 0, 12, 13, 14, 15$	$e^1, e^2, e^4, e^7, e^5, e^6, e^3$
$0, 0, 0, 12, 13, 14 + 23, 15$	$e^2 + e^7, e^3 + e^6, e^7, e^6, e^5, e^4, e^1$
$0, 0, 12, 13, 23, 15 + 24, 16 + 34$	$e^2 + e^4, e^7, e^2, e^5, e^3, e^6, e^1$
$0, 0, 12, 13, 23, 15 + 24, 16 + 25 + 34$	$\sqrt{3}(2e^2 + e^5 + e^7), 2e^4 - 3e^5 - e^7, \sqrt{3}(e^1 - e^3 + 2e^6),$ $e^1 + 3e^3, \sqrt{6}e^7, \sqrt{2}(2e^4 - e^7), 2\sqrt{2}e^1$

Theorem 7. *Up to isomorphism, there are exactly 12 nilpotent Lie algebras that admit a calibrated G_2 -structure, namely those appearing in Theorem 4, Lemma 5 and Lemma 6.*

Proof. We must show that the remaining Lie algebras in Gong's list satisfy one of the two obstructions of Section 2; we do so in the Appendix, where we reproduce Gong's list, and note which obstruction applies to each Lie algebra (as a preference, we try to use Proposition 1 rather than Lemma 3 whenever possible, because the former does not require computing the space of closed 3-forms). \square

Appendix

This appendix contains a list of all indecomposable nilpotent Lie algebras of dimension 7, taken from [12], except the 9 one-parameter families that we listed at the beginning of Section 4. Alongside each Lie algebra \mathfrak{g} , we give a chosen vector $\xi \in \mathfrak{g}$ which satisfies the conditions of Proposition 1 (when marked with a (P)) or Lemma 3, and the structure constants of the quotient $\mathfrak{g}/\text{Span}\{\xi\}$. The word "resists" marks instead the six Lie algebras that resist the obstructions. Below each Lie algebra, we give a basis of its space of closed 3-forms, except when Proposition 1 applies.

Table 2: Step 2 nilpotent Lie algebras of dimension 7

$0, 0, 0, 0, 12, 23, 24$	e_7	$[0, 0, 0, 0, e^{12}, e^{23}]$
$e^{123}, e^{124}, e^{125}, e^{126}, e^{127}, e^{134}, e^{135}, e^{136}, e^{145}, e^{137} + e^{146}, e^{147},$ $e^{234}, e^{235}, e^{236}, e^{237}, e^{245}, e^{246}, e^{247}, e^{256}, e^{257}, e^{267}, e^{345} + e^{137},$ e^{346}, e^{347}		
$0, 0, 0, 0, 12, 23, 34$	e_7	$[0, 0, 0, 0, e^{12}, e^{23}]$
$e^{123}, e^{124}, e^{125}, e^{126}, e^{134}, e^{135}, e^{136}, e^{137}, e^{145}, e^{146} - e^{127}, e^{147},$ $e^{234}, e^{235}, e^{236}, e^{237}, e^{245}, e^{246}, e^{247}, e^{256}, -e^{127} + e^{345}, e^{346}, e^{347}, e^{367}$		
$0, 0, 0, 0, 12 + 34, 23, 24$	e_5	$[0, 0, 0, 0, e^{23}, e^{24}]$
$e^{123}, e^{124}, e^{126}, e^{127}, e^{134}, e^{135}, e^{136}, e^{137} + e^{125}, e^{145}, -e^{125} + e^{146},$ $e^{147}, e^{234}, e^{235}, e^{236}, e^{237}, e^{245}, e^{246}, e^{247}, e^{267}, -e^{125} + e^{345}, e^{346},$ $e^{347}, -e^{256} + e^{367}, -e^{257} + e^{467}$		
$0, 0, 0, 0, 12 + 34, 13, 24$	e_7	$[0, 0, 0, 0, e^{12} + e^{34}, e^{13}]$
$e^{123}, e^{124}, e^{126}, e^{127}, e^{134}, e^{135}, e^{136}, e^{137} + e^{125}, e^{145}, e^{146}, e^{147},$ $e^{234}, e^{235}, e^{236}, e^{237}, e^{245}, e^{246} + e^{125}, e^{247}, -e^{125} + e^{345}, e^{346}, e^{347}$		
$0, 0, 0, 0, 0, 12, 14 + 35$	$e_6(P)$	$[0, 0, 0, 0, 0, e^{14} + e^{35}]$
$0, 0, 0, 0, 0, 12 + 34, 15 + 23$	$e_7(P)$	$[0, 0, 0, 0, 0, e^{34} + e^{12}]$
$0, 0, 0, 0, 0, 0, 12 + 34 + 56$	e_7	$[0, 0, 0, 0, 0, 0]$
$e^{123}, e^{124}, e^{125}, e^{126}, e^{134}, e^{135}, e^{136}, e^{145}, e^{146}, e^{156}, e^{234}, e^{235},$ $e^{236}, e^{245}, e^{246}, e^{256}, e^{345}, e^{346}, e^{356}, e^{456}$		
$0, 0, 0, 0, 12 - 34, 13 + 24, 14$	e_6	$[0, 0, 0, 0, e^{12} - e^{34}, e^{14}]$
$e^{123}, e^{124}, e^{126}, e^{127}, e^{134}, e^{135}, e^{136} - e^{125}, e^{137}, e^{145}, e^{146}, e^{147},$ $e^{234}, e^{235}, e^{236}, e^{125} + e^{237}, e^{245}, -e^{125} + e^{246}, e^{247}, e^{125} + e^{345}, e^{346},$ $e^{347}, e^{457} - e^{167}, e^{467} + e^{157}$		
$0, 0, 0, 0, 12 - 34, 13 + 24, 14 - 23$	e_7	$[0, 0, 0, 0, e^{12} - e^{34}, e^{24} + e^{13}]$
$e^{123}, e^{124}, e^{126}, e^{127}, e^{134}, e^{135}, e^{136} - e^{125}, e^{137}, e^{145}, e^{146}, -e^{125} + e^{147},$ $e^{234}, e^{235}, e^{236}, e^{125} + e^{237}, e^{245}, -e^{125} + e^{246}, e^{247}, e^{125} + e^{345}, e^{346}, e^{347}$		

Table 3: Step 3 nilpotent Lie algebras of dimension 7

$0, 0, 12, 0, 13, 24, 14$	e_5	$[0, 0, e^{12}, 0, e^{24}, e^{14}]$
$e^{123}, e^{124}, e^{125}, e^{126}, e^{127}, e^{134}, e^{135}, e^{137}, e^{145}, e^{146}, e^{147}, e^{157},$ $e^{234}, e^{235}, e^{236}, e^{237} + e^{136}, e^{245} - e^{136}, e^{246}, e^{247}, e^{345} - e^{156}, e^{346} + e^{267},$ $e^{347} + e^{167}, e^{467}$		
$0, 0, 12, 0, 13, 23, 14$	$e_7(P)$	$[0, 0, e^{12}, 0, e^{13}, e^{23}]$
$0, 0, 12, 0, 13 + 24, 23, 14$	e_6	$[0, 0, e^{12}, 0, e^{24} + e^{13}, e^{14}]$
$e^{123}, e^{124}, e^{125}, e^{126}, e^{127}, e^{134}, e^{136}, e^{137}, e^{145}, e^{146} + e^{135}, e^{147},$ $e^{234}, e^{235}, e^{236}, e^{237} + e^{135}, -e^{135} + e^{245}, e^{246}, e^{247}, e^{257} + e^{345} + e^{167},$ $e^{346} + e^{267}, e^{347} + e^{157}$		
$0, 0, 12, 0, 0, 13 + 24, 15$	resists	
$e^{123}, e^{124}, e^{125}, e^{126}, e^{127}, e^{134}, e^{135}, e^{137}, e^{145}, e^{146}, e^{147}, e^{157},$ $e^{234}, e^{235}, e^{236}, e^{245}, -e^{136} + e^{246}, -e^{156} + e^{247}, e^{256} + e^{237}, e^{257}, e^{345} - e^{156},$ $-e^{347} - e^{167} + e^{456}, e^{457}$		
$0, 0, 12, 0, 0, 13, 14 + 25$	resists	
$e^{123}, e^{124}, e^{125}, e^{126}, e^{127}, e^{134}, e^{135}, e^{136}, e^{145}, e^{146}, e^{156}, e^{157},$ $e^{234}, e^{235}, e^{236}, e^{245}, e^{237} + e^{246}, e^{247}, e^{256} - e^{137}, e^{257} - e^{147}, e^{345} + e^{147},$ $-e^{167} + e^{356}, e^{457}$		
$0, 0, 12, 0, 0, 13 + 24, 25$	e_7	$[0, 0, e^{12}, 0, 0, e^{13} + e^{24}]$
$e^{123}, e^{124}, e^{125}, e^{126}, e^{127}, e^{134}, e^{135}, e^{145}, e^{146}, e^{147} + e^{156}, e^{157},$ $e^{234}, e^{235}, e^{236}, e^{237}, e^{245}, -e^{136} + e^{246}, e^{247}, e^{256} - e^{137}, e^{257}, e^{345} + e^{147}, e^{457}$		
$0, 0, 12, 0, 0, 13 + 24, 14 + 25$	e_7	$[0, 0, e^{12}, 0, 0, e^{13} + e^{24}]$
$e^{123}, e^{124}, e^{125}, e^{126}, e^{127}, e^{134}, e^{135}, e^{145}, e^{146}, e^{156} + e^{147}, e^{157},$ $e^{234}, e^{235}, e^{236}, e^{237} + e^{136}, e^{245}, e^{246} - e^{136}, e^{247}, e^{256} - e^{137}, e^{257} - e^{147},$ $e^{345} + e^{147}, e^{457}$		
$0, 0, 12, 0, 0, 13 + 45, 24$	$e_7(P)$	$[0, 0, e^{12}, 0, 0, e^{13} + e^{45}]$
$0, 0, 12, 0, 0, 13 + 45, 15 + 24$	$e_7(P)$	$[0, 0, e^{12}, 0, 0, e^{13} + e^{45}]$
$0, 0, 12, 0, 0, 13 + 24, 45$	e_7	$[0, 0, e^{12}, 0, 0, e^{13} + e^{24}]$
$e^{123}, e^{124}, e^{125}, e^{126}, e^{134}, e^{135}, e^{145}, e^{146}, e^{147}, -e^{127} + e^{156}, e^{157},$ $e^{234}, e^{235}, e^{236}, e^{245}, e^{246} - e^{136}, e^{247}, e^{257}, e^{345} - e^{127}, e^{456} - e^{137}, e^{457}$		
$0, 0, 12, 0, 0, 13 + 14, 15 + 23$	e_7	$[0, 0, e^{12}, 0, 0, e^{14} + e^{13}]$
$e^{123}, e^{124}, e^{125}, e^{126}, e^{127}, e^{134}, e^{135}, e^{136}, e^{137}, e^{145}, e^{146}, e^{156},$ $e^{234}, e^{235}, -e^{147} + e^{236}, e^{237} - e^{157}, e^{245}, e^{247} + e^{246}, e^{247} + e^{256} + e^{157},$ $e^{257}, -e^{247} + e^{345}$		
$0, 0, 12, 0, 0, 13 + 24, 15 + 23$	e_7	$[0, 0, e^{12}, 0, 0, e^{24} + e^{13}]$
$e^{123}, e^{124}, e^{125}, e^{126}, e^{127}, e^{134}, e^{135}, e^{137}, e^{145}, e^{146}, e^{147} + e^{136},$ $e^{234}, e^{235}, e^{236}, -e^{157} + e^{237}, e^{245}, e^{246} - e^{136}, -e^{156} + e^{247}, e^{157} + e^{256},$ $e^{257}, -e^{156} + e^{345}$		
$0, 0, 12, 0, 0, 13, 23 + 45$	$e_6(P)$	$[0, 0, e^{12}, 0, 0, e^{23} + e^{45}]$
$0, 0, 12, 0, 0, 13 + 24, 23 + 45$	$e_6(P)$	$[0, 0, e^{12}, 0, 0, e^{23} + e^{45}]$

$0, 0, 0, 12, 13, 14, 15$	resists	
$e^{123}, e^{124}, e^{125}, e^{126}, e^{127}, e^{134}, e^{135}, e^{136}, e^{137}, e^{145}, e^{146}, e^{147},$ $e^{156}, e^{157}, e^{167}, e^{234}, e^{235}, e^{245} + e^{236}, e^{246}, e^{345} + e^{237}, e^{346} + e^{256} + e^{247},$ $e^{257} + e^{347} + e^{356}, e^{357}$		
$0, 0, 0, 12, 13, 14, 35$	e_7	$[0, 0, 0, e^{12}, e^{13}, e^{14}]$
$e^{123}, e^{124}, e^{125}, e^{126}, e^{134}, e^{135}, e^{136}, e^{137}, e^{145}, e^{146}, e^{156}, e^{157},$ $e^{234}, e^{235}, e^{237}, e^{245} + e^{236}, e^{246}, e^{345} + e^{127}, e^{347} + e^{257}, -e^{147} + e^{356}, e^{357}$		
$0, 0, 0, 12, 13, 14 + 35, 15$	$e_7(P)$	$[0, 0, 0, e^{12}, e^{13}, e^{35} + e^{14}]$
$0, 0, 0, 12, 13, 14, 25 + 34$	$e_6(P)$	$[0, 0, 0, e^{12}, e^{13}, e^{34} + e^{25}]$
$0, 0, 0, 12, 13, 14 + 15, 25 + 34$	$e_6(P)$	$[0, 0, 0, e^{12}, e^{13}, e^{25} + e^{34}]$
$0, 0, 0, 12, 13, 24 + 35, 25 + 34$	$e_7(P)$	$[0, 0, 0, e^{12}, e^{13}, e^{24} + e^{35}]$
$0, 0, 0, 12, 13, 14 + 15 + 24 + 35, 25 + 34$	$e_7(P)$	$[0, 0, 0, e^{12}, e^{13}, e^{35} + e^{24} + e^{15} + e^{14}]$
$0, 0, 0, 12, 13, 14 + 24 + 35, 25 + 34$	$e_7(P)$	$[0, 0, 0, e^{12}, e^{13}, e^{24} + e^{35} + e^{14}]$
$0, 0, 0, 12, 13, 25 + 34, 35$	$e_7(P)$	$[0, 0, 0, e^{12}, e^{13}, e^{25} + e^{34}]$
$0, 0, 0, 12, 13, 15 + 35, 25 + 34$	$e_6(P)$	$[0, 0, 0, e^{12}, e^{13}, e^{34} + e^{25}]$
$0, 0, 0, 12, 13, 14 + 35, 25 + 34$	$e_7(P)$	$[0, 0, 0, e^{12}, e^{13}, e^{14} + e^{35}]$
$0, 0, 0, 12, 13, 14 + 23, 15$	resists	
$e^{123}, e^{124}, e^{125}, e^{126}, e^{127}, e^{134}, e^{135}, e^{136}, e^{137}, e^{145}, e^{147}, e^{157},$ $e^{234}, e^{235}, -e^{146} + e^{236}, -e^{156} + e^{237}, e^{245} + e^{146}, e^{246}, e^{167} + e^{257}, e^{156} + e^{345},$ $e^{346} + e^{256} + e^{247}, -e^{167} + e^{356} + e^{347}, e^{357}$		
$0, 0, 0, 12, 13, 14 + 23, 35$	e_7	$[0, 0, 0, e^{12}, e^{13}, e^{23} + e^{14}]$
$e^{123}, e^{124}, e^{125}, e^{126}, e^{134}, e^{135}, e^{136}, e^{137}, e^{145}, -e^{127} + e^{156}, e^{157},$ $e^{234}, e^{235}, -e^{146} + e^{236}, e^{237}, e^{146} + e^{245}, e^{246}, e^{127} + e^{345}, e^{257} + e^{347},$ $-e^{147} + e^{356}, e^{357}$		
$0, 0, 0, 12, 13, 15 + 24, 23$	$e_7(P)$	$[0, 0, 0, e^{12}, e^{13}, e^{24} + e^{15}]$
$0, 0, 0, 12, 13, 14 + 35, 15 + 23$	$e_7(P)$	$[0, 0, 0, e^{12}, e^{13}, e^{35} + e^{14}]$
$0, 0, 0, 12, 13, 23, 25 + 34$	$e_6(P)$	$[0, 0, 0, e^{12}, e^{13}, e^{25} + e^{34}]$
$0, 0, 0, 12, 13, 14 + 23, 25 + 34$	$e_6(P)$	$[0, 0, 0, e^{12}, e^{13}, e^{25} + e^{34}]$
$0, 0, 0, 12, 13, 14 + 15 + 23, 25 + 34$	$e_6(P)$	$[0, 0, 0, e^{12}, e^{13}, e^{25} + e^{34}]$
$0, 0, 12, 0, 0, 0, 13 + 24 + 56$	e_7	$[0, 0, e^{12}, 0, 0, 0]$
$e^{123}, e^{124}, e^{125}, e^{126}, e^{134}, e^{135}, e^{136}, e^{145}, e^{146}, e^{156}, e^{234}, e^{235},$ $e^{236}, e^{245}, e^{246}, e^{256}, -e^{157} + e^{345}, -e^{167} + e^{346}, e^{356} - e^{127}, e^{456}$		
$0, 0, 0, 12, 13, 0, 16 + 25 + 34$	e_7	$[0, 0, 0, e^{12}, e^{13}, 0]$
$e^{123}, e^{124}, e^{125}, e^{126}, e^{134}, e^{135}, e^{136}, e^{145}, e^{146}, e^{156}, e^{234}, e^{235},$ $e^{236}, e^{245} + e^{127}, e^{246}, e^{256} - e^{237}, e^{345} - e^{137}, e^{346} + e^{237}, e^{356}$		
$0, 0, 0, 12, 13, 0, 14 + 26 + 35$	e_7	$[0, 0, 0, e^{12}, e^{13}, 0]$
$e^{123}, e^{124}, e^{125}, e^{126}, e^{134}, e^{135}, e^{136}, e^{145}, e^{146}, e^{156}, e^{234}, e^{235},$ $e^{236}, e^{237} + e^{245}, e^{246}, e^{137} + e^{256}, e^{127} + e^{345}, -e^{137} + e^{346}, e^{356}, e^{157} + e^{456} - e^{367}$		
$0, 0, 0, 12, 23, -13, 15 + 26 + 16 - 2 * 34$	e_7	$[0, 0, 0, e^{12}, e^{23}, -e^{13}]$
$e^{123}, e^{124}, e^{125}, e^{126}, e^{134}, e^{135}, e^{136}, \frac{1}{2}e^{127} + e^{145}, e^{146},$ $e^{156} - e^{137}, e^{234}, e^{235}, e^{236}, e^{245}, e^{246} + \frac{1}{2}e^{127}, e^{256} - e^{137} - e^{237},$ $e^{345} + e^{137} + e^{237}, e^{346} - e^{137}, e^{356}$		
$0, 0, 0, 0, 12, 34, 15 + 36$	e_7	$[0, 0, 0, 0, e^{12}, e^{34}]$
$e^{123}, e^{124}, e^{125}, e^{134}, e^{135}, e^{136}, e^{137}, e^{145}, e^{146}, e^{234}, e^{235}, e^{236},$ $e^{245}, e^{246}, e^{345} - e^{126}, e^{346}, e^{347} - e^{156}, e^{356} + e^{127}, -e^{157} + e^{367}$		

$0, 0, 0, 0, 12, 34, 15 + 24 + 36$	e_7	$[0, 0, 0, 0, e^{12}, e^{34}]$
$e^{123}, e^{124}, e^{125}, e^{134}, e^{135}, e^{136}, e^{137} + e^{126}, e^{145}, e^{146}, e^{234}, e^{235},$ $e^{236}, e^{245}, e^{246}, e^{345} - e^{126}, e^{346}, e^{347} - e^{156}, e^{356} + e^{127}$		
$0, 0, 0, 0, 12, 14 + 23, 16 - 35$	e_7	$[0, 0, 0, 0, e^{12}, e^{14} + e^{23}]$
$e^{123}, e^{124}, e^{125}, e^{126}, e^{134}, e^{135}, e^{136}, e^{137}, e^{145}, e^{156} + e^{127}, e^{157},$ $e^{234}, e^{235}, -e^{146} + e^{236}, e^{245}, e^{246}, -e^{146} + e^{345}, e^{346}, e^{147} + e^{237} + e^{356}$		
$0, 0, 0, 0, 12, 14 + 23, 16 + 24 - 35$	e_7	$[0, 0, 0, 0, e^{12}, e^{23} + e^{14}]$
$e^{123}, e^{124}, e^{125}, e^{126}, e^{134}, e^{135}, e^{136}, e^{145}, e^{137} + e^{146}, e^{156} + e^{127},$ $e^{234}, e^{235}, e^{236} + e^{137}, e^{245}, e^{246}, e^{157} + e^{256}, e^{345} + e^{137}, e^{346}, e^{356} + e^{237} + e^{147}$		
$0, 0, 12, 0, 0, 13 + 14 + 25, 15 + 23$	e_7	$[0, 0, 0, e^{12}, 0, 0, e^{25} + e^{14} + e^{13}]$
$e^{123}, e^{124}, e^{125}, e^{126}, e^{127}, e^{134}, e^{135}, e^{137}, e^{145}, e^{156}, e^{157} + e^{136},$ $e^{234}, e^{235}, -e^{147} + e^{236}, e^{136} + e^{237}, e^{245}, e^{147} + e^{246}, e^{146} + e^{247}, e^{256} - e^{146} - e^{136},$ $e^{257}, e^{345} + e^{146}$		
$0, 0, 0, 12, 13, 14, 24 + 35$	$e_6(P)$	$[0, 0, 0, e^{12}, e^{13}, e^{24} + e^{35}]$
$0, 0, 0, 12, 13, 24 - 35, 25 + 34$	$e_7(P)$	$[0, 0, 0, e^{12}, e^{13}, -e^{35} + e^{24}]$
$0, 0, 0, 12, 13, 14 + 24 - 35, 25 + 34$	$e_7(P)$	$[0, 0, 0, e^{12}, e^{13}, e^{24} - e^{35} + e^{14}]$
$0, 0, 0, 12, 13, 23, 24 + 35$	$e_6(P)$	$[0, 0, 0, e^{12}, e^{13}, e^{35} + e^{24}]$
$0, 0, 0, 12, 13, 14 + 23, 24 + 35$	$e_6(P)$	$[0, 0, 0, e^{12}, e^{13}, e^{24} + e^{35}]$
$0, 0, 0, 12, 13, 0, 16 + 24 + 35$	e_7	$[0, 0, 0, e^{12}, e^{13}, 0]$
$e^{123}, e^{124}, e^{125}, e^{126}, e^{134}, e^{135}, e^{136}, e^{145}, e^{146}, e^{156}, e^{234}, e^{235},$ $e^{236}, e^{245} - e^{137}, e^{246}, e^{256} - e^{237}, e^{127} + e^{345}, e^{237} + e^{346}, e^{356}$		
$0, 0, 0, 0, 13 + 24, 14 - 23, 15 + 26$	e_7	$[0, 0, 0, 0, e^{13} + e^{24}, e^{14} - e^{23}]$
$e^{123}, e^{124}, e^{125}, e^{126}, e^{127}, e^{134}, e^{135}, e^{145}, -e^{135} + e^{146}, e^{234}, e^{235},$ $e^{135} + e^{236}, e^{237} - e^{147} + e^{156}, -e^{135} + e^{245}, e^{246}, e^{137} + e^{247} + e^{256}, e^{257} - e^{167},$ e^{345}, e^{346}		
$0, 0, 0, 0, 13 + 24, 14 - 23, 15 + 26 + 24$	e_7	$[0, 0, 0, 0, e^{24} + e^{13}, e^{14} - e^{23}]$
$e^{123}, e^{124}, e^{125}, e^{126}, e^{127}, e^{134}, e^{135}, e^{136}, e^{145}, e^{146} - e^{135}, e^{234}, e^{235},$ $e^{135} + e^{236}, e^{156} - e^{147} + e^{237}, -e^{135} + e^{245}, e^{246}, e^{256} + e^{137} - e^{135} + e^{247},$ $e^{257} - e^{167} - e^{147}, e^{345}, e^{346}$		

Table 4: Step 4 nilpotent Lie algebras of dimension 7

$0, 0, 12, 13, 0, 14, 15$	e_7	$[0, 0, e^{12}, e^{13}, 0, e^{14}]$
$e^{123}, e^{124}, e^{125}, e^{126}, e^{127}, e^{134}, e^{135}, e^{136}, e^{137}, e^{145}, e^{146}, e^{147},$ $e^{156}, e^{157}, e^{167}, e^{234}, e^{235}, -e^{237} + e^{245}, e^{257}, e^{256} + e^{345}$		
$0, 0, 12, 13, 0, 25, 14$	e_7	$[0, 0, e^{12}, e^{13}, 0, e^{25}]$
$e^{123}, e^{124}, e^{125}, e^{126}, e^{127}, e^{134}, e^{135}, e^{137}, e^{145}, e^{147}, e^{156}, e^{157},$ $e^{234}, e^{235}, e^{236}, e^{136} + e^{245}, e^{256}, -e^{146} + e^{257}, e^{146} + e^{345}$		
$0, 0, 12, 13, 0, 14 + 25, 15$	e_7	$[0, 0, e^{12}, e^{13}, 0, e^{25} + e^{14}]$
$e^{123}, e^{124}, e^{125}, e^{126}, e^{127}, e^{134}, e^{135}, e^{137}, e^{145}, e^{147}, e^{156}, e^{157},$ $e^{234}, e^{235}, e^{136} + e^{237}, e^{136} + e^{245}, e^{256} - e^{146}, e^{257}, e^{345} + e^{146}, e^{357} + e^{167}$		

$0, 0, 12, 13, 0, 14 + 23 + 25, 15$	e_6	$[0, 0, e^{12}, e^{13}, 0, e^{15}]$
	$e^{123}, e^{124}, e^{125}, e^{126}, e^{127}, e^{134}, e^{135}, e^{137}, e^{145},$ $e^{147}, e^{136} + e^{156}, e^{157}, e^{234}, e^{235}, e^{237} + e^{136}, e^{245} + e^{136},$ $e^{256} + e^{236} - e^{146}, e^{257}, e^{345} - e^{236} + e^{146}, e^{247} - e^{236} + e^{357} + e^{167} + e^{146}$	
$0, 0, 12, 13, 0, 23 + 25, 14$	e_7	$[0, 0, e^{12}, e^{13}, 0, e^{23} + e^{25}]$
	$e^{123}, e^{124}, e^{125}, e^{126}, e^{127}, e^{134}, e^{135}, e^{137}, e^{145}, e^{147}, e^{156} + e^{136},$ $e^{157}, e^{234}, e^{235}, e^{236}, e^{136} + e^{245}, e^{256}, e^{257} - e^{146} + e^{237}, e^{345} + e^{146} - e^{237}$	
$0, 0, 12, 13, 0, 14 + 23, 15$	e_7	$[0, 0, e^{12}, e^{13}, 0, e^{23} + e^{14}]$
	$e^{123}, e^{124}, e^{125}, e^{126}, e^{127}, e^{134}, e^{135}, e^{136}, e^{137}, e^{145}, e^{147}, e^{157}, e^{234}, e^{235},$ $-e^{146} + e^{236}, -e^{156} + e^{237}, e^{245} - e^{156}, e^{247} + e^{256} + e^{167}, e^{257}, e^{345} - e^{247} - e^{167}$	
$0, 0, 12, 13, 0, 15 + 23, 14$	e_7	$[0, 0, e^{12}, e^{13}, 0, e^{15} + e^{23}]$
	$e^{123}, e^{124}, e^{125}, e^{126}, e^{127}, e^{134}, e^{135}, e^{136}, e^{137}, e^{145}, e^{147}, e^{157},$ $e^{234}, e^{235}, -e^{156} + e^{236}, -e^{146} + e^{237}, -e^{156} + e^{245}, e^{167} + e^{247}, e^{256}, e^{345} + e^{257}$	
$0, 0, 12, 13, 0, 23, 14 + 25$	$e_7(P)$	$[0, 0, e^{12}, e^{13}, 0, e^{23}]$
$0, 0, 12, 13, 0, 14 + 23, 25$	e_7	$[0, 0, e^{12}, e^{13}, 0, e^{14} + e^{23}]$
	$e^{123}, e^{124}, e^{125}, e^{126}, e^{127}, e^{134}, e^{135}, e^{136}, e^{145}, e^{137} + e^{156}, e^{157},$ $e^{234}, e^{235}, -e^{146} + e^{236}, e^{237}, e^{137} + e^{245}, -e^{147} + e^{256}, e^{257}, e^{147} + e^{345}$	
$0, 0, 12, 13, 0, 14 + 23, 23 + 25$	e_7	$[0, 0, e^{12}, e^{13}, 0, e^{23} + e^{14}]$
	$e^{123}, e^{124}, e^{125}, e^{126}, e^{127}, e^{134}, e^{135}, e^{136}, e^{145}, e^{156} + e^{137}, e^{157} + e^{137},$ $e^{234}, e^{235}, -e^{146} + e^{236}, e^{237}, e^{137} + e^{245}, e^{146} - e^{147} + e^{256}, e^{257}, -e^{146} + e^{147} + e^{345}$	
$0, 0, 12, 13, 0, 15 + 23, 14 + 25$	e_7	$[0, 0, e^{12}, e^{13}, 0, e^{15} + e^{23}]$
	$e^{123}, e^{124}, e^{125}, e^{126}, e^{127}, e^{134}, e^{135}, e^{136}, e^{145}, e^{156} + e^{137}, e^{157}, e^{234}, e^{235}, e^{236} + e^{137},$ $-e^{146} + e^{237}, e^{245} + e^{137}, e^{256}, -e^{147} + e^{257}, e^{345} + e^{147}, e^{356} - e^{167} - e^{247}$	
$0, 0, 12, 13, 23, 14 + 25, 15 + 24$	$e_7(P)$	$[0, 0, e^{12}, e^{13}, e^{23}, e^{14} + e^{25}]$
$0, 0, 12, 13, 23, 24 + 15, 14$	$e_6(P)$	$[0, 0, e^{12}, e^{13}, e^{23}, e^{14}]$
$0, 0, 0, 12, 14 + 23, 23, 15 - 34$	e_7	$[0, 0, 0, e^{12}, e^{23} + e^{14}, e^{23}]$
	$e^{123}, e^{124}, e^{125}, e^{126}, e^{134}, e^{135}, e^{136}, e^{137}, e^{145} + e^{127}, e^{146} + e^{127}, e^{147}, e^{234},$ $e^{235} + e^{127}, e^{236}, e^{245}, e^{246}, e^{345} + e^{237}, -e^{156} + e^{346} + e^{237}, e^{167} - \frac{1}{2}e^{157} - \frac{1}{2}e^{347} + e^{356}$	
$0, 0, 0, 12, 14 + 23, 13, 15 - 34$	e_7	$[0, 0, 0, e^{12}, e^{23} + e^{14}, e^{13}]$
	$e^{123}, e^{124}, e^{125}, e^{126}, e^{134}, e^{135}, e^{136}, e^{137}, e^{127} + e^{145}, e^{146}, e^{147},$ $e^{234}, e^{127} + e^{235}, e^{236}, e^{245}, -e^{127} + e^{246}, e^{237} + e^{345}, -e^{156} + e^{346}, e^{167} + e^{356}$	
$0, 0, 0, 12, 14 + 23, 24, 15 - 34$	e_7	$[0, 0, 0, e^{12}, e^{14} + e^{23}, e^{24}]$
	$e^{123}, e^{124}, e^{125}, e^{126}, e^{134}, e^{135}, e^{136} - e^{127}, e^{137}, e^{145} + e^{127}, e^{146},$ $e^{147}, e^{234}, e^{235} + e^{127}, e^{236}, e^{245}, e^{246}, e^{345} + e^{237}, e^{247} + e^{346} - e^{156}$	
$0, 0, 0, 12, 14 + 23, 13 + 24, 15 - 34$	e_7	$[0, 0, 0, e^{12}, e^{23} + e^{14}, e^{24} + e^{13}]$
	$e^{123}, e^{124}, e^{125}, e^{126}, e^{134}, e^{135}, e^{136} - e^{127}, e^{137}, e^{145} + e^{127}, e^{146},$ $e^{147}, e^{234}, e^{127} + e^{235}, e^{236}, e^{245}, e^{246} - e^{127}, e^{345} + e^{237}, e^{346} - e^{156} + e^{247}$	
$0, 0, 12, 13, 0, 0, 14 + 56$	e_7	$[0, 0, e^{12}, e^{13}, 0, 0]$
	$e^{123}, e^{124}, e^{125}, e^{126}, e^{134}, e^{135}, e^{136}, e^{145}, e^{146}, e^{156}, e^{157}, e^{167},$ $e^{234}, e^{235}, e^{236}, e^{256}, e^{257} + e^{345}, e^{346} + e^{267}, -e^{127} + e^{356}, e^{456} - e^{137}, e^{567} - e^{147}$	
$0, 0, 12, 13, 0, 0, 23 + 14 + 56$	e_7	$[0, 0, e^{12}, e^{13}, 0, 0]$
	$e^{123}, e^{124}, e^{125}, e^{126}, e^{134}, e^{135}, e^{136}, e^{145}, e^{146}, e^{156}, e^{234}, e^{235}, e^{236}, -e^{157} + e^{245},$ $-e^{167} + e^{246}, e^{256}, e^{257} + e^{345}, e^{346} + e^{267}, -e^{127} + e^{356}, -e^{137} + e^{456}$	
$0, 0, 0, 12, 14 + 23, 0, 15 + 26 - 34$	e_7	$[0, 0, 0, e^{12}, e^{23} + e^{14}, 0]$
	$e^{123}, e^{124}, e^{125}, e^{126}, e^{134}, e^{135}, e^{136}, e^{145} + e^{127}, e^{146}, -e^{137} + e^{156},$ $e^{234}, e^{235} + e^{127}, e^{236}, e^{245}, e^{246}, e^{256} + e^{147}, e^{345} + e^{237}, e^{346} - e^{137}, e^{356} + e^{167}$	

$0, 0, 0, 12, 14 + 23, 0, 15 + 36 - 34$	e_7	$[0, 0, 0, e^{12}, e^{23} + e^{14}, 0]$
$e^{123}, e^{124}, e^{125}, e^{126}, e^{134}, e^{135}, e^{136}, e^{137}, e^{146}, e^{127} + e^{156} + e^{145}, -e^{147} + e^{167},$ $e^{234}, e^{235} - e^{145}, e^{236}, e^{245}, e^{246}, e^{237} + e^{345}, e^{346} + e^{127} + e^{145}, e^{147} + e^{356}$		
$0, 0, 0, 12, 14 + 23, 0, 15 + 24 + 36 - 34$	e_7	$[0, 0, 0, e^{12}, e^{14} + e^{23}, 0]$
$e^{123}, e^{124}, e^{125}, e^{126}, e^{134}, e^{135}, e^{136}, e^{145} + e^{137}, e^{146}, e^{156} + e^{127} - e^{137},$ $e^{234}, e^{235} + e^{137}, e^{236}, e^{245}, e^{246}, -e^{167} + e^{147} + e^{256},$ $e^{345} + e^{237}, e^{346} + e^{127} - e^{137}, e^{147} + e^{356}$		
$0, 0, 12, 0, 23, 24, 16 + 25 + 34$	e_7	$[0, 0, e^{12}, 0, e^{23}, e^{24}]$
$e^{123}, e^{124}, e^{125}, e^{126}, e^{134}, e^{135}, e^{136} + e^{127}, e^{145} - e^{127}, e^{146}, e^{234}, e^{235}, e^{236},$ $e^{147} + e^{237} + e^{156}, e^{245}, e^{246}, e^{256}, e^{147} + e^{345}, -e^{247} + e^{346}, e^{456} + e^{267}$		
$0, 0, 12, 0, 23, 24, 25 + 46$	e_7	$[0, 0, e^{12}, 0, e^{23}, e^{24}]$
$e^{123}, e^{124}, e^{125}, e^{126}, e^{134}, e^{135}, e^{145} + e^{136}, e^{146}, e^{234}, e^{235}, e^{236},$ $e^{245}, e^{246}, e^{247}, e^{256}, e^{267}, e^{147} + e^{345}, -e^{127} + e^{346}, e^{237} + e^{456}, e^{467} - e^{257}$		
$0, 0, 12, 0, 23, 24, 13 + 25 - 46$	e_7	$[0, 0, e^{12}, 0, e^{23}, e^{24}]$
$e^{123}, e^{124}, e^{125}, e^{126}, e^{134}, e^{135}, e^{136} + e^{145}, e^{146}, e^{234}, e^{235}, e^{236}, e^{245},$ $e^{246}, e^{247} - e^{136}, e^{256}, -e^{147} + e^{267} - e^{156}, e^{147} + e^{345}, e^{127} + e^{346}, -e^{237} + e^{456}$		
$0, 0, 12, 0, 23, 14, 16 + 25$	e_7	$[0, 0, e^{12}, 0, e^{23}, e^{14}]$
$e^{123}, e^{124}, e^{125}, e^{126}, e^{127}, e^{134}, e^{135}, e^{136}, e^{146}, e^{234}, e^{235}, e^{236} - e^{145},$ $e^{156} + e^{237}, e^{245}, e^{246}, -e^{147} + e^{256}, -e^{167} + e^{257}, e^{147} + e^{345}, e^{346} - e^{247}$		
$0, 0, 12, 0, 23, 14, 16 + 25 + 26 - 34$	e_7	$[0, 0, e^{12}, 0, e^{23}, e^{14}]$
$e^{123}, e^{124}, e^{125}, e^{126}, e^{134}, e^{135}, e^{136}, e^{127} + e^{145}, e^{146}, e^{234}, e^{235}, e^{127} + e^{236},$ $e^{156} + e^{237}, e^{245}, e^{246}, e^{256} - e^{247} - e^{147}, e^{345} + e^{247} + e^{147}, e^{346} - e^{247}$		
$0, 0, 12, 0, 23, 14, 25 + 46$	e_7	$[0, 0, e^{12}, 0, e^{23}, e^{14}]$
$e^{123}, e^{124}, e^{125}, e^{126}, e^{134}, e^{135}, e^{136}, e^{146}, e^{234}, e^{235}, e^{236} - e^{145},$ $e^{245}, e^{246}, e^{247}, e^{256} - e^{147}, e^{345} + e^{147}, e^{346} - e^{127}, e^{237} + e^{456}, -e^{257} + e^{467}$		
$0, 0, 12, 0, 23, 14, 13 + 25 + 46$	e_7	$[0, 0, e^{12}, 0, e^{23}, e^{14}]$
$e^{123}, e^{124}, e^{125}, e^{126}, e^{134}, e^{135}, e^{136}, e^{146}, e^{234}, e^{235}, e^{236} - e^{145},$ $e^{245}, e^{246}, e^{145} + e^{247}, e^{256} - e^{147}, e^{147} + e^{345}, -e^{127} + e^{346}, e^{237} + e^{456}$		
$0, 0, 12, 0, 13 + 24, 14, 15 + 23 + 1/2 * (26 + 34)$	e_7	$[0, 0, e^{12}, 0, e^{13} + e^{24}, e^{14}]$
$e^{123}, e^{124}, e^{125}, e^{126}, e^{134}, 2e^{127} + e^{135}, e^{136}, e^{145}, e^{146}, 4e^{127} - 2e^{147} + e^{156},$ $e^{234}, e^{235}, -2e^{127} + e^{236}, 2e^{127} + e^{245}, e^{246}, 2e^{137} + e^{247} + e^{256}, -e^{247} + e^{345},$ $-4e^{127} + e^{346} + 2e^{147}, e^{456} + 4e^{137} + 2e^{167}$		
$0, 0, 12, 0, 13 + 24, 23, 16 + 25$	e_7	$[0, 0, e^{12}, 0, e^{24} + e^{13}, e^{23}]$
$e^{123}, e^{124}, e^{125}, e^{126}, e^{127}, e^{134}, e^{135}, e^{136}, e^{145}, e^{146} + e^{135}, e^{234}, e^{235}, e^{236}, -e^{135} + e^{245},$ $e^{246}, e^{156} + e^{137} + e^{247}, e^{256} - e^{237}, e^{267}, e^{345} + e^{147}, e^{346} + e^{156} + e^{137}$		
$0, 0, 12, 0, 13 + 24, 23, 15 + 26 + 34$	e_7	$[0, 0, e^{12}, 0, e^{24} + e^{13}, e^{23}]$
$e^{123}, e^{124}, e^{125}, e^{126}, e^{134}, e^{127} + e^{135}, e^{136}, e^{145}, e^{146} - e^{127}, e^{234},$ $e^{235}, e^{236}, e^{237} - e^{156} + e^{147}, e^{127} + e^{245}, e^{246}, e^{256} + e^{137}, -e^{247} + e^{345}, e^{346} + e^{147}$		
$0, 0, 12, 0, 13, 23 + 24, 15 + 26$	e_7	$[0, 0, e^{12}, 0, e^{13}, e^{23} + e^{24}]$
$e^{123}, e^{124}, e^{125}, e^{126}, e^{127}, e^{134}, e^{135}, e^{145}, e^{136} + e^{146}, e^{234}, e^{235}, e^{236}, -e^{136} + e^{245},$ $e^{246}, e^{247} + e^{237} - e^{156}, e^{256} + e^{137}, -e^{157} + e^{267}, e^{237} - e^{156} + e^{345}, e^{147} + e^{346}$		
$0, 0, 12, 0, 13, 23 + 24, 16 + 25 + 34$	e_7	$[0, 0, e^{12}, 0, e^{13}, e^{24} + e^{23}]$
$e^{123}, e^{124}, e^{125}, e^{126}, e^{134}, e^{135}, e^{127} + e^{136}, e^{145}, -e^{127} + e^{146}, e^{137} + e^{147} + e^{156},$ $e^{234}, e^{235}, e^{236}, e^{127} + e^{245}, e^{246}, e^{256} - e^{237}, e^{345} + e^{147}, e^{346} - e^{247}$		

$0, 0, 12, 13, 23, 14 - 25, 15 + 24$	e_7	$[0, 0, e^{12}, e^{13}, e^{23}, -e^{25} + e^{14}]$
$e^{123}, e^{124}, e^{125}, e^{126}, e^{127}, e^{134}, e^{135}, e^{145} + e^{137}, e^{147}, e^{234}, e^{235},$		
$e^{236} + e^{137}, -e^{136} + e^{237}, -e^{136} + e^{245}, e^{156} + e^{246}, e^{247} + e^{157} - 2e^{146},$		
$e^{256} + e^{146}, e^{257}, -e^{146} + e^{345}$		
$0, 0, 0, 12, 14 + 23, 13 - 24, 15 - 34$	e_7	$[0, 0, 0, e^{12}, e^{14} + e^{23}, e^{13} - e^{24}]$
$e^{123}, e^{124}, e^{125}, e^{126}, e^{134}, e^{135}, e^{136} + e^{127}, e^{137}, e^{145} + e^{127}, e^{146},$		
$e^{147}, e^{234}, e^{235} + e^{127}, e^{236}, e^{245}, e^{246} - e^{127}, e^{345} + e^{237}, -e^{247} + e^{346} - e^{156}$		
$0, 0, 12, 0, 23, 24, 13 + 25 + 46$	e_7	$[0, 0, e^{12}, 0, e^{23}, e^{24}]$
$e^{123}, e^{124}, e^{125}, e^{126}, e^{134}, e^{135}, e^{145} + e^{136}, e^{146}, e^{234}, e^{235}, e^{236},$		
$e^{245}, e^{246}, e^{247} - e^{136}, e^{256}, e^{267} - e^{147} - e^{156}, e^{345} + e^{147}, e^{346} - e^{127}, e^{237} + e^{456}$		
$0, 0, 12, 0, 13 + 24, 23, 15 + 34 - 26$	e_7	$[0, 0, e^{12}, 0, e^{24} + e^{13}, e^{23}]$
$e^{123}, e^{124}, e^{125}, e^{126}, e^{134}, e^{135} + e^{127}, e^{136}, e^{145}, e^{146} - e^{127}, e^{234},$		
$e^{235}, e^{236}, -e^{156} - e^{147} + e^{237}, e^{245} + e^{127}, e^{246}, e^{256} - e^{137}, e^{345} - e^{247}, e^{346} - e^{147}$		
$0, 0, 12, 0, 13, 23 + 24, 15 - 26$	e_7	$[0, 0, e^{12}, 0, e^{13}, e^{24} + e^{23}]$
$e^{123}, e^{124}, e^{125}, e^{126}, e^{127}, e^{134}, e^{135}, e^{145}, e^{146} + e^{136}, e^{234}, e^{235}, e^{236}, e^{245} - e^{136},$		
$e^{246}, -e^{156} + e^{237} + e^{247}, -e^{137} + e^{256}, e^{157} + e^{267}, -e^{156} + e^{345} + e^{237}, -e^{147} + e^{346}$		

Table 5: Step 5 nilpotent Lie algebras of dimension 7

$0, 0, 12, 13, 14, 15, 23$	$e_6(P)$	$[0, 0, e^{12}, e^{13}, e^{14}, e^{23}]$
$0, 0, 12, 13, 14, 25 - 34, 23$	$e_7(P)$	$[0, 0, e^{12}, e^{13}, e^{14}, e^{25} - e^{34}]$
$0, 0, 12, 13, 14, 15, 25 - 34$	$e_6(P)$	$[0, 0, e^{12}, e^{13}, e^{14}, e^{25} - e^{34}]$
$0, 0, 12, 13, 14, 15 + 23, 25 - 34$	$e_6(P)$	$[0, 0, e^{12}, e^{13}, e^{14}, -e^{34} + e^{25}]$
$0, 0, 12, 13, 14 + 23, 15 + 24, 23$	$e_6(P)$	$[0, 0, e^{12}, e^{13}, e^{23} + e^{14}, e^{23}]$
$0, 0, 12, 13, 14 + 23, 25 - 34, 23$	$e_7(P)$	$[0, 0, e^{12}, e^{13}, e^{14} + e^{23}, e^{25} - e^{34}]$
$0, 0, 12, 13, 14 + 23, 15 + 24, 25 - 34$	$e_6(P)$	$[0, 0, e^{12}, e^{13}, e^{23} + e^{14}, -e^{34} + e^{25}]$
$0, 0, 12, 13, 14, 0, 15 + 26$	e_7	$[0, 0, e^{12}, e^{13}, e^{14}, 0]$
$e^{123}, e^{124}, e^{125}, e^{126}, e^{127}, e^{134}, e^{135}, e^{136}, e^{145}, e^{146}, e^{156}, e^{167},$		
$e^{234}, e^{236}, -e^{237} + e^{245}, e^{246} + e^{137}, e^{256} + e^{147}, -e^{157} + e^{267}, e^{147} + e^{346}$		
$0, 0, 12, 13, 14, 0, 15 + 23 + 26$	e_7	$[0, 0, e^{12}, e^{13}, e^{14}, 0]$
$e^{123}, e^{124}, e^{125}, e^{126}, e^{127}, e^{134}, e^{135}, e^{136}, e^{145}, e^{146}, e^{156}, e^{157} + e^{167}, e^{234}, e^{236},$		
$-e^{237} + e^{245}, e^{137} + e^{246}, e^{147} + e^{256} - e^{235}, -e^{157} + e^{267} + e^{237}, e^{147} - e^{235} + e^{346}$		
$0, 0, 12, 13, 14, 0, 16 + 25 - 34$	e_7	$[0, 0, e^{12}, e^{13}, e^{14}, 0]$
$e^{123}, e^{124}, e^{125}, e^{126}, e^{134}, e^{135}, e^{136}, e^{145}, e^{146}, e^{156}, e^{234}, e^{127} + e^{235},$		
$e^{236}, e^{137} + e^{245}, -e^{237} + e^{246}, e^{147} + e^{345}, e^{346} - e^{256}$		
$0, 0, 12, 13, 14 + 23, 0, 15 + 24 + 26$	e_7	$[0, 0, e^{12}, e^{13}, e^{14} + e^{23}, 0]$
$e^{123}, e^{124}, e^{125}, e^{126}, e^{127}, e^{134}, e^{135}, e^{136}, e^{146}, -e^{137} + e^{156} - e^{145},$		
$e^{167} + e^{147}, e^{234}, e^{235} - e^{145}, e^{236}, -e^{237} + e^{245}, e^{137} + e^{145} + e^{246}, e^{147} + e^{256},$		
$-\frac{1}{2}e^{157} - \frac{1}{2}e^{247} + \frac{1}{2}e^{267} + e^{345}, e^{147} + e^{346}$		

$0, 0, 12, 13, 14 + 23, 0, 16 + 25 - 34$	e_7	$[0, 0, e^{12}, e^{13}, e^{23} + e^{14}, 0]$
$e^{123}, e^{124}, e^{125}, e^{126}, e^{134}, e^{135}, e^{136}, e^{145} + e^{127}, e^{146}, e^{234}, e^{127} + e^{235},$ $e^{236}, e^{237} + e^{156}, e^{137} + e^{245}, e^{246} + e^{156}, e^{147} + e^{345}, e^{346} - e^{256}$		
$0, 0, 12, 13, 14, 23, 15 + 26$	$e_7(P)$	$[0, 0, e^{12}, e^{13}, e^{14}, e^{23}]$
$0, 0, 12, 13, 14, 23, 16 + 24 + 25 - 34$	$e_7(P)$	$[0, 0, e^{12}, e^{13}, e^{14}, e^{23}]$
$0, 0, 12, 13, 14, 23, 15 + 25 + 26 - 34$	$e_7(P)$	$[0, 0, e^{12}, e^{13}, e^{14}, e^{23}]$
$0, 0, 12, 13, 0, 14 + 25, 16 + 35$	e_7	$[0, 0, e^{12}, e^{13}, 0, e^{25} + e^{14}]$
$e^{123}, e^{124}, e^{125}, e^{126}, e^{134}, e^{135}, e^{127} + e^{136}, e^{137}, e^{145}, e^{156}, e^{157},$ $e^{234}, e^{235}, e^{245} - e^{127}, -e^{237} + e^{246}, e^{256} - e^{146},$ $e^{345} + e^{146}, -e^{257} + e^{356} - e^{147}, -\frac{1}{2}e^{167} - \frac{1}{2}e^{357} + e^{456}$		
$0, 0, 12, 13, 0, 14 + 25, 16 + 25 + 35$	e_7	$[0, 0, e^{12}, e^{13}, 0, e^{25} + e^{14}]$
$e^{123}, e^{124}, e^{125}, e^{126}, e^{134}, e^{135}, e^{136} + e^{127}, e^{137} + e^{127}, e^{145}, e^{156},$ $e^{157}, e^{234}, e^{235}, e^{245} - e^{127}, e^{246} - e^{237}, e^{256} - e^{146}, e^{345} + e^{146},$ $-e^{257} + e^{356} + e^{146} - e^{147}, \frac{1}{2}e^{257} - \frac{1}{2}e^{357} + e^{456} - \frac{1}{2}e^{167}$		
$0, 0, 12, 13, 0, 14 + 25, 26 - 34$	e_7	$[0, 0, e^{12}, e^{13}, 0, e^{25} + e^{14}]$
$e^{123}, e^{124}, e^{125}, e^{126}, e^{134}, e^{135}, e^{145}, e^{156}, e^{234}, e^{235}, e^{236} + e^{127},$ $e^{237}, e^{245} + e^{136}, e^{246} + e^{137}, e^{256} - e^{146}, e^{146} + e^{345}, e^{147} + e^{257} + e^{346}$		
$0, 0, 12, 13, 0, 14 + 25, 15 + 26 - 34$	e_7	$[0, 0, e^{12}, e^{13}, 0, e^{14} + e^{25}]$
$e^{123}, e^{124}, e^{125}, e^{126}, e^{134}, e^{135}, e^{145}, e^{156}, e^{234}, e^{235}, e^{127} + e^{236},$ $e^{136} + e^{237}, e^{136} + e^{245}, e^{137} + e^{246}, e^{256} - e^{146}, e^{345} + e^{146}, e^{257} + e^{346} + e^{147}$		
$0, 0, 12, 13, 0, 14 + 23 + 25, 16 + 24 + 35$	e_7	$[0, 0, e^{12}, e^{13}, 0, e^{14} + e^{25} + e^{23}]$
$e^{123}, e^{124}, e^{125}, e^{126}, e^{134}, e^{135}, e^{136} + e^{127}, e^{145}, e^{156} - e^{127}, e^{157} + e^{137} + e^{146},$ $e^{234}, e^{235}, e^{137} + e^{236}, e^{245} - e^{127}, -e^{237} + e^{246}, e^{256} - e^{137} - e^{146},$ $e^{345} + e^{137} + e^{146}, -e^{257} - e^{147} + e^{356}$		
$0, 0, 12, 13, 0, 14 + 23 + 25, 26 - 34$	e_7	$[0, 0, e^{12}, e^{13}, 0, e^{23} + e^{14} + e^{25}]$
$e^{123}, e^{124}, e^{125}, e^{126}, e^{134}, e^{135}, e^{145}, e^{156} + e^{136}, e^{234}, e^{235}, e^{236} + e^{127},$ $e^{237}, e^{245} + e^{136}, e^{246} + e^{137}, e^{256} - e^{146} - e^{127}, e^{345} + e^{146} + e^{127}, e^{346} + e^{257} + e^{147}$		
$0, 0, 12, 13, 0, 14 + 23 + 25, 15 + 26 - 34$	e_7	$[0, 0, e^{12}, e^{13}, 0, e^{23} + e^{25} + e^{14}]$
$e^{123}, e^{124}, e^{125}, e^{126}, e^{134}, e^{135}, e^{145}, e^{156}, e^{234}, e^{235}, e^{127} + e^{236}, e^{136} + e^{237},$ $e^{136} + e^{245}, e^{137} + e^{246}, -e^{127} + e^{256} - e^{146}, e^{345} + e^{127} + e^{146}, e^{346} + e^{147} + e^{257}$		
$0, 0, 12, 13, 23, 15 + 24, 16 + 34$	resists	
$e^{123}, e^{124}, e^{125}, e^{126}, e^{134}, e^{135}, e^{127} + e^{136}, e^{137}, -e^{127} + e^{145}, e^{146},$ $e^{147}, e^{234}, e^{235}, e^{245} - e^{236}, e^{246} - e^{156} - 2e^{237}, e^{256}, e^{345} - e^{156} - e^{237},$ $e^{346} - e^{247} - e^{157}, e^{267} - e^{357} + e^{456}$		
$0, 0, 12, 13, 23, 15 + 24, 16 + 25 + 34$	resists	
$e^{123}, e^{124}, e^{125}, e^{126}, e^{134}, e^{135}, e^{136} + e^{127}, e^{145} - e^{127}, e^{146}, e^{234},$ $e^{235}, e^{236} + e^{137}, e^{237} + e^{147} + e^{156}, e^{137} + e^{245}, 2e^{147} + e^{156} + e^{246}, e^{256},$ $e^{345} + e^{147}, e^{346} - e^{247} - e^{157}, e^{456} - e^{357} + e^{267}$		
$0, 0, 12, 13, 23, 15 + 24, 16 + 14 + 25 + 34$	e_7	$[0, 0, e^{12}, e^{13}, e^{23}, e^{24} + e^{15}]$
$e^{123}, e^{124}, e^{125}, e^{126}, e^{134}, e^{135}, e^{136} + e^{127}, e^{145} - e^{127}, e^{146}, e^{234},$ $e^{235}, e^{236} + e^{137}, e^{237} + e^{156} + e^{147} - e^{127}, e^{245} + e^{137}, e^{246} + e^{156} + 2e^{147},$ $e^{256}, e^{345} + e^{147}, e^{346} - e^{247} - e^{157}$		

$0, 0, 12, 13, 23, 15 + 24, 16 + 14 + 34$	e_7	$[0, 0, e^{12}, e^{13}, e^{23}, e^{24} + e^{15}]$
$e^{123}, e^{124}, e^{125}, e^{126}, e^{134}, e^{135}, e^{127} + e^{136}, e^{137}, -e^{127} + e^{145}, e^{146},$		
$e^{147}, e^{234}, e^{235}, -e^{236} + e^{245}, 2e^{127} - 2e^{237} - e^{156} + e^{246},$		
$e^{256}, e^{127} - e^{237} - e^{156} + e^{345}, -e^{247} - e^{157} + e^{346}$		
$0, 0, 12, 13, 23, 15 + 24, 16 + 26 + 34 - 35$	e_7	$[0, 0, e^{12}, e^{13}, e^{23}, e^{24} + e^{15}]$
$e^{123}, e^{124}, e^{125}, e^{126}, e^{134}, e^{135}, e^{136} + e^{145}, e^{146}, e^{234}, e^{235}, e^{127} + e^{136} + e^{236},$		
$e^{137} + e^{237}, e^{127} + e^{136} + e^{245}, e^{246} + 2e^{137} - e^{156},$		
$e^{256}, e^{345} + e^{137} - e^{156}, -e^{346} + e^{356} + e^{247} + e^{157}$		
$0, 0, 0, 12, 14 + 23, 15 - 34, 16 - 35$	e_7	$[0, 0, 0, e^{12}, e^{23} + e^{14}, -e^{34} + e^{15}]$
$e^{123}, e^{124}, e^{125}, e^{134}, e^{135}, e^{136}, e^{137}, e^{126} + e^{145}, e^{146}, e^{234}, e^{126} + e^{235}, e^{127} + e^{236},$		
$e^{237} + e^{147} + e^{156}, e^{245}, -e^{127} + e^{345}, -2e^{147} + e^{346} - e^{156}, -e^{347} + e^{356} + e^{157}$		
$0, 0, 0, 12, 14 + 23, 15 - 34, 16 + 23 - 35$	e_7	$[0, 0, 0, e^{12}, e^{23} + e^{14}, e^{15} - e^{34}]$
$e^{123}, e^{124}, e^{125}, e^{134}, e^{135}, e^{136}, e^{137}, e^{145} + e^{126}, e^{146}, e^{234}, e^{235} + e^{126},$		
$e^{236} + e^{127}, e^{237} + e^{126} + e^{156} + e^{147}, e^{245}, e^{345} - e^{127},$		
$e^{346} - 2e^{126} - e^{156} - 2e^{147}, e^{356} - e^{347} + e^{127} + e^{157}$		
$0, 0, 0, 12, 14 + 23, 15 - 34, 16 + 24 - 35$	e_7	$[0, 0, 0, e^{12}, e^{14} + e^{23}, e^{15} - e^{34}]$
$e^{123}, e^{124}, e^{125}, e^{134}, e^{135}, e^{136}, -e^{126} + e^{137}, e^{126} + e^{145}, e^{146},$		
$e^{234}, e^{126} + e^{235}, e^{236} + e^{127}, e^{156} + e^{147} + e^{237}, e^{245},$		
$e^{345} - e^{127}, -e^{156} + e^{346} - 2e^{147}, -e^{246} + e^{356} - e^{347} + e^{157}$		
$0, 0, 12, 13, 23, 24 + 15, 16 + 14 - 25 + 34$	e_7	$[0, 0, e^{12}, e^{13}, e^{23}, e^{24} + e^{15}]$
$e^{123}, e^{124}, e^{125}, e^{126}, e^{134}, e^{135}, e^{127} + e^{136}, -e^{127} + e^{145}, e^{146}, e^{234},$		
$e^{235}, e^{236} - e^{137}, -e^{127} + e^{237} - e^{147} + e^{156}, -e^{137} + e^{245}, -2e^{147} + e^{156} + e^{246},$		
$e^{256}, -e^{147} + e^{345}, -e^{247} - e^{157} + e^{346}$		
$0, 0, 12, 13, 23, -14 - 25, 16 - 35$	$e_7(P)$	$[0, 0, e^{12}, e^{13}, e^{23}, -e^{14} - e^{25}]$
$0, 0, 12, 13, 23, -14 - 25, 16 - 35 + 25$	$e_7(P)$	$[0, 0, e^{12}, e^{13}, e^{23}, -e^{25} - e^{14}]$
$0, 0, 0, 12, 14 + 23, 15 - 34, 16 - 23 - 35$	e_7	$[0, 0, 0, e^{12}, e^{23} + e^{14}, e^{15} - e^{34}]$
$e^{123}, e^{124}, e^{125}, e^{134}, e^{135}, e^{136}, e^{137}, e^{145} + e^{126}, e^{146}, e^{234}, e^{235} + e^{126},$		
$e^{236} + e^{127}, e^{237} - e^{126} + e^{156} + e^{147}, e^{245},$		
$e^{345} - e^{127}, e^{346} + 2e^{126} - e^{156} - 2e^{147}, e^{356} - e^{347} - e^{127} + e^{157}$		

Acknowledgments. This work has been partially supported through Project MICINN (Spain) MTM2008-06540-C02-01.

References

- [1] V. Apostolov and S. Salamon, Kähler reduction of metrics with holonomy G_2 , *Comm. Math. Phys.* 246 (2004) 43–61.
- [2] C. Benson and C. Gordon, Kähler and symplectic structures on nilmanifolds, *Topology* 27 (1988) 513–518.
- [3] R. L. Bryant, Some remarks on G_2 -structures. *Proceedings of Gökova Geometry-Topology Conference 2005*, Gökova Geometry/Topology Conference (GGT), Gökova, 2006, pp. 75–109.

- [4] R. Bryant and S. Salamon, On the construction of some complete metrics with exceptional holonomy, *Duke Math. J.* 58 (1989) 829–850.
- [5] S. Chiossi and A. Fino, Conformally parallel G_2 structures on a class of solvmanifolds, *Math. Z.* 252 (2006) 825–848.
- [6] R. Cleyton and S. Ivanov, On the geometry of closed G_2 -structures, *Comm. Math. Phys.* 270 (2007) 53–67.
- [7] R. Cleyton and A. Swann, Cohomogeneity-one G_2 -structures, *J. Geom. Phys.* 44 (2002) 202–220.
- [8] D. Conti and A. Tomassini, Special symplectic six-manifolds, *Q. J. Math.* 58 (2007) 297–311.
- [9] D. Conti, Half-flat nilmanifolds, 2010, *Math. Ann.*. In press.
- [10] M. Fernández and A. Gray, Riemannian manifolds with structure group G_2 , *Annali di Mat. Pura Appl.* 32 (1982) 19–45.
- [11] M. Fernández, An example of a compact calibrated manifold associated with the exceptional Lie group G_2 , *J. Differ. Geom.* 26 (1987): 367–370.
- [12] M-P. Gong, *Classification of nilpotent Lie algebras of dimension 7 (over algebraically closed fields and \mathbb{R})*, Ph. D. Thesis, University of Waterloo, Ontario, Canada, 1998.
- [13] A. Gray, Vector cross products on manifolds, *Trans. Amer. Math. Soc.* 141 (1969) 463–504.
- [14] R. Harvey and H. B. Lawson, Calibrated geometries, *Acta Math.* 148 (3) (1982) 47–157.
- [15] N. Hitchin, Stable forms and special metrics, in *Global Differential Geometry: The Mathematical Legacy of Alfred Gray* volume 288 of *Contemp. Math.*, Amer. Math. Soc., 2001, pp. 70–89.
- [16] D.D. Joyce, Compact Riemannian 7-manifolds with holonomy G_2 , I and II, *J. Diff. Geom.* 43 (1996) 291–328 and 329–375.
- [17] L. Magnin, Sur les algèbres de Lie nilpotentes de dimension ≤ 7 , *J. Geom. Phys.* 3 (1986) 119–144.
- [18] A. I. Malcev. On a class of homogeneous spaces, reprinted in *Amer. Math. Soc. Translations Series 1*, 9 (1962), 276–307.
- [19] S. Salamon, Complex structures on nilpotent Lie algebras, *J. Pure Appl. Algebra* 157 (2001) 311–333.

Dipartimento di Matematica e Applicazioni, Università di Milano Bicocca, Via Cozzi 53, 20125 Milano, Italy.

diego.conti@unimib.it

Universidad del País Vasco, Facultad de Ciencia y Tecnología, Departamento de Matemáticas, Apartado 644, 48080 Bilbao, Spain.

marisa.fernandez@ehu.es